



Visit product page



FOS LUMINUS PRO IP

L005377

High quality professional battery operated led par, 6 led HEX RGBW+A+UV 12 watt ,IP Rating: IP54 top/ IP20 bottom, 100% true wireless DMX up to 400m visible control distance , Rechargeable lithium-ion battery with LG chem , battery life 12 hours at running single color , Beam angle: 25 degrees, OLED display with touch buttons, Infrared remote control.

TECHNICAL DETAILS

Light source / Optics

6x 12 Watt RGBWA + UV, six in one LEDs

Beam angle: 25°

Field angle: 39°

Average LED life span: 50,000 hours.

Effects

Six colors mixing (Red, Green, Blue, White, Amber & Ultra Violet).

Linear dimming 0 - 100%

Strobe effects

Control

DMX512, Master / Slave, Stand Alone, Sound, Wireless DMX & IR remote control.

6, 8 & 12 DMX control channels.

OLED display with touch buttons for accessing the options menu.

Installation / Dimension details

IP Rating: IP54 top/ IP20 bottom

Power input: 100 / 240 Volt AC, 50/60 Hz.

Intergrated lithium ion battery.

Battery life: 5 hours at full on, 8 hours running preset programs, 12 hours single color.

Charging time: 5 hours

Power consumption: 75 Watts

Power In/Out with PowerCON connectors.

DMX connection with 3 pin XLR.

Passive cooling system, no fans.

IP20 protection, for indoor use only.

Working environment temperature: -10°C / +45°C

Charging environment temperature: 0°C / +45°C

Dimensions: 138 x 144 x 205 mm

Weight: 3,7 Kg.

Packing Details

Carton box for 4 pcs: 38 x 37 x 30 - 16 kg

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS AirLink 24

AirLink DMX transmitter/
fader desk for the Solo a



FOS AirLink PRO

AirLink DMX transmitter
for the Solo and Luminus P



FOS AirLink

AirLink DMX transmitter
for the Solo and Luminus P



FOS Luminus PRO Case

Flight case with charging
station for 8 pcs Luminu



FOS Luminus PRO Inox

Inox Cover plate for the
Luminus PRO



FOS Luminus PRO Soft Bag

Soft carry bag for 4 pcs
Luminus PRO



www.fos-lighting.eu

