



Visit product page



## NAXOS 15A DSP

L005680

Professional ABS plastic active speaker 15 inch with DSP, 1,35?? HF driver, RMS 300W(LF)+50W(HF) 350w RMS, German Engineering D class amplifier, 122 dB Spl, XLR, TRS line, Mic,bluetooth .

### TECHNICAL DETAILS

#### Technical Specifications

2 way active full range speaker.

Inputs: Bal XLR/TRS, 6.35, AUX, Bluetooth.

Outputs: Balanced XLR / TWS.

Power output: 250W (LF) + 50W (HF) RMS.

Bluetooth version: 5.0

Power Input: 100/240 Volt AC, 50/60 Hz switchable.

Features: LF: German Engineering class D, HF: Class-AB.

DSP signal processing.

DSP parameters: Standard, Vocal boost, Live, Stage monitor.

EQ: Bass / Treble.

Frequency Range: 45 - 20 kHz.

Max output SPL: 126dB (at max AMP output).

Impedance: LF 4Ω / HF 8Ω.

1.35" compression driver.

15" woofer.

HPP moulded cabinet.

35mm stand pole.

### Packing Details

Dimensions: 53 x 50 x 77 cm.

Weight: 23 Kgs.

### PHOTOS



PRODUCT VIDEO



ACCESSORIES



iCover Naxos 15  
Cover for Naxos 15



[www.fos-lighting.eu](http://www.fos-lighting.eu)

