



PRO AUDIO CASES

Superior Protection and Excellent Mobility





Table of Contents

Introduction	3
Gig Rigs	4
Compact Rigs	6
Studio Flyers	7
Mixer Console Cases	8
Mixer Cases	10
Bose Speaker Cases	11
Bags & Soft Cases	12
DJ Cases	13
Wired Mic Cases	14
Wireless Mic Cases	15
Recorder Cases	16
Tripod/Stand Cases	17
iSeries Cases	18
Flyable Cases	22
Specialty Cases	23
iSeries Accessories	24
R Series Cases	26
Rack Cases	28
Fly Racks	30
Shock Rack Cases	32
Military-Grade Shock Racks	33
3RS Series Racks	34
3RR Series Racks	35

Our Story




SKB Owners/Founders: Dave Sanderson and Steve Kottman

In 1977, two ambitious college students developed the first SKB case in a small Anaheim, California garage. What would eventually become the industry's premier lightweight molded guitar case was just the first of many innovations that have since cemented SKB's global reputation as a leading manufacturer of superior equipment transportation solutions. These solutions are helping diverse industries around the world—from music and photography to sports, aerospace, military, industrial, and beyond—to protect their livelihoods, build better products, and get the job done.

If our 40+ years of steady growth have taught us anything, it's that we have our customers to thank for giving us the opportunity to excel; it's their challenges that have allowed us to develop and grow. We at SKB are grateful for the continued trust and loyalty of our customers, and we remain dedicated to the assurance that every case with an SKB logo has been manufactured with an unconditional commitment to unsurpassed quality.

Construction Methods



One of our injection molders in action

Injection Mold

This is SKB's latest venture in our quest to provide the most innovative hard shell case products. Injection molding is an expensive investment that leaves no room for error. Made with extreme pressure, even the smallest injection molded part requires a very large and heavy mold (some of SKB's molds are nearly 20 tons!). The injection mold process produces many of our parts—such as our patented Trigger Latches—and our gasket-sealed waterproof iSeries cases are proving to be popular transport solutions for everyone from touring musicians to military personnel. Never before has an ATA flight case been so advanced and lightweight.



Molds rotating during production

Roto-Mold

In 1997, SKB invested in roto-mold machinery. These molds are ideal for making large and cylindrical cases. The PE roto-mold material starts as a fine powder that is measured according to the size of the case. The material is then sealed up in a multi-piece aluminum mold, fixed on a biaxial rotating wheel, and heated to 800° in a very large oven while the mold constantly rotates. The powder melts and coats the inside of the mold and, after cooling, the cast is disassembled and the new case is removed. Roto-molding is great for providing maximum transport protection and impact resistance.



Vacuum mold for keyboard case

Vacuum Form

Also known as thermal form, this was the first and most recognized "SKB Style" case. This method is very popular for everything from guitar and band instrument cases to golf cases, rifle cases, and more. In 1990, SKB developed the first vacuum formed rack case. Acrylonitrile Butadiene Styrene (ABS) or Polyethylene (PE) is formed into solid sheets of material. The sheets are then heated and vacuum formed around aluminum castings, thus taking the shape of the mold. The edges have a distinctive aluminum valance that provides rigid construction as well as a secure fit. Vacuum formed products are known for their light weight and extreme durability.





Gig Rigs

1SKB19-R1406

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 14U+, 7° angled top threaded steel rails for secure mounting of popular mixers
- 6U threaded vertical steel rails on front and back
- Unique 3-piece design uses the top cover as a pedestal when attached to wheeled base



Step 1

Gig Rig is lockable and stores/travels as a solid cube



Step 3

Attach lid to bottom caster skid



Step 2

The lid will be used as a pedestal



Step 4

Attach mixer section to top of lid (puts mixer at proper height)



Rack Expander



Add an additional 12U (6U front/6U back) for additional Gig Rig rack storage. Top lid of Expander is removable for complete cable access between Gig Rig and Expander.

Features



4 over-molded, spring loaded handles for easy maneuvering



Back of rack is 8" deep to accommodate back load mixers

Accessories



- A – 1SKB-AV14 Scissor Shelf
- B – 1SKB-VS-2 7° Shelf
- C – 1SKB-VS-1 Pullout Shelf

1SKB19-R1208

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 12U+, 7° angled top threaded steel rails for secure mounting of popular mixers
- 8U threaded vertical steel rails on front and back
- Unique 3-piece design uses the top cover as a pedestal when attached to wheeled base

Accessories



Rack ears available for Yamaha TF1 mixer or Allen & Heath SQ5 mixer



1SKB-AV8 Scissor Shelf



Gig Rigs Model #	Top Rack	Vertical Front Rack	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB19-R1406	14U	6U Front 6U Back	26" 66.04 cm	32.25" x 24" x 26.5" 81.92 cm x 60.96 cm x 67.31 cm	55.5 lbs 25.17 kg
1SKB19-R1208	12U	8U Front 8U Back	19" 48.26 cm	27.5" x 23.5" x 29.5" 69.85 cm x 59.69 cm x 74.93 cm	68.6 lbs 31.12 kg

Rack Expanders Model #	Fits	Vertical Front Rack	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB19-REX6	1SKB19-R1406	6U Front 6U Back	26" 66.04 cm	32.25" x 24" x 17.75" 81.92 cm x 60.96 cm x 45.08 cm	38.4 lbs 17.42 kg

Accessories Model #	Material	Rack Unit Required	Surface Dims W x D	Product Weight
1SKB-AV14 <i>Only for 1SKB19-R1406</i>	Plastic Shelf Metal Scissor Hinge	14U 7° Top Rack	16" x 16.5" 40.64 cm x 41.91 cm	6.8 lbs 3.08 kg
1SKB-AV8	Metal Shelf Metal Scissor Hinge	8U 7° Top Rack	17" x 11" 43.18 cm x 27.94 cm	6 lbs 2.72 kg
1SKB-VS-1	Plastic Shelf Pullout	2U (Vertical)	16" x 16.5" 40.64 cm x 41.91 cm	7 lbs 3.18 kg
1SKB-VS-2	Metal Shelf Fixed	8U 7° Top Rack	17.375" x 12.5" 44.13 cm x 31.75 cm	4.5 lbs 2.04 kg
1SKB-RE-TF1*	Metal Rack Ears for Yamaha TF1 Mixer			1.2 lbs 0.54 kg
1SKB-RE-SQ5*	Metal Rack Ears for Allen & Heath SQ5 Mixer			2.92 lbs 1.32 kg

*Check skbcases.com for compatible models



Compact Rigs

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 10U, 7° angled top threaded steel rails for secure mounting of popular mixers/DJ controllers
- Top and doors are injection molded of Rubber Modified Styrene (RMS)
- 2U/4U/6U threaded vertical steel rails on front
- Two removable side access plugs

1SKB-R106

10U x 6U Roto Rack/Mixer Console



1SKB-R104W

10U x 4U Compact Rolling Rack/Mixer Rig



Features



Side access ports for cable routing

Accessories



1SKB-R1906 6U Compact Rig Expander



1SKB-AV8 Hook & Loop retract shelf for 7° rack mount



1SKB-VS-2 Fixed Hook & Loop rack shelf for 7° rack mount

Compact Rigs

Model #	Top Rack	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R100	10U	None	19" 48.26 cm	23.25" x 22.75" x 11.25" 59.05 cm x 59.69 cm x 28.58 cm	16.4 lbs 7.44 kg
1SKB-R102	10U	2U	19" 48.26 cm	23.25" x 23.5" x 14.5" 59.05 cm x 59.69 cm x 36.83 cm	19.8 lbs 8.98 kg
1SKB-R104	10U	4U	19" 48.26 cm	23.25" x 23.5" x 17.75" 59.05 cm x 59.69 cm x 45.09 cm	24 lbs 10.89 kg
1SKB-R106	10U	6U	19.5" 49.53 cm	23.25" x 23.5" x 21.25" 59.05 cm x 59.69 cm x 53.98 cm	25.75 lbs 11.68 kg
1SKB-R1906		6U Front 6U Back	20.75" 52.71 cm	26" x 25.5" x 15" 66.04 cm x 64.77 cm x 38.1 cm	35.8 lbs 16.24 kg

Rolling Compact Rigs

Model #	Top Rack	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R102W	10U	2U	21" 53.34 cm	27.75" x 23.25" x 15.625" 70.49 cm x 59.05 cm x 39.69 cm	30.1 lbs 13.65 kg
1SKB-R104W	10U	4U	21" 53.34 cm	27.75" x 23.25" x 19.125" 70.49 cm x 59.05 cm x 48.58 cm	34.3 lbs 15.56 kg
1SKB-R106W	10U	6U	21" 53.34 cm	27.75" x 23.25" x 22.625" 70.49 cm x 59.05 cm x 57.47 cm	46.1 lbs 20.91 kg

- World's first injection molded waterproof studio rack cases
- Lighter, stronger, and more affordable than previous Studio Flyers
- Front and rear molded-in square rack rails pre-installed with cage nuts
- Improved quiet-glide wheels
- Easy-to-operate pull handle
- Made in the USA | Unconditional Lifetime Warranty

1SKB-iSF2U

19" x 11" laptop work surface



Approved airline
carry-on size



1SKB-iSF4U

21" x 15.5" laptop work surface



Model #	Top Platform	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-iSF2U	19" x 11" 48.26 cm x 27.94 cm	2U	11.46" 29.11 cm	14" x 22.25" x 9.5" 35.56 cm x 56.52 cm x 24.13 cm	15.2 lbs 6.89 kg
1SKB-iSF4U	21" x 15.5" 53.34 cm x 39.37 cm	4U	15" 38.1 cm	24" x 18.5" x 12.75" 60.96 cm x 46.99 cm x 32.39 cm	22.15 lbs 10.05 kg



Mixer Console Cases

SKB has designed a new line of mixer cases for four of the most popular 32-channel mixers in the market. The 1RMX32-DHW, fits the Behringer X32 mixer, the 1RMQU32-DHW fits the Allen & Heath QU32, the 1RMTF5-DHW fits the Yamaha TF5 and the 1RMM32-DHW fits the Midas M32 mixer. All four roto-molded cases include a large rubber gasket in the lids to keep rain and moisture out. Overall weight is lighter than equivalent road cases while providing superior protection.



1RMX32-DHW

Fits the Behringer X32



1RMQU32-DHW

Fits the Allen & Heath QU32



4" heavy-duty casters, large butterfly latches, and six spring loaded handles



Double wall construction with custom foam blocks

Mixer Console Cases



1RMTF5-DHW

Fits the Yamaha™ TF5




1RMM32-DHW

Fits the Midas M32



Easy access
hinged doghouse



Custom foam interior
for each model

Model #	Material	Outside Dims L x W x D	Product Weight
1RMX32-DHW	Roto-Molded	41" x 34" x 14.25" 104.14 cm x 86.36 cm x 36.2 cm	74 lbs 33.57 kg
1RMQU32-DHW	Roto-Molded	42" x 30.25" x 14" 106.68 cm x 76.84 cm x 35.56 cm	68 lbs 30.84 kg
1RMTF5-DHW	Roto-Molded	44.25" x 35.75" x 14.25" 112.4 cm x 90.81 cm x 37.47 cm	90 lbs 40.82 kg
1RMM32-DHW	Roto-Molded	44.25" x 35.75" x 14.25" 112.4 cm x 90.81 cm x 37.47 cm	90 lbs 40.82 kg



Mixer Cases



3i2222-12QSC

iSeries QSC TouchMix-30 Mixer Case



3i1813-7-TMIX

iSeries case fits QSC TouchMix-8 or with a removable piece of foam, the TouchMix-16

1SKB19-R1400

14U roto-molded Mixer Safe with 7° Rack Rails, and stacks on 1SKB19-REX6 Rack Expander



3i3026-15TF3

iSeries case fits Yamaha TF3 and Yamaha Tio 1608-DI/O Rack or 3i-1813-5WMC

Model #	Material	Outside Dims L x W x D	Product Weight
3i1813-7-TMIX	Injection Molded	19.82" x 15.5" x 7.88" 50.34 cm x 39.37 cm x 20.02 cm	8.6 lbs 3.9 kg
3i2222-12QSC	Injection Molded	24.81" x 24.98" x 14.15" 63.02 cm x 63.45 cm x 35.94 cm	26.4 lbs 11.97 kg
1SKB19-R1400	Roto-Molded 14U+ Rack	29.5" x 24" x 12.25" 74.93 cm x 60.96 cm x 31.11 cm	24.55 lbs 11.14 kg
1R2723-8BW	Roto-Molded with wheels	33.5" x 28.5" x 10.5" 85.09 cm x 72.39 cm x 26.67 cm	32.2 lbs 14.61 kg
3i3026-15TF3	Injection Molded with wheels	33.7" x 28.53" x 16.37" 82.23 cm x 73.03 cm x 41.58 cm	37.5 lbs 17.01 kg

Bose Speaker Cases



1SKB-5009BL

Fits Bose L1 & L1 Model II speaker



1SKB-4009BP

Fits Bose L1 Model II power stand/audio engine

3i-2922-16BF

Fits Bose F1 812 loudspeaker



3i-3021-18BS

Fits Bose F1 subwoofer



3i-2922-16B2

Fits Bose B2 subwoofer



Model #	Material	Outside Dims L x W x D	Product Weight
1SKB-5009BL	Vacuum-Formed	55" x 15" x 8" 139.7 cm x 38.1 cm x 20.32 cm	20 lbs 9.07 kg
1SKB-4009BP	Vacuum-Formed	45" x 15.25" x 9.5" 114.3 cm x 38.74 cm x 24.13 cm	18 lbs 8.16 kg
3i-2922-16BF	Injection Molded	31.94" x 24.54" x 16.87" 81.13 cm x 62.33 cm x 42.85 cm	33.2 lbs 15.06 kg
3i-2922-16B2	Injection Molded	31.94" x 24.54" x 16.87" 81.13 cm x 62.33 cm x 42.85 cm	31.6 lbs 14.33 kg
3i-3021-18BS	Injection Molded	32.94" x 23.53" x 18.87" 83.67 cm x 59.77 cm x 47.93 cm	31.4 lbs 14.24 kg



Universal Bags

- 600 Denier exterior
- Heavy-duty dual zippers
- Adjustable padded shoulder strap
- Double stitched carrying handle
- Convenient padded exterior accessory compartment for iPad or cables

Model #	Inside Dims H x W x D	Product Weight
1SKB-UB0909	9" x 9" x 2.75" 22.86 cm x 22.86 cm x 6.99 cm	1.4 lbs 0.64 kg
1SKB-UB1212	12" x 12" x 4" 30.48 cm x 30.48 cm x 10.16 cm	1.6 lbs 0.73 kg
1SKB-UB1515	15" x 15" x 5" 38.1 cm x 38.1 cm x 12.7 cm	1.9 lbs 0.82 kg
1SKB-UB1818	18" x 18" x 5.5" 45.72 cm x 45.72 cm x 13.97 cm	2.0 lbs 0.91 kg
1SKB-UB2020	20" x 20" x 5.5" 50.8 cm x 50.8 cm x 13.97 cm	2.2 lbs 1 kg



Controller Cases

- Durable 600 Denier exterior layered with rigid foam core
- Padded interior
- Heavy-duty double pull zipper
- Convenient exterior accessory pouch
- Carrying handle and convenient shoulder strap

Model #	Inside Dims H x W x D	Product Weight
1SKB-SC1913	19" x 12.75" x 3.13" 48.26 cm x 32.39 cm x 7.94 cm	3 lbs 1.36 kg
1SKB-SC2111	21.5" x 11.25" x 3.88" 54.61 cm x 28.58 cm x 9.84 cm	3.6 lbs 1.63 kg
1SKB-SC2311	23" x 11" x 3.63" 58.42 cm x 27.94 cm x 9.21 cm	3 lbs 1.36 kg
1SKB-SC2316	23" x 16" x 5.5" 58.42 cm x 40.64 cm x 13.97 cm	5 lbs 2.26 kg
1SKB-SC2414	23.75" x 14" x 3" 60.3 cm x 35.5 cm x 7.62 cm	3.8 lbs 1.72 kg
1SKB-SC2709	27.25" x 9.75" x 3" 69.22 cm x 24.77 cm x 7.62 cm	3 lbs 1.36 kg
1SKB-SC2714	27" x 14.25" x 3.25" 68.5 cm x 36 cm x 8.26 cm	4 lbs 1.81 kg
1SKB-SC3212	32" x 12" x 3.25" 81.28 cm x 30.48 cm x 8.26 cm	4.2 lbs 1.9 kg



DJ Controller Cases



3i1813-5MPCL

Fits the Akai MPC Live Sampler/Sequencer



3i2421-7MPCX

Fits the Akai MPC X Sampler/Sequencer with room for cables and other accessories, oversized carry handle, easy-to-operate tow handle, and in-line wheels

Lighting Cases

3i-201510PAR

Features padded compartments for six ADJ Element Par Lights or six Chauvet Freedom Par Lights and ten individual power cable/accessory compartments, with wheels and a pull handle for easy transport



3i-5014-LBAR

Will hold four light bars up to 36.75" in length, with moveable PE foam blocks that allow you to comfortably fit two short light bars or one long bar per 2.75" wide channel, as well as space underneath the fixtures for cable storage



Model #	Material	Outside Dims L x W x D	Product Weight
3i1813-5MPCL	Injection Molded	19.68" x 15.18" x 5.46" 49.99 cm x 38.56 cm x 13.87 cm	6.65 lbs 3.02 kg
3i2421-7MPCX	Injection Molded	26.21" x 23.52" x 8.65" 66.57 cm x 59.74 cm x 21.97 cm	20.7 lbs 9.39 kg
3i-201510PAR	Injection Molded	22.92" x 17.98" x 11.55" 58.22 cm x 45.67 cm x 29.34 cm	20.2 lbs 9.16 kg
3i-5014-LBAR	Injection Molded	54" x 17" x 7" 137.16 cm x 43.18 cm x 17.78 cm	21.2 lbs 9.62 kg



Wired Mic Cases

3i-0907-MC3

iSeries 3 mic case



3i-0907-MC6

iSeries 6 mic case



3i-2011-MC12

iSeries 12 mic case



3i-2015-MC24

iSeries 24 mic case



Model #	Interior Foam Description	Outside Dims L x W x D	Product Weight
3i-0907-MC3	(3) Mics with Perforated Foam for Different Mic Shapes	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.4 lbs 1.09 kg
3i-0907-MC6	(6) Mics with Perforated Foam for Different Mic Shapes	10.73" x 9.69" x 6.82" 27.25 cm x 24.61 cm x 17.32 cm	3.05 lbs 1.38 kg
3i-2011-MC12	(12) Mics with Cable Storage	21.93" x 13.98" x 9" 55.7 cm x 35.51 cm x 22.86 cm	9 lbs 4.08 kg
3i-2015-MC24	(24) Mics with Cable Storage	22.92" x 17.98" x 11.55" 58.22 cm x 45.67 cm x 29.34 cm	15.8 lbs 7.17 kg

Wireless Mic Cases



3i0806-3-ROD

iSeries RodeLink wireless mic case



3i0907-4-SWK

iSeries Sennheiser EW wireless mic case

3i-1711-XLX

iSeries Shure wireless mic case



3i-221710WMC

Provides 2 units of rack space and cut outs for 4 wireless hand held transmitters, 4 body pack transmitters, and additional accessories all in one case



3i-1813-7WMC

Fits 8 wireless mics, 8 bodypack transmitters, and accessories



Model #	Interior Foam Description	Outside Dims L x W x D	Product Weight
3i-0806-3-AVX	Foam Cut for Sennheiser AVX Wireless Audio System	9.41" x 7.82" x 4.35" 23.9 cm x 19.86 cm x 11.05 cm	1.8 lbs 0.82 kg
3i0806-3-ROD	Foam Cut for RodeLink Wireless Audio System	9.41" x 7.82" x 4.35" 23.9 cm x 19.86 cm x 11.05 cm	1.8 lbs 0.82 kg
3i0907-4-SWK	Foam Cut for Sennheiser EW Wireless Mic Series	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs 1.27 kg
3i-1711-SEW	Foam Cut for Sennheiser EW Wireless Mic Series	18.25" x 13.79" x 6.81" 46.36 cm x 35.03 cm x 17.3 cm	7.05 lbs 3.2 kg
3i-1711-XLX	Foam Cut for Shure SLX/ULXD Wireless Mic System	18.25" x 13.79" x 6.81" 46.36 cm x 35.03 cm x 17.3 cm	7.05 lbs 3.2 kg
3i-1813-5WMC	Foam Cut for 4 Wireless Mic System, Bodypacks	19.68" x 15.18" x 5.46" 49.99 cm x 38.56 cm x 13.87 cm	6.6 lbs 2.99 kg
3i-1813-7WMC	Foam Cut for 8 Wireless Mic System, Bodypacks	19.82" x 15.5" x 7.88" 50.34 cm x 39.37 cm x 20.02 cm	8.6 lbs 3.9 kg
3i-221710WMC	2U rack + Foam Cut for 4 wireless mics, 4 body packs	24.5" x 19.37" x 12.22" 62.23 cm x 49.2 cm x 31.04 cm	25.35 lbs 11.5 kg



Recorder Cases

Zoom H6 Recorders

SKB iSeries Officially Licensed waterproof hard cases were specifically designed for the Zoom H6 recorders with custom cut high quality PE foam interiors. The compact 3i-0907-4-H6 case includes spaces for the recorder, XYH-6 X/Y mic capsule, MSH-6 MS mic capsule, cables, memory cards, and additional accessories. The larger 3i-1209-4-H6B includes additional pockets for the SGH-6 Shotgun mic capsule and EXH-6 Dual XLR/TRS Combo capsule.



3i-0907-4-H6

iSeries Zoom H6 Recorder Case



3i-1209-4-H6B

iSeries Zoom H6 Recorder Case



Zoom H5 Recorders

SKB iSeries waterproof hard case with custom cut PE foam that includes space for the H5 recorder as well as an open pocket for additional accessories.

3i-0907-4-H5

iSeries Zoom H5 Recorder Case



Model #	Interior Foam Description	Outside Dims L x W x D	Product Weight
3i-0907-4-H5	Foam Cut for Zoom H5 Recorder	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs 1.27 kg
3i-0907-4-H6	Foam Cut for Zoom H6 Recorder	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs 1.27 kg
3i-1209-4-H6B	Foam Cut for Zoom H6 Recorder	13.18" x 11.12" x 5.21" 33.48 cm x 28.24 cm x 13.23 cm	3.6 lbs 1.63 kg

Tripod/Stand Cases



Roto-Molded tripod cases are available in 8 sizes to accommodate every popular tripod and light stand from 29" to 50"



Heavy-duty web straps with sturdy high-tension slide release buckles



Flat areas on both sides for placement of shipping labels



Two molded-in ergonomic carrying handles



In-line skate style wheels for easy transport (see chart)



Integrated padlock loop for customer supplied lock

Model #	Internal Size Tall x Diameter	External Size L x W x D	Product Weight	Wheels
1SKB-R2411	24" x 11" 60.96 cm x 27.94 cm	27.25" x 12.75" x 14" 69.22 cm x 32.39 cm x 35.56 cm	10.4 lbs 4.72 kg	No
1SKB-R2907	29" x 7.5" 73.66 cm x 19.05 cm	32.25" x 10.5" x 9.25" 81.92 cm x 26.67 cm x 23.5 cm	7.6 lbs 3.45 kg	No
1SKB-R3411W	34" x 11" 86.36 cm x 27.94 cm	38.25" x 12.75" x 13.75" 97.16 cm x 32.39 cm x 34.93 cm	15 lbs 6.8 kg	Yes
1SKB-R3709W	37" x 9" 93.98 cm x 22.86 cm	40.25" x 12.5" x 11" 102.24 cm x 31.75 cm x 27.94 cm	11.6 lbs 5.26 kg	Yes
1SKB-R4111W	41" x 11" 104.14 cm x 27.94 cm	45.25" x 12.75" x 14" 114.94 cm x 32.39 cm x 35.56 cm	17 lbs 7.71 kg	Yes
1SKB-R4209W	42" x 9" 106.68 cm x 22.86 cm	47.5" x 12.5" x 11" 120.65 cm x 31.75 cm x 27.94 cm	12.8 lbs 5.81 kg	Yes
1SKB-R4611W	46" x 11" 116.84 cm x 27.94 cm	50.75" x 12.75" x 14" 128.91 cm x 32.39 cm x 35.56 cm	16 lbs 7.26 kg	Yes
1SKB-R5011W	50" x 11" 127 cm x 27.94 cm	54.75" x 12.75" x 14" 139.07 cm x 32.39 cm x 35.56 cm	16 lbs 7.26 kg	Yes



Injection Molded Watertight Cases

All SKB waterproof iSeries cases provide optimal strength, durability, and customizability to suit every application

See pages 20-21 for a complete list of iSeries sizes and options



Specifications:

- Watertight/dustproof design using tongue and groove construction
- Automatic ambient pressure equalization valve adjusts to changes caused by altitude or temperature
- Impact-strength polypropylene co-polymer provides ultimate protection while also being lighter and multiple times stronger than the competition
- Trigger latches stay closed until you want to open them, with key-locking TSA accepted versions also available

iSeries Cases



layers of cubed foam for customization*




pull handle one finger push button release



high contrast Think Tank padded divider interiors



Model Number Key



i series

*For more information about replacement foam, please visit skbcases.com



iSeries Cases

Model #	Inside Dims (L x W x H)	Outside Dims (L x W x H)	Lid Depth	Base Depth	Weight Empty	Pull Handle/ Wheels	Padded Dividers	Cubed Foam	Layered Foam
3i-0702-1	7.63" x 2" x 1" 19.38 cm x 5.08 cm x 2.54 cm	8.75" x 3.25" x 1.63" 22.22 cm x 8.25 cm x 4.14 cm	0.5" 1.27 cm	0.5" 1.27 cm	0.34 lbs 0.15 kg				X
3i-0705-3	7.5" x 5" x 3.25" 19.05 cm x 12.7 cm x 8.25 cm	8.36" x 6.7" x 3.83" 21.23 cm x 17 cm x 9.7 cm	0.5" 1.27 cm	2.75" 7.4 cm	1.17 lbs 0.53 kg			X	
3i-0806-3	8.5" x 6" x 3.75" 21.59 cm x 15.24 cm x 9.5 cm	9.41" x 7.82" x 4.35" 23.9 cm x 19.8 cm x 11 cm	0.5" 1.27 cm	3.25" 8.25 cm	1.65 lbs 0.74 kg			X	
3i-0907-4	9.5" x 7.38" x 4.13" 24.13 cm x 18.75 cm x 10.4 cm	10.73" x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	1.19" 3 cm	2.94" 7.4 cm	2.4 lbs 1.09 kg		X	X	X
3i-0907-6	9.38" x 7.38" x 6.13" 24.13 cm x 18.75 cm x 15.5 cm	10.68" x 9.69" x 6.82" 27.12 cm x 24.61 cm x 17.32 cm	1.19" 3 cm	4.94" 12.5 cm	2.8 lbs 1.27 kg		X	X	X
3i-1006-3	10.75" x 6.13" x 3.25" 27.3 cm x 15.5 cm x 8.25 cm	11.72" x 8" x 3.86" 29.7 cm x 20.32 cm x 9.8 cm	0.5" 1.27 cm	3.25" 8.25 cm	1.97 lbs 0.89 kg			X	
3i-1209-4	12" x 9" x 4.5" 30.4 cm x 22.8 cm x 11.4 cm	13.18" x 11.12" x 5.21" 33.48 cm x 28.24 cm x 13.23 cm	1.5" 3.8 cm	3" 7.63 cm	3.2 lbs 1.45 kg		X	X	X
3i-1309-6	13.5" x 9.5" x 6.5" 34.3 cm x 24.1 cm x 16.5 cm	14.73" x 11.94" x 7.31" 37.41 cm x 30.33 cm x 18.57 cm	1.5" 3.8 cm	5" 12.7 cm	4.6 lbs 2.08 kg		X	X	
3i-1510-4	15" x 10.5" x 4.5" 38.1 cm x 26.67 cm x 11.4 cm	16.25" x 13" x 5.3" 41.28 cm x 33 cm x 13.46 cm	1.25" 3.18 cm	3.25" 8.25 cm	4.75 lbs 2.15 kg				
3i-1510-6	15" x 10.38" x 6" 38.1 cm x 26.3 cm x 15.2 cm	16.24" x 12.94" x 6.78" 41.24 cm x 32.86 cm x 17.22 cm	1.75" 4.4 cm	4.25" 10.7 cm	5.2 lbs 2.36 kg		X	X	X
3i-1510-9	15" x 10.5" x 9" 38.1 cm x 26.67 cm x 22.86 cm	16.25" x 13" x 9.8" 41.28 cm x 33 cm x 24.89 cm	1.75" 4.4 cm	7.25" 18.42 cm	6.15 lbs 2.79 kg				
3i-1610-5	16" x 10" x 5.5" 40.6 cm x 25.4 cm x 13.9 cm	17.17" x 12.17" x 6.21" 43.61 cm x 30.91 cm x 15.77 cm	2" 5 cm	3.5" 8.89 cm	5 lbs 2.26 kg		X	X	X
3i-1610-10	16" x 10" x 10" 40.6 cm x 25.4 cm x 25.4 cm	17.36" x 12.54" x 11.68" 44.09 cm x 31.85 cm x 29.67 cm	1.5" 3.8 cm	8.5" 21.6 cm	7.4 lbs 3.36 kg			X	
3i-1706-6	17" x 6.5" x 6.5" 43.18 cm x 16.51 cm x 16.51 cm	18.2" x 8.98" x 7.3" 46.23 cm x 22.81 cm x 18.54 cm	2" 5 cm	4.5" 11.43 cm	4.8 lbs 2.18 kg			X	
3i-1711-6	17" x 11.5" x 6" 43.18 cm x 29.21 cm x 15.24 cm	18.25" x 13.79" x 6.81" 46.36 cm x 35.03 cm x 17.3 cm	1.75" 4.4 cm	4.25" 10.8 cm	6.1 lbs 2.77 cm		X	X	X
3i-1717-10	17" x 17" x 10" 43.18 cm x 43.18 cm x 25.4 cm	19.5" x 19.7" x 10.9" 49.53 cm x 50.04 cm x 27.69 cm	2" 5 cm	8" 20.3 cm	10.9 lbs 4.94 kg				
3i-1717-16	17" x 17" x 16" 43.18 cm x 43.18 cm x 40.6 cm	19.62" x 19.46" x 16.86" 49.83 cm x 49.43 cm x 42.82 cm	2" 5 cm	14" 35.56 cm	13.8 lbs 6.26 kg			X	
3i-1813-5	18.5" x 13" x 4.75" 47 cm x 33 cm x 12 cm	19.68" x 15.18" x 5.46" 49.99 cm x 38.56 cm x 13.87 cm	1.5" 3.8 cm	3.25" 8.25 cm	5.9 lbs 2.68 kg		X	X	X
3i-1813-7	18.5" x 13" x 7" 47 cm x 33 cm x 17.7 cm	19.82" x 15.5" x 7.88" 50.34 cm x 42.55 cm x 24.97 cm	1.5" 3.8 cm	5.5" 13.9 cm	6.7 lbs 3.02 kg		X	X	
3i-1914-8	19" x 14.38" x 8" 48.26 cm x 36.5 cm x 20 cm	21.26" x 16.75" x 9.83" 54 cm x 42.55 cm x 24.97 cm	2" 5 cm	6" 15.24 cm	12.9 lbs 5.85 kg	X	X	X	X
3i-1914N-8	19" x 14.5" x 8" 48.26 cm x 36.83 cm x 20 cm	20.25" x 16.93" x 8.78" 51.44 cm x 43 cm x 22.3 cm	2" 5 cm	6" 15.24 cm	8 lbs 3.63 kg		X	X	
3i-2011-7	20.38" x 11.44" x 7.5" 51.7 cm x 29 cm x 19 cm	21.89" x 13.96" x 9" 55.6 cm x 35.46 cm x 22.86 cm	2" 5 cm	5.5" 13.9 cm	10.5 lbs 4.76 kg	X	X	X	
3i-2011-8	20.38" x 11.44" x 8" 51.7 cm x 29 cm x 20.3 cm	21.93" x 13.98" x 9" 55.7 cm x 35.51 cm x 22.86 cm	2" 5 cm	6.25" 15.8 cm	7.9 lbs 3.56 kg		X	X	
3i-2015-7	20.5" x 15.5" x 7.5" 52 cm x 39.3 cm x 19 cm	22.27" x 17.98" x 8.32" 56.57 cm x 45.67 cm x 21.13 cm	2" 5 cm	5.5" 13.9 cm	8.9 lbs 4.04 kg		X	X	
3i-2015-10	20.5" x 15.5" x 10" 52 cm x 39.3 cm x 25.4 cm	22.92" x 17.98" x 11.55" 58.22 cm x 45.67 cm x 29.34 cm	2" 5 cm	8" 20.3 cm	13.2 lbs 6 kg	X	X	X	
3i-2213-12	22" x 13" x 12.5" 55.88 cm x 33 cm x 31.75 cm	24.32" x 15.5" x 14.38" 61.77 cm x 42.55 cm x 36.53 cm	2" 5 cm	10" 25.4 cm	16.4 lbs 7.44 kg	X		X	
3i-2215-8	22" x 15.5" x 8" 55.88 cm x 39.3 cm x 20.32 cm	24.5" x 18.25" x 9.75" 62.33 cm x 46.36 cm x 24.77 cm	2" 5 cm	6" 15.24 cm	16.02 lbs 7.27 kg	X	X	X	
3i-2217-8	22" x 17" x 8" 55.88 cm x 43 cm x 20.32 cm	24.32" x 19.5" x 8.86" 61.77 cm x 49.53 cm x 22.5 cm	2" 5 cm	6" 15.24 cm	11 lbs 4.98 kg		X	X	



Model #	Inside Dims (L x W x H)	Outside Dims (L x W x H)	Lid Depth	Base Depth	Weight Empty	Pull Handle/ Wheels	Padded Dividers	Cubed Foam	Layered Foam
3i-2217-10	22" x 17" x 10.5" 55.88 cm x 43 cm x 26.6 cm	24.5" x 19.37" x 12.22" 62.33 cm x 49.2 cm x 31.04 cm	2" 5 cm	8.5" 21.6 cm	16.9 lbs 7.66 kg	X	X	X	
3i-2217-12	22" x 17" x 12.7" 55.88 cm x 43 cm x 32.2 cm	24.34" x 19.47" x 14.38" 61.82 cm x 49.45 cm x 36.53 cm	2" 5 cm	10.7" 27.18 cm	18.2 lbs 8.25 kg	X	X	X	
3i-2222-12	22.5" x 22.5" x 12.5" 57.15 cm x 57.15 cm x 31.75 cm	24.82" x 25" x 14.15" 62.02 cm x 63.45 cm x 35.94 cm	2" 5 cm	10.5" 26.6 cm	20.6 lbs 9.34 kg	X	X	X	
3i-2317-14	23" x 17" x 14" 58.42 cm x 43 cm x 35.5 cm	25.63" x 19.5" x 15.63" 65.09 cm x 49.53 cm x 39.69 cm	2.5" 6.35 cm	11.5" 29.2 cm	19.9 lbs 9 kg	X		X	
3i-2421-7	24.12" x 21" x 7" 61.26 cm x 53.34 cm x 17.78 cm	26.21" x 23.52" x 8.65" 66.57 cm x 59.74 cm x 21.97 cm	2" 5 cm	5" 12.7 cm	18.4 lbs 8.35 kg	X		X	
3i-2424-14	24" x 24" x 14" 60.96 cm x 60.96 cm x 35.56 cm	26.5" x 26.54" x 15.65" 67.31 cm x 67.41 cm x 39.75 cm	2.5" 6.35 cm	11.5" 29.2 cm	24.5 lbs 11.11 kg	X		X	
3i-2617-12	26" x 17.5" x 12" 66.04 cm x 44.45 cm x 30.5 cm	28.6" x 20" x 13.65" 72.64 cm x 50.8 cm x 24.67 cm	2" 5 cm	10" 25.4 cm	20.8 lbs 9.4 kg	X	X	X	
3i-2914-15	29" x 14" x 15" 73.66 cm x 35.56 cm x 38.1 cm	32.8" x 16.68" x 15.87" 83.31 cm x 42.37 cm x 40.3 cm	2" 5 cm	13" 33 cm	20.25 lbs 9.19 kg	X		X	
3i-2918-10	29" x 18" x 10.85" 73.66 cm x 45.7 cm x 27.5 cm	31.66" x 20.54" x 12.5" 80.06 cm x 52.91 cm x 31.75 cm	2" 5 cm	8.85" 22 cm	21.6 lbs 9.7 kg	X	X	X	
3i-2918-14	29" x 18" x 14" 73.66 cm x 45.7 cm x 35.5 cm	31.63" x 20.5" x 15.75" 80.33 cm x 52.07 cm x 40.01 cm	2.5" 6.35 cm	11.5" 29.2 cm	23.2 lbs 10.52 kg	X		X	
3i-2922-10	29" x 22" x 10" 73.66 cm x 55.88 cm x 25.4 cm	31.75" x 24.6" x 12.18" 80.65 cm x 62.48 cm x 30.94 cm	2.02" 5.13 cm	8.5" 21.6 cm	26.81 lbs 12.16 kg	X		X	
3i-2922-16	29" x 22" x 16" 73.66 cm x 55.88 cm x 40.64 cm	32" x 24.5" x 16.875" 81.28 cm x 62.23 cm x 42.86 cm	2" 5 cm	14" 35.56 cm	28 lbs 12.7 kg	X		X	
3i-3016-10	30" x 16" x 10" 76.2 cm x 40.64 cm x 25.4 cm	32.4" x 18.5" x 10.85" 82.3 cm x 46.99 cm x 27.56 cm	2" 5 cm	8" 20.3 cm	18 lbs 8.16 kg	X	X	X	
3i-3019-12	30.5" x 19.5" x 12" 77.47 cm x 49.53 cm x 30.48 cm	33.42" x 22.04" x 12.87" 84.88 cm x 55.98 cm x 32.68 cm	2" 5 cm	10" 25.4 cm	23.5 lbs 10.6 kg	X		X	
3i-3021-18	30" x 21" x 18" 76.2 cm x 53.3 cm x 45.7 cm	32.94" x 23.53" x 18.87" 83.67 cm x 59.77 cm x 47.93 cm	2" 5 cm	16" 40.64 cm	28.8 lbs 13 kg	X		X	
3i-3026-15	30.75" x 26" x 15.5" 78 cm x 66 cm x 39.3 cm	33.71" x 28.53" x 16.37" 85.62 cm x 72.47 cm x 41.55 cm	2" 5 cm	13.5" 34.29 cm	31.6 lbs 14.3 kg	X		X	
3i-3424-12	34.5" x 24.5" x 12.75" 87.63 cm x 62.23 cm x 32.3 cm	37.44" x 27.04" x 13.62" 95 cm x 68.68 cm x 34.59 cm	2" 5 cm	10.75" 27.3 cm	30.4 lbs 13.7 kg	X		X	
3i-3613-12	36" x 13.5" x 12" 91.44 cm x 34.29 cm x 30.48 cm	38.67" x 16.05" x 10.47" 98.22 cm x 40.77 cm x 26.59 cm	2" 5 cm	10" 25.4 cm	20.4 lbs 9.25 kg	X			X
3i-3614-6	36.5" x 14.5" x 6" 92.7 cm x 36.83 cm x 15 cm	39.04" x 16.81" x 6.84" 99.16 cm x 42.7 cm x 17.37 cm	1.5" 3.8 cm	4.5" 11.43 cm	15.2 lbs 6.89 kg	X			X
3i-4213-12	42.5" x 13.5" x 12" 108 cm x 34.2 cm x 30.5 cm	45.1" x 16.03" x 12.97" 114.55 cm x 40.72 cm x 32.94 cm	2" 5 cm	10" 25.4 cm	22.6 lbs 10.25 kg	X			X
3i-4214-5	42.5" x 14.5" x 5.5" 107.9 cm x 36.83 cm x 14 cm	44.96" x 16.98" x 6.34" 114.2 cm x 43.13 cm x 16.1 cm	1.5" 3.8 cm	4" 10.16 cm	16.5 lbs 7.48 kg	X			X
3i-4217-7	42.5" x 17" x 7.5" 107.9 cm x 43.18 cm x 19 cm	45.12" x 19.45" x 8.34" 114.6 cm x 49.4 cm x 21.18 cm	2" 5 cm	5.5" 13.9 cm	20.3 lbs 9.21 kg	X			X
3i-4414-10	44.5" x 14.5" x 10" 113.03 cm x 36.83 cm x 25.4 cm	47" x 17" x 10.875" 119.38 cm x 43.18 cm x 27.62 cm	2" 5 cm	8" 20.3 cm	22.89 lbs 10.38 kg	X	X		X
3i-4719-8	47" x 19" x 8" 119.38 cm x 48.26 cm x 20.32 cm	49.66" x 21.51" x 8.87" 126.13 cm x 54.63 cm x 22.52 cm	2" 5 cm	5.5" 13.9 cm	23.4 lbs 10.61 kg	X			X
3i-4909-5	49" x 9" x 5" 124.5 cm x 22.9 cm x 12.7 cm	50.35" x 11.54" x 5.84" 127.89 cm x 29.31 cm x 14.83 cm	1.5" 3.8 cm	3.5" 8.9 cm	12.4 lbs 5.6 kg				X
3i-5014-6	50.5" x 14.5" x 6" 128.27 cm x 36.83 cm x 15 cm	53.04" x 16.98" x 6.84" 134.72 cm x 43.13 cm x 17.37 cm	1.5" 3.8 cm	4.5" 11.43 cm	18.9 lbs 8.5 kg	X			X
3i-5616-9	56" x 16" x 9" 142.24 cm x 40.64 cm x 22.86 cm	58.71" x 18.55" x 10.63" 149.12 cm x 47.12 cm x 27 cm	2" 5 cm	7" 17.78 cm	29.5 lbs 13.38 kg	X			X
3i-6018-8	60" x 18" x 8" 152.4 cm x 45.72 cm x 20.32 cm	62.71" x 20.62" x 9.63" 159.28 cm x 52.37 cm x 24.46 cm	2" 5 cm	6" 15.24 cm	31 lbs 14.06 kg	X			X



Flyable Cases

Carry-On Sizes



Approved airline carry-on size

3i-2011-7

Available in a variety of interiors including empty, cubed foam, Think Tank padded dividers, and Think Tank divider backpack



3i-CV1309-TT

Think Tank cover for the 3i-1309-6 case, including a pass through shoulder strap, back pass through for east attachment to rolling luggage, two side pockets for water bottles, and an exterior pocket for laptop, tablet, or documents



Checkable Sizes

3i-3016-10

- This case is under 62 linear inches, making it the maximum non-oversized checkable iSeries case size for most major airlines
- Available in a variety of interiors including empty, layered foam, cubed foam, and Think Tank padded dividers



3i-2617-12

- Available in a variety of interiors including empty, cubed foam, and padded dividers



Model #	Inside Dims L x W x D	Outside Dims L x W x D	Product Weight (Empty)
3i-2011-7	20.38" x 11.44" x 7.5" 51.77 cm x 29.06 cm x 19.05 cm	21.89" x 13.96" x 9" 55.6 cm x 35.46 cm x 22.86 cm	14.2 lbs 6.44 kg
3i-CV1309-TT	13.5" x 9.5" x 6.5" 34.29 cm x 24.13 cm x 16.51 cm	16" x 12.5" x 8" 40.64 cm x 31.75 cm x 20.32 cm	1.49 lbs 0.68 kg
3i-3016-10	30" x 16" x 10" 76.2 cm x 40.64 cm x 25.4 cm	32.4" x 18.5" x 10.85" 82.3 cm x 46.99 cm x 27.56 cm	18 lbs 8.16 kg
3i-2617-12	26.08" x 17.5" x 12" 66.24 cm x 44.45 cm x 30.48 cm	28.8" x 20" x 13.65" 73.15 cm x 50.8 cm x 34.67 cm	20.8 lbs 9.43 kg



3i-3613-12DT

Features heavy-duty hinged Think Tank dividers, padded sub-dividers, built-in wheels, and a convenient pull handle for easy transport



3i-2011-7B-TR

iSeries Tech Box with pull-out handle and wheels



3i-1717-10LT

Features a Think Tank Nylex-wrapped closed cell fitted foam liner to pad and protect a variety of gear in transit



Model #	Inside Dims L x W x D	Outside Dims L x W x D	Product Weight
3i-3613-12DT	35" x 12.5" x 10.5" 88.9 cm x 31.75 cm x 26.67 cm	38.67" x 16.05" x 10.47" 98.22 cm x 40.77 cm x 26.59 cm	23.85 lbs 10.82 kg
3i-2011-7B-TR	20.38" x 11.44" x 7.5" 51.77 cm x 29.06 cm x 19.05 cm	21.89" x 13.96" x 9" 55.6 cm x 35.46 cm x 22.86 cm	20.4 lbs 9.25 kg
3i-1717-10LT	16" x 16" x 9" 40.64 cm x 40.64 cm x 22.86 cm	19.5" x 19.7" x 10.9" 49.53 cm x 50.04 cm x 27.69 cm	13 lbs 5.9 kg



Colored Handles

Model #	Description
3i-HD73-BE	Small handle, Blue Overmold
3i-HD73-GN	Small handle, Yellow Overmold
3i-HD73-RD	Small handle, Red Overmold
3i-HD73-YW	Small handle, Green Overmold
3i-HD80-BE	Medium handle, Blue Overmold
3i-HD80-GN	Medium handle, Yellow Overmold
3i-HD80-RD	Medium handle, Red Overmold
3i-HD80-YW	Medium handle, Green Overmold
3i-HD81-BE	Large handle, Blue Overmold
3i-HD81-GN	Large handle, Yellow Overmold
3i-HD81-RD	Large handle, Red Overmold
3i-HD81-YW	Large handle, Green Overmold



Lid Organizers

Model #	Description
3i-L02011-1	Lid Organizer for 3i-2011
3i-L02015-1	Lid Organizer for 3i-2015
3i-L02217-1	Lid Organizer for 3i-2217
3i-L02918-1	Lid Organizer for 3i-2918






Panel Mount Kit



Model #	Description
3i-PMCK	iSeries Panel Mount Clip Kit



Locking Latches

Model #	Description
3i-TSA-1	Small TSA Locking Latch Kit
3i-TSA-2	Medium TSA Locking Latch Kit
3i-TSA-3	Large TSA Locking Latch Kit



TSA Padlocks

Model #	Description
1SKB-PDL	TSA Pad Locks (2-pack)
1SKB-PDL-C	TSA Pad Cable Locks (2-pack)





R Series Cases

Rotationally Molded Watertight Cases



- UV, solvent, corrosion, and fungus resistant (MIL-STD-810F)
- Complete gasket seal provides waterproof and dust-tight construction (MIL-C-4150J)
- Automatic ambient pressure equalization valve (MIL-STD-648C & IP67)
- Powder coated stainless steel hardware helps prevent rusting
- Comfortable, spring-loaded, rubber over-molded handles



3R2222-12B-CW



3R2727-27B-E

See reference chart for models with available "slide-mount" caster kits



3R4417-8B-EW



3R6820-20B-EW



3R5123-23

See reference chart for models with available Forklift Riser Kits



R SERIES

R Series Cases



Model #	Inside Dims (L x W x H)	Lid Depth	Base Depth	Weight Empty	Pull Handle/ Wheels	Optional Kits				
						Edge Wheels	Caster Kit	Forklift Riser Kit	Cubed Foam	Layered Foam
3R1919-14B	19" x 19" x 14.63" 48.26 cm x 48.26 cm x 37.16 cm	3.25" 8.26 cm	11.37" 28.88 cm	19.3 lbs 8.8 kg	X				X	
3R2216-15B	22" x 16" x 15" 55.88 cm x 40.64 cm x 38.1 cm	3" 7.62 cm	12" 30.48 cm	17.6 lbs 8 kg						
3R2217-10B	22" x 17" x 10.5" 55.88 cm x 43.18 cm x 26.67 cm	3" 7.62 cm	7.5" 19.05 cm	20.05 lbs 9.1 kg	X				X	
3R2222-12B	22" x 22" x 12" 55.88 cm x 55.88 cm x 30.48 cm	3" 7.62 cm	9" 22.86 cm	24.45 lbs 11.1 kg	X				X	
3R2222-20B	22" x 22" x 20" 55.88 cm x 55.88 cm x 50.8 cm	3.5" 8.89 cm	16.5" 41.91 cm	27.7 lbs 12.6 kg		X	X	X		
3R2423-17B	24" x 23" x 17" 60.96 cm x 58.42 cm x 43.18 cm	3.5" 8.89 cm	13.5" 34.29 cm	32.35 lbs 14.7 kg	X				X	
3R2424-24B	24" x 24" x 24" 60.96 cm x 60.96 cm x 60.96 cm	3.5" 8.89 cm	20.5" 52.07 cm	35.1 lbs 15.9 kg		X	X			X
3R2727-18B	27" x 27" x 18" 68.58 cm x 68.58 cm x 45.72 cm	3.5" 8.89 cm	14.5" 36.83 cm	37.6 lbs 17.1 kg		X	X			X
3R2727-27B	27" x 27" x 27" 68.58 cm x 68.58 cm x 68.58 cm	3.5" 8.89 cm	23.5" 59.69 cm	46.2 lbs 21 kg		X	X			X
3R2817-10B	28.75" x 17.5" x 10.62" 73.03 cm x 44.45 cm x 26.97 cm	2" 5.08 cm	8.62" 21.89 cm	22.6 lbs 10.3 kg	X				X	
3R3025-15B	30" x 25" x 15" 76.2 cm x 63.5 cm x 38.1 cm	3.5" 8.89 cm	11.5" 29.21 cm	39.9 lbs 18.1 kg	X				X	
3R3214-15B	32" x 14.5" x 15.75" 81.28 cm x 36.83 cm x 40 cm	3.25" 8.26 cm	12.5" 31.75 cm	29.5 lbs 13.4 kg	X				X	
3R3221-7B	32" x 21" x 7" 81.28 cm x 53.34 cm x 17.78 cm	2.2" 5.59 cm	4.8" 12.19 cm	26.6 lbs 12.1 kg	X				X	
3R3517-14B	35.75" x 17.12" x 14.5" 90.8 cm x 43.48 cm x 36.83 cm	3" 7.62 cm	11.5" 29.21 cm	27.2 lbs 12.3 kg		X				
3R4024-18B	40" x 24" x 18" 101.6 cm x 60.96 cm x 45.72 cm	3.5" 8.89 cm	14.5" 36.83 cm	51.5 lbs 23.4 kg		X	X	X		X
3R4024-24B	40" x 24" x 24" 101.6 cm x 60.96 cm x 60.96 cm	3.5" 8.89 cm	20.5" 52.07 cm	56.25 lbs 25.5 kg		X	X	X		X
3R4222-14	22" x 42" x 14.9" 55.88 cm x 106.68 cm x 37.85 cm	7.9" 20.07 cm	7" 17.78 cm	TBA	X	X				X
3R4222-15	22" x 42" x 15" 55.88 cm x 106.68 cm x 38.1 cm	3.5" 8.89 cm	11.5" 29.21 cm	TBA	X	X				X
3R4222-24	22" x 42" x 24" 55.88 cm x 106.68 cm x 60.96 cm	3.4" 8.64 cm	20.6" 52.32 cm	TBA	X	X				X
3R4417-8B	44.25" x 17.5" x 8" 112.4 cm x 44.45 cm x 20.32 cm	3.12" 7.92 cm	4.87" 12.37 cm	25.65 lbs 11.7 kg	X					
3R4530-24B	45" x 30" x 24" 114.3 cm x 76.2 cm x 60.96 cm	3.5" 8.89 cm	20.5" 52.07 cm	62.45 lbs 28.3 kg		X	X	X		X
3R4909-5B	49.5" x 9" x 5.5" 125.73 cm x 22.86 cm x 13.97 cm	2.25" 5.72 cm	3.25" 8.26 cm	17.1 lbs 7.8 kg						
3R5030-24B	50" x 30" x 24" 127 cm x 76.2 cm x 60.96 cm	3.5" 8.89 cm	20.5" 52.07 cm	69.35 lbs 31.5 kg		X	X	X		X
3R5123-21B	51.5" x 23.5" x 21.5" 130.81 cm x 59.69 cm x 54.61 cm	10.75" 27.3 cm	10.75" 27.3 cm	78 lbs 35.4 kg			X			
3R5212-7B	52.5" x 12.12" x 8" 133.35 cm x 30.78 cm x 20.32 cm	3.12" 7.92 cm	4.87" 12.37 cm	24.55 lbs 11.1 kg	X					
3R6218-10B	62.62" x 18.25" x 10" 159.05 cm x 46.36 cm x 25.4 cm	3" 7.62 cm	7" 17.78 cm	42.35 lbs 19.2 kg	X					
3R6223-10B	62.62" x 23.25" x 10" 159.05 cm x 59.06 cm x 25.4 cm	3" 7.62 cm	7" 17.78 cm	44.6 lbs 20.2 kg	X					
3R6416-8B	64.75" x 16.5" x 8" 164.47 cm x 41.91 cm x 20.32 cm	2" 5.08 cm	6" 15.24 cm	46 lbs 20.9 kg	X					
3R6820-20B	68" x 20" x 20" 172.72 cm x 50.8 cm x 50.8 cm	3.5" 8.89 cm	17" 43.18 cm	71.2 lbs 32.3 kg	X					

Cases described above are in-stock items offered in black. Check skbcases.com for our complete lineup of case styles, sizes, customization options, and more to suit every project need.



Audio Soft Racks

- Ideal for wireless microphone systems
- Constructed of a wood core covered by 600 Denier nylon
- Adjustable shoulder strap and loop handle for easy transport
- Padded front and back lids have heavy-duty zippers
- Recessed threaded steel rack rails



Model #	Rack Units	Front Rail-to-Back Flap	Outside Dims D x W x H	Product Weight
1SKB-SC191U	1U	14.8" 37.6 cm	17.5" x 20.75" x 3.75" 44.45 cm x 52.71 cm x 9.53 cm	6.55 lbs 2.97 kg
1SKB-SC192U	2U	14.8" 37.6 cm	17.5" x 20.75" x 6.5" 44.45 cm x 52.71 cm x 16.51 cm	8.95 lbs 4.06 kg
1SKB-SC193U	3U	14.5" 36.83 cm	17.5" x 20.75" x 8.75" 44.45 cm x 52.71 cm x 22.22 cm	9.6 lbs 4.35 kg
1SKB-SC194U	4U	14.5" 36.83 cm	17.5" x 20.75" x 10.25" 44.45 cm x 52.71 cm x 26.04 cm	10.15 lbs 4.6 kg

Roto Shallow Racks

Rotationally molded shallow rack cases

- Steel front/rear threaded rails
- Water resistant gasket in lids
- Full front/rear doors
- Stacks with other shallow racks or roto-molded standard depth racks



Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R2S	2U	10.7" 27.17 cm	16.2" x 22.4" x 5.5" 41.15 cm x 56.9 cm x 13.97 cm	9.2 lbs 4 kg
1SKB-R3S	3U	10.7" 27.17 cm	16.2" x 22.4" x 7.4" 41.15 cm x 56.9 cm x 18.8 cm	10.4 lbs 4.7 kg
1SKB-R4S	4U	10.7" 27.17 cm	16.2" x 22.4" x 9" 41.15 cm x 56.9 cm x 22.86 cm	12.8 lbs 5.8 kg
1SKB-R6S	6U	10.7" 27.17 cm	16.2" x 22.4" x 12.6" 41.15 cm x 56.9 cm x 32 cm	17.4 lbs 7.9 kg
1SKB-RCB	4-Caster Board			

A standard Rack Unit is 1.75 inches (4.445 cm) in height



Roto Racks

Rotationally molded standard depth rack cases

- Steel front/rear threaded rails
- Water resistant gasket in lids
- Full front/rear doors
- Stacks with other standard depth racks or roto-molded shallow racks



Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R2U	2U	17.6" 44.96 cm	24" x 22.4" x 6.2" 60.96 cm x 56.9 cm x 15.75 cm	10.8 lbs 4.9 kg
1SKB-R4U	4U	17.6" 44.96 cm	24" x 22.4" x 9.7" 60.96 cm x 56.9 cm x 24.64 cm	14.4 lbs 6.53 kg
1SKB-R6U	6U	17.6" 44.96 cm	24" x 22.4" x 13.2" 60.96 cm x 56.9 cm x 33.53 cm	18.4 lbs 8.53 kg
1SKB-R8U	8U	17.6" 44.96 cm	24" x 22.4" x 16.7" 60.96 cm x 56.9 cm x 42.42 cm	22.2 lbs 10.07 kg
1SKB-R10U	10U	17.6" 44.96 cm	24" x 22.4" x 20.2" 60.96 cm x 56.9 cm x 51.31 cm	25.4 lbs 11.52 kg
1SKB-R12U	12U	17.6" 44.96 cm	24" x 22.4" x 23.7" 60.96 cm x 56.9 cm x 60.2 cm	29.2 lbs 13.24 kg
1SKB-RCB	4-Caster Board			

Roto Rolling Racks

Updated new design includes one-touch pull handle, back lid mounted wheels, gasket-sealed doors to keep water out, and exterior ribs that stack with existing standard and shallow racks

Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R4UW	4U	17.75" 45.09 cm	26.5" x 22.5" x 11.5" 67.31 cm x 57.15 cm x 29.21 cm	23 lbs 10.43 kg
1SKB-R6UW	6U	17.75" 45.09 cm	26.5" x 22.5" x 14.75" 67.31 cm x 57.15 cm x 37.47 cm	26 lbs 11.79 kg
1SKB-R8UW	8U	17.75" 45.09 cm	26.5" x 22.5" x 18.25" 67.31 cm x 57.15 cm x 46.36 cm	29 lbs 13.15 kg





Fly Racks

Injection Molded Fly Racks

At less than half the weight of standard shock racks, SKB Fly Racks feature iSeries Watertight injection molded cases that are under 62 linear inches to keep from being oversized—the perfect solution for flying or shipping delicate equipment



Injection molded rack shells



Front/back steel rails



Lid and interior foam



TSA accessible locking latches



Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
3i-2217M82U	2U	13" 33.02 cm	24.32" x 19.5" x 8.86" 61.77 cm x 49.53 cm x 22.5 cm	19 lbs 8.62 kg
3i-2217M103U	3U	13" 33.02 cm	24.5" x 19.37" x 12.22" 62.23 cm x 49.2 cm x 31.04 cm	26.6 lbs 12.07 kg
3i-2217M124U	4U	13" 33.02 cm	24.34" x 19.47" x 14.38" 61.82 cm x 49.45 cm x 36.53 cm	28 lbs 12.7 kg
3i-2317M146U	6U	13" 33.02 cm	25.63" x 19.5" x 15.63" 65.1 cm x 49.53 cm x 39.7 cm	30.4 lbs 13.79 kg

These fly racks are housed in our military grade iSeries waterproof cases and feature removable aluminum alloy rack cages with 11 gauge carbon steel rack rails



3i-2424-146U

Provides 6 units of rack space in a foam-protected waterproof iSeries case



3i-22221210U

Provides 10 units of rack space in a foam-protected waterproof iSeries case



3i-221710WMC

Provides 2 units of rack space and cut outs for 4 wireless hand held transmitters, 4 body pack transmitters, and additional accessories all in one case



Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
3i-2424-146U	6U	19" 48.26 cm	26.5" x 26.54" x 15.65" 67.31 cm x 67.41 cm x 39.75 cm	39 lbs 17.69 kg
3i-22221210U	10U	10" 25.4 cm	22.5" x 22.5" x 12.5" 57.15 cm x 57.15 cm x 31.75 cm	36.4 lbs 16.51 kg
3i-221710WMC	2U	13" 33.02 cm	24.5" x 19.37" x 12.22" 62.23 cm x 49.2 cm x 31.04 cm	25.35 lbs 11.5 kg



Shock Rack Cases



20" Roto-Molded Shock Racks

All models of SKB's Shock Rack cases are rotationally molded of LMDPE for maximum impact resistance, and feature the latest in shockmount technology with elastomeric shocks, threaded steel rails and aluminum cross components for strength and durability. All models of Shock Racks have EIA standard 19" rack width and include rear rails and covers for support and accessibility. The 28" and Pullout Shock Racks have standard square hole rack rails and accept most sliding rail kits.

Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
1SKB-R904U20	4U	20" 50.8 cm	27.75" x 27" x 15.63" 70.48 cm x 68.58 cm x 39.7 cm	36 lbs 16.3 kg
1SKB-R906U20	6U	20" 50.8 cm	27.75" x 27" x 19.13" 70.48 cm x 68.58 cm x 48.59 cm	43.3 lbs 19.6 kg
1SKB-R908U20	8U	20" 50.8 cm	29" x 27.75" x 22.63" 73.66 cm x 70.48 cm x 57.48 cm	46.5 lbs 21.1 kg
1SKB-R910U20	10U	20" 50.8 cm	29" x 27.75" x 26.13" 73.66 cm x 70.48 cm x 66.37 cm	54.4 lbs 24.6 kg
1SKB-R912U20	12U	20" 50.8 cm	29" x 27.75" x 29.63" 73.66 cm x 70.48 cm x 75.2 cm	57 lbs 25.85 kg
1SKB-R914U20	14U	20" 50.8 cm	29" x 27.88" x 33" 73.66 cm x 70.81 cm x 83.82 cm	68.6 lbs 31 kg
1SKB-R916U20	16U	20" 50.8 cm	29" x 27.25" x 36.6" 73.66 cm x 69.21 cm x 92.9 cm	76 lbs 34.47 kg
1SKB-1916	Caster Cart			

20" Roto Rolling Shock Racks

Our 20" Roto Rolling Shock Racks feature eight elastomeric shocks with a standard payload range from 40 lbs to 150 lbs.




Model #	Rack Units	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
3SKB-R04U20W	4U	20" 50.8 cm	28.5" x 28" x 16" 72.39 cm x 71.12 cm x 40.64 cm	44.3 lbs 20.1 kg
3SKB-R06U20W	6U	20" 50.8 cm	28.5" x 28" x 19.5" 72.39 cm x 71.12 cm x 49.53 cm	50.7 lbs 23 kg
3SKB-R08U20W	8U	20" 50.8 cm	30.5" x 28" x 23" 77.47 cm x 68.58 cm x 58.42 cm	56.7 lbs 25.7 kg
3SKB-R10U20W	10U	20" 50.8 cm	30.5" x 28" x 26.5" 77.47 cm x 68.58 cm x 67.31 cm	61.7 lbs 28 kg
3SKB-R12U20W	12U	20" 50.8 cm	30.5" x 28" x 30" 77.47 cm x 68.58 cm x 76.2 cm	68 lbs 30.8 kg

24", 28" and 30" Shock Racks

These military-grade shock racks are rotationally molded for maximum strength and durability, and feature a 4.5" front/rear lid depth, gasket-sealed waterproof compound hinged lids for easy storage, 8 standard elastomer shock mounts, 4" slide-in/out locking swivel casters, and powder coated stainless steel key-lockable latches



Corner elastomer shock mounts



4" removable casters on aluminum plate



Square rack mounting holes on 28" deep rack versions



Model #	Rack Units	Rail Type	Rail-to-Rail Depth	Outside Dims D x W x H	Product Weight
3SKB-R904U24	4U	Threaded	24" 61 cm	36" x 26.75" x 16.25" 91.44 cm x 67.95 cm x 41.28 cm	58 lbs 26.3 kg
3SKB-R906U24	6U	Threaded	24" 61 cm	36" x 26.75" x 19.5" 91.44 cm x 67.95 cm x 49.53 cm	66.7 lbs 30.2 kg
3SKB-R908U24	8U	Threaded	24" 61 cm	36" x 26.75" x 23.25" 91.44 cm x 67.95 cm x 59.06 cm	74.7 lbs 33.9 kg
3SKB-R910U24	10U	Threaded	24" 61 cm	36" x 26.75" x 27" 91.44 cm x 67.95 cm x 68.58 cm	79.9 lbs 36.2 kg
3SKB-R912U24	12U	Threaded	24" 61 cm	36" x 26.75" x 30.5" 91.44 cm x 67.95 cm x 77.47 cm	83.25 lbs 37.76 kg
3SKB-R914U24	14U	Threaded	24" 61 cm	36" x 26.75" x 34" 91.44 cm x 67.95 cm x 86.36 cm	94.15 lbs 107 kg
3SKB-R916U24	16U	Threaded	24" 61 cm	36" x 26.75" x 37.5" 91.44 cm x 67.95 cm x 41.28 cm	102.55 lbs 46.52 kg
3SKB-R904U28	4U	Square Hole	29.25" 74.3 cm	42" x 26.75" x 16.25" 106.68 cm x 67.95 cm x 41.28 cm	60.75 lbs 27.56 kg
3SKB-R906U28	6U	Square Hole	29.25" 74.3 cm	42" x 26.75" x 19.5" 106.68 cm x 67.95 cm x 49.53 cm	66.75 lbs 30.28 kg
3SKB-R908U28	8U	Square Hole	29.25" 74.3 cm	42" x 26.75" x 23.25" 106.68 cm x 67.95 cm x 59.06 cm	76.8 lbs 34.84 kg
3SKB-R910U28	10U	Square Hole	29.25" 74.3 cm	42" x 26.75" x 27.25" 106.68 cm x 67.95 cm x 69.22 cm	79.85 lbs 36.22 kg
3SKB-R904U30	4U	Threaded	30" 76.2 cm	42" x 26.75" x 16.25" 106.68 cm x 67.95 cm x 41.28 cm	60.75 lbs 27.56 kg
3SKB-R906U30	6U	Threaded	30" 76.2 cm	42" x 26.75" x 19.5" 106.68 cm x 67.95 cm x 49.53 cm	66.75 lbs 30.28 kg
3SKB-R908U30	8U	Threaded	30" 76.2 cm	42" x 26.75" x 23.25" 106.68 cm x 67.95 cm x 59.06 cm	76.8 lbs 34.84 kg
3SKB-R910U30	10U	Threaded	30" 76.2 cm	42" x 26.75" x 27.25" 106.68 cm x 67.95 cm x 69.22 cm	79.85 lbs 36.22 kg



3RS Series Cases

When maximum shock isolation is needed but a sliding frame is not, this fixed rack case gives our best performance with the smallest exterior dimension foot print for this depth

3RS-3U24-25B

Static shock racks with square hole rails



- 19" rack width and 24" rail-to-rail depth
- Payload range 40 to 150 lbs; extended available
- Square hole rack rails to accommodate either #10-32 US standard or 6mm international standard cage nuts (hardware included)
- 2" front lid and 5" rear lid with edge casters; other options available
- Molded-in stacking ribs and lugs designed to stack with competitor's cases
- Recessed powder coated stainless steel hardware
- Lid hangers, case coupling straps, and automatic ambient pressure equalization valve standard
- Low profile, lightweight, and meets or exceeds MIL-STD-810G
- Unconditional Lifetime Warranty

Model #	Rack Units	Rack Height	Rail-to-Rail Depth	Lid Depth		Product Weight
				Front	Rear	
3RS-3U20-22B	3U	5.25" 13.3 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	34.93 lbs 15.84 kg
3RS-4U20-22B	4U	7" 17.8 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	37.6 lbs 17.06 kg
3RS-5U20-22B	5U	8.75" 22.2 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	39.73 lbs 18.02 kg
3RS-6U20-22B	6U	10.5" 26.7 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	43.37 lbs 19.67 kg
3RS-7U20-22B	7U	12.25" 31.1 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	46 lbs 20.87 kg
3RS-9U20-22B	9U	15.75" 40 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	TBA
3RS-11U20-22B	11U	19.25" 48.9 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	TBA
3RS-14U20-22B	14U	24.5" 62.2 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	64 lbs 29.03 kg
3RS-3U24-25B	3U	5.5" 14 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	47 lbs 21.32 kg
3RS-4U24-25B	4U	7" 17.8 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	49.4 lbs 22.41 kg
3RS-5U24-25B	5U	8.75" 22.2 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	49.04 lbs 22.24 kg
3RS-7U24-25B	7U	12.25" 31.1 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	50.54 lbs 22.92 kg
3RS-9U24-25B	9U	15.75" 40 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	76.6 lbs 34.75 kg
3RS-11U24-25B	11U	19.25" 48.9 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	70 lbs 31.75 kg
3RS-14U24-25B	14U	24.5" 62.2 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	71 lbs 32.21 kg
3RS-3U30-25B	3U	5.5" 14 cm	30" 76.2 cm	2" 5.1 cm	5" 12.7 cm	50.4 lbs 22.86 kg
3RS-4U30-25B	4U	7" 17.8 cm	30" 76.2 cm	2" 5.1 cm	5" 12.7 cm	54.3 lbs 24.63 kg
3RS-5U30-25B	5U	8.75" 22.2 cm	30" 76.2 cm	2" 5.1 cm	5" 12.7 cm	55.08 lbs 24.98 kg



When maximum shock absorption is needed with a sliding rack in the smallest exterior dimensions, this is the choice for this depth

3RR-3U24-25B

Removable shock rack with patented "positive lock" latching system that slides open like a drawer



- Completely removable frame for easy access
- 19" rack width and 24" rail-to-rail depth
- Payload range 40 to 150 lbs; extended available
- Square hole rack rails to accommodate either #10-32 US standard or 6mm international standard cage nuts (hardware included)
- 2" front lid and 5" rear lid with edge casters; other options available
- Molded-in stacking ribs and lugs designed to stack with competitor's cases
- Recessed powder coated stainless steel hardware
- Lid hangers, case coupling straps, and automatic ambient pressure equalization valve standard
- Meets or exceeds MIL-STD-810G
- Unconditional Lifetime Warranty

Model #	Rack Units	Rack Height	Rail-to-Rail Depth	Lid Depth		Product Weight
				Front	Rear	
3RR-3U20-22B	3U	5.25" 13.3 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	34.93 lbs 15.84 kg
3RR-4U20-22B	4U	7" 17.8 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	36.69 lbs 16.64 kg
3RR-5U20-22B	5U	8.75" 22.2 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	39.73 lbs 18.02 kg
3RR-6U20-22B	6U	10.5" 26.7 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	43.37 lbs 19.67 kg
3RR-7U20-22B	7U	12.25" 31.1 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	45.85 lbs 20.8 kg
3RR-9U20-22B	9U	15.75" 40 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	61.56 lbs 27.92 kg
3RR-11U20-22B	11U	19.25" 48.9 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	68.62 lbs 31.13 kg
3RR-14U20-22B	14U	24.5" 62.2 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	75.81 lbs 34.39 kg
3RR-3U24-25B	3U	5.25" 13.3 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	57 lbs 25.85 kg
3RR-4U24-25B	4U	7" 17.8 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	66.8 lbs 30.3 kg
3RR-5U24-25B	5U	8.75" 22.2 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	66 lbs 29.94 kg
3RR-7U24-25B	7U	12.25" 31.1 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	68.6 lbs 31.12 kg
3RR-9U24-25B	9U	15.75" 40 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	64.8 lbs 29.39 kg
3RR-11U24-25B	11U	19.25" 48.9 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	83.2 lbs 37.74 kg
3RR-14U24-25B	14U	24.5" 62.2 cm	24" 60.96 cm	2" 5.1 cm	5" 12.7 cm	94.8 lbs 43 kg
3RR-3U30-25B	3U	5.25" 13.3 cm	30" 76.2 cm	2" 5.1 cm	5" 12.7 cm	63.2 lbs 28.67 kg
3RR-4U30-25B	4U	7" 17.8 cm	30" 76.2 cm	2" 5.1 cm	5" 12.7 cm	66.6 lbs 30.21 kg
3RR-5U30-25B	5U	8.75" 22.2 cm	30" 76.2 cm	2" 5.1 cm	5" 12.7 cm	68.6 lbs 31.12 kg



PRO AUDIO CASES

Superior Protection and Excellent Mobility

SKB Lifetime Warranty

SKB Injection-molded, Roto-molded, and ATA-rated hard case products are fully warranted against defects in materials and craftsmanship for the lifetime of the case to the original owner. SKB will repair or replace any product found to be defective. SKB DOES NOT REPLACE CASES FOR DAMAGED HARDWARE. All locks, handles, and wheels have been made to be field replaceable, take just minutes to install, and will be supplied to you at no charge via US mail. Please contact our customer service department at (800) 654-5992 with any parts requests.



SKB USA

434 W. Levers Place
Orange CA 92867
ph: (714) 637-1252

www.skbcases.com

SKB Europe

Hamelendijk 2
5541 RA Reusel
Netherlands
ph: +31 (0) 497 339 836

www.skb-europe.com

SKB Middle East - Africa

Business Centre
Dubai World Central
PO Box 390667
Dubai Aviation City
Dubai, UAE
ph: +971 4 820 8017

www.skbcases-mea.com