



Visit product page

## FOS BAR 24X4 WATT IP65

L004489

Weather proof RGBW bar with 24 leds 4 watts, 1 meter, 24 RGBW 4w 4in1 LEDs Beam aperture: 45°, Dimmer: 0100% , stop/strobe effect, 100cm, 3,6 kg, IP 65.



### TECHNICAL DETAILS

#### Light Source/Optics

24 RGBW 4w 4in1 LEDs  
Average lifespan: 50000 Hours  
Beam angle: 45°  
Noiseless cooling system

#### Effects

RGBW dimming/fade.  
RGBW color mixing  
Auto programs with speed adjustment  
Preset colors  
Dimmer: 0-100% linear dimming  
Adjustable speed stop/strobe effect

#### Control

Control modes: DMX 512 (4/8 DMX channels), auto mode  
Stand-alone mode and Master/Slave modes  
Data in/out: 3 pin IP65 XLR

#### Photometric Data (FOS Measurements)

## Measuring Distance: 3 meters

White:

Color Temperature (K): 6788

Illuminance (lx): 700

CRI (Ra): 77

TLCI (Qa): 57.7

Flicker Frequency (Hz): 16

Flicker(%): 4

**For detailed report about photometry & chromaticity, please download the file on the Documents tab.**

## **Installation/Dimension Details**

Voltage: 100 to 240 Volts – 50/60Hz

Power consumption: 96 Watt

Double brackets on the fixture body with angle adjust

IP65 DMX/power cables included

Operating positions: all (device on floor or fixed to a support)

Maximum permitted ambient temperature (Ta max): 45°C (113°F). Minimum permitted ambient temperature authorized (Ta min): -10°C (14°F).

IP65 protected aluminium structure

Dimensions: 1000 x 76 x 125 mm (with the bracket in vertical position)

Weight: 3,6kg

Packing Details

4 pcs Carton Box : 108x27x34cm - 18kg

## **PHOTOS**



## PRODUCT VIDEO



## ACCESSORIES



### FOS Case Bar PRO

Flight case with wheels for  
8 pcs Lighting Bars 1m

