



# elements





NEW PRODUCT LINE:

---

# elements

Especially aspiring musicians are characterized by one thing above all: A tight budget. Therefore, every cent should be well considered and accessories such as cables should be as inexpensive as possible and still be of convincing quality. With elements, Cordial has created a price-conscious and beginner-friendly product line precisely for these future rock stars, which satisfies the elementary basic needs of a musician. Together with a reliable partner in China, it was not only possible to achieve low manufacturing costs, but also to realize our high quality requirements. At our location in Dachau, Germany, the products go through another quality control to ensure the well-known Cordial quality. For beginners and super price-conscious musicians a basic equipment to work with.

instrument cables



## EI PP

elements



**Bulk Cable** elements INS 1

**Plugs** 1/4" Plug mono  
1/4" Plug mono

**Cond. area** 0.22 mm<sup>2</sup> / AWG 24

**Capacity** < 85 pF/m

**Resistance** < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PP	14755
●	3.00	EI 3 PP	14756
●	5.00	EI 5 PP	14757
●	6.00	EI 6 PP	14758
●	9.00	EI 9 PP	14759

## EI PP-TWEED-BL

elements



**Bulk Cable** elements INS 4

**Plugs** 1/4" Plug mono  
1/4" Plug mono

**Cond. area** 0.22 mm<sup>2</sup> / AWG 24

**Capacity** < 85 pF/m

**Resistance** < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PP-TWEED-BL	14768
●	3.00	EI 3 PP-TWEED-BL	14769
●	5.00	EI 5 PP-TWEED-BL	14770
●	7.50	EI 7,5 PP-TWEED-BL	14771

## EI PR

elements



**Bulk Cable** elements INS 1

**Plugs** 1/4" Plug mono  
1/4" Plug right angle mono

**Cond. area** 0.22 mm<sup>2</sup> / AWG 24

**Capacity** < 85 pF/m

**Resistance** < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PR	14760
●	3.00	EI 3 PR	14761
●	6.00	EI 6 PR	14762

## EI PR-TWEED-BL

elements



**Bulk Cable** elements INS 4

**Plugs** 1/4" Plug mono  
1/4" Plug right angle mono

**Cond. area** 0.22 mm<sup>2</sup> / AWG 24

**Capacity** < 85 pF/m

**Resistance** < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PR-TWEED-BL	14779
●	3.00	EI 3 PR-TWEED-BL	14780
●	5.00	EI 5 PR-TWEED-BL	14781
●	7.50	EI 7,5 PR-TWEED-BL	14782

## EI PP-TWEED-RD

elements



**Bulk Cable** elements INS 5

**Plugs** 1/4" Plug mono  
1/4" Plug mono

**Cond. area** 0.22 mm<sup>2</sup> / AWG 24

**Capacity** < 85 pF/m

**Resistance** < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PP-TWEED-RD	14772
●	3.00	EI 3 PP-TWEED-RD	14773
●	5.00	EI 5 PP-TWEED-RD	15002
●	7.50	EI 7,5 PP-TWEED-RD	14774

## EI PR-TWEED-RD

elements



**Bulk Cable** elements INS 5

**Plugs** 1/4" Plug mono  
1/4" Plug right angle mono

**Cond. area** 0.22 mm<sup>2</sup> / AWG 24

**Capacity** < 85 pF/m

**Resistance** < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PR-TWEED-RD	14783
●	3.00	EI 3 PR-TWEED-RD	14784
●	5.00	EI 5 PR-TWEED-RD	14785
●	7.50	EI 7,5 PR-TWEED-RD	14786

## EI PP-TWEED-YE

elements



**Bulk Cable** elements INS 3

**Plugs** 1/4" Plug mono  
1/4" Plug mono

**Cond. area** 0.22 mm<sup>2</sup> / AWG 24

**Capacity** < 85 pF/m

**Resistance** < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PP-TWEED-YE	14763
●	3.00	EI 3 PP-TWEED-YE	14764
●	5.00	EI 5 PP-TWEED-YE	14765
●	7.50	EI 7,5 PP-TWEED-YE	14766

## EI PR-TWEED-YE

elements



**Bulk Cable** elements INS 3

**Plugs** 1/4" Plug mono  
1/4" Plug right angle mono

**Cond. area** 0.22 mm<sup>2</sup> / AWG 24

**Capacity** < 85 pF/m

**Resistance** < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PR-TWEED-YE	14775
●	3.00	EI 3 PR-TWEED-YE	14776
●	5.00	EI 5 PR-TWEED-YE	14777
●	7.50	EI 7,5 PR-TWEED-YE	14778

## EI RR

elements



**Bulk Cable** elements INS 2 flat

**Plugs** 1/4" Plug right angle mono  
1/4" Plug right angle mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Capacity** 122 pF/m

**Resistance** 122 Ohm/km

Colour	Length	Part No.	Item no.
●	0.05	EI 0,05 RR	14787
●	0.10	EI 0,1 RR	14788
●	0.15	EI 0,15 RR	14789
●	0.30	EI 0,3 RR	14790
●	0.60	EI 0,6 RR	14792
●	0.45	EI 0,45 RR	14791

## EI PACK

elements



**Bulk Cable** elements INS 2

**Plugs** 1/4" Plug right angle mono  
1/4" Plug right angle mono

**Cond. area** 0.16 mm<sup>2</sup> / AWG 26

**Capacity** 155 pF/m

**Resistance** 50 Ohm/km

Colour	Length	Part No.	Item no.
●●●●	0.15	EI PACK 1	14793
●●●●	0.30	EI PACK 2	14794
●●●●	0.60	EI PACK 3	14795

bulk cable	conductor ...					capacity (cond./screen)	shielding	jacket
	area	composition	material	resistance	isolation			
elements INS 1	0.22 mm <sup>2</sup> AWG 24	28 x 0.10 mm	bare copper	< 90 Ohm/km	PE	< 85 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	PVC
elements INS 2	0.14 mm <sup>2</sup> AWG 26	18 x 0.10 mm	bare copper	122 Ohm/km	PE	122 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC
elements INS 2 flat	0.16 mm <sup>2</sup> AWG 26	20 x 0.10 mm	tinned copper	50 Ohm/km	LLDPE	155 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	PVC
elements INS 3	0.22 mm <sup>2</sup> AWG 24	28 x 0.10 mm	bare copper	< 90 Ohm/km	PE	< 85 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	Textile
elements INS 4	0.22 mm <sup>2</sup> AWG 24	28 x 0.10 mm	bare copper	< 90 Ohm/km	PE	< 85 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	Textile
elements INS 5	0.22 mm <sup>2</sup> AWG 24	28 x 0.10 mm	bare copper	< 90 Ohm/km	PE	< 85 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	Textile

microphone cables





## EM FM

elements



<b>Bulk Cable</b>	elements MIC 1
<b>Plugs</b>	XLR female 3-pole XLR male 3-pole
<b>Cond. area</b>	0.22 mm <sup>2</sup> / AWG 24
<b>Shielding</b>	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EM 0,5 FM	14743
●	1.00	EM 1 FM	14744
●	1.50	EM 1,5 FM	14745
●	2.50	EM 2,5 FM	14746
●	3.00	EM 3 FM	14747
●	5.00	EM 5 FM	14748
●	6.00	EM 6 FM	15001
●	7.50	EM 7,5 FM	14749
●	10.00	EM 10 FM	14750

## EM FP

elements



<b>Bulk Cable</b>	elements MIC 1
<b>Plugs</b>	XLR female 3-pole 1/4" Plug mono
<b>Cond. area</b>	0.22 mm <sup>2</sup> / AWG 24
<b>Shielding</b>	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	5.00	EM 5 FP	14751
●	10.00	EM 10 FP	14752

## EM FV

elements



<b>Bulk Cable</b>	elements MIC 1
<b>Plugs</b>	XLR female 3-pole 1/4" Plug stereo
<b>Cond. area</b>	0.22 mm <sup>2</sup> / AWG 24
<b>Shielding</b>	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EM 0,5 FV	14819
●	1.00	EM 1 FV	14820
●	1.50	EM 1,5 FV	14821
●	3.00	EM 3 FV	14822
●	6.00	EM 6 FV	14823

## EM MP

elements



<b>Bulk Cable</b>	elements MIC 1
<b>Plugs</b>	XLR male 3-pole 1/4" Plug mono
<b>Cond. area</b>	0.22 mm <sup>2</sup> / AWG 24
<b>Shielding</b>	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	5.00	EM 5 MP	14753
●	10.00	EM 10 MP	14754

## EM MV

elements



<b>Bulk Cable</b>	elements MIC 1
<b>Plugs</b>	XLR male 3-pole 1/4" Plug stereo
<b>Cond. area</b>	0.22 mm <sup>2</sup> / AWG 24
<b>Shielding</b>	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EM 0,5 MV	14809
●	1.00	EM 1 MV	14810
●	1.50	EM 1,5 MV	14811
●	3.00	EM 3 MV	14812
●	6.00	EM 6 MV	14813

## EM VV

elements



<b>Bulk Cable</b>	elements MIC 1
<b>Plugs</b>	1/4" Plug stereo 1/4" Plug stereo
<b>Cond. area</b>	0.22 mm <sup>2</sup> / AWG 24
<b>Shielding</b>	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EM 0,5 VV	14814
●	1.00	EM 1 VV	14815
●	1.50	EM 1,5 VV	14816
●	3.00	EM 3 VV	14817
●	6.00	EM 6 VV	14818

## EM VK

elements



<b>Bulk Cable</b>	elements MIC 2
<b>Plugs</b>	1/4" Plug stereo 1/4" Socket stereo
<b>Cond. area</b>	0.14 mm <sup>2</sup> / AWG 26
<b>Shielding</b>	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	3.00	EM 3 VK	14824
●	5.00	EM 5 VK	14825
●	10.00	EM 10 VK	14826

bulk cable	conductor ...					capacity (cond./cond.)	shielding	jacket
	area	composition	material	resistance	isolation			
elements MIC 1	0.22 mm <sup>2</sup> AWG 24	28 x 0.10 mm	bare copper	53 Ohm/km	PE	58 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC
elements MIC 2	0.14 mm <sup>2</sup> AWG 26	18 x 0.10 mm	bare copper	140 Ohm/km	PE	35 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC

dmx, midi & loudspeaker cables



## ED AA

elements



**Bulk Cable** elements MIDI

**Plugs** DIN 5-Pole/MIDI  
DIN 5-Pole/MIDI

**Cond. area** 4x 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	ED 0,5 AA	14893
●	1.00	ED 1 AA	14894
●	1.50	ED 1,5 AA	14895
●	3.00	ED 3 AA	14896
●	6.00	ED 6 AA	14897

## EL LL 215

elements



**Bulk Cable** elements LSP 1

**Plugs** Speaker twist 4-pole  
Speaker twist 4-pole

**Cond. area** 1.50 mm<sup>2</sup> / AWG 16

**Shielding** -

Colour	Length	Part No.	Item no.
●	1.50	EL 1,5 LL 215	14796
●	3.00	EL 3 LL 215	14797
●	5.00	EL 5 LL 215	14798
●	10.00	EL 10 LL 215	14799

## ED FM

elements



**Bulk Cable** elements DMX

**Plugs** XLR female 3-pole  
XLR male 3-pole

**Cond. area** 0.22 mm<sup>2</sup> / AWG 24

**Shielding** Spiral wound copper wire (spiral shield, 95% coverage) + foil (AL/PT, 100% coverage)

Colour	Length	Part No.	Item no.
●	0.50	ED 0,5 FM	14898
●	1.00	ED 1 FM	14899
●	2.00	ED 2 FM	14900
●	3.00	ED 3 FM	14901
●	5.00	ED 5 FM	14902
●	10.00	ED 10 FM	14903

bulk cable	conductor ...				capa- city (cond./ cond.)	shielding	ja- cket
	area	com- posi- tion	resis- tance	iso- la- tion			
elements DMX	0.22 mm <sup>2</sup> AWG 24	7 x 0.20 mm	< 85 Ohm/ km	PE	45 pF/m	Spiral wound copper wire (spiral shield, 95% cover- age) + foil (AL/PT, 100% coverage)	PVC
elements LSP 1	1.50 mm <sup>2</sup> AWG 16	48 x 0.20 mm	95 Ohm/ km	PVC	195 pF/m	-	PVC
elements MIDI	4x 0.14 mm <sup>2</sup> AWG 26	18 x 0.10 mm	122 Ohm/ km	PE	37 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC

stereo connections



## EU CC

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 2x Cinch-RCA  
2x Cinch-RCA

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EU 0,5 CC	14834
●	1.00	EU 1 CC	14835
●	1.50	EU 1,5 CC	14836
●	3.00	EU 3 CC	14837
●	6.00	EU 6 CC	14838

## EU FC

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 2x XLR female 3-pole  
2x Cinch-RCA

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EU 1 FC	14851
●	1.50	EU 1,5 FC	14852
●	3.00	EU 3 FC	14853

## EU MC

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 2x XLR male 3-pole  
2x Cinch-RCA

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EU 1 MC	14847
●	1.50	EU 1,5 MC	14848
●	3.00	EU 3 MC	14849
●	6.00	EU 6 MC	14850

## EU PC

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 2x 1/4" Plug mono  
2x Cinch-RCA

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EU 1 PC	14839
●	1.50	EU 1,5 PC	14840
●	3.00	EU 3 PC	14841
●	6.00	EU 6 PC	14842

## EU PP

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 2x 1/4" Plug mono  
2x 1/4" Plug mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EU 1 PP	14843
●	1.50	EU 1,5 PP	14844
●	3.00	EU 3 PP	14845
●	6.00	EU 6 PP	14846



## ES WW

elements



<b>Bulk Cable</b>	elements MIC 2
<b>Plugs</b>	1/8" Plug stereo 1/8" Plug stereo
<b>Cond. area</b>	0.14 mm <sup>2</sup> / AWG 26
<b>Shielding</b>	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	ES 0,5 WW	14827
●	1.00	ES 1 WW	14828
●	1.50	ES 1,5 WW	14829
●	3.00	ES 3 WW	14830

## ES WWR

elements



<b>Bulk Cable</b>	elements MIC 2
<b>Plugs</b>	1/8" Plug stereo 1/8" Plug stereo rectangular
<b>Cond. area</b>	0.14 mm <sup>2</sup> / AWG 26
<b>Shielding</b>	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	ES 0,5 WWR	14831
●	1.00	ES 1 WWR	14923
●	1.50	ES 1,5 WWR	14832
●	3.00	ES 3 WWR	14833

bulk cable	conductor ...					capacity (cond./cond.)	shielding	jacket
	area	composition	material	resistance	isolation			
elements MIC 2 twin	0.14 mm <sup>2</sup> AWG 26	18 x 0.10 mm	bare copper	125 Ohm/km	PE	250 pF/m	Spiral wound copper wire (spiral shield, 90% coverage)	PVC
elements MIC 2	0.14 mm <sup>2</sup> AWG 26	18 x 0.10 mm	bare copper	140 Ohm/km	PE	35 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC

# y-adapters



bulk cable	conductor ...					capacity (cond./cond.)	shielding	jacket
	area	composition	material	resistance	isolation			
elements MIC 2 twin	0.14 mm <sup>2</sup> AWG 26	18 x 0.10 mm	bare copper	125 Ohm/km	PE	250 pF/m	Spiral wound copper wire (spiral shield, 90% coverage)	PVC
elements MIC 2 twin stereo	0.14 mm <sup>2</sup> AWG 26	18 x 0.10 mm	bare copper	125 Ohm/km	PE	145 pF/m	Spiral wound copper wire (spiral shield, 90% coverage)	PVC

## EY CEE

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x Cinch-RCA  
2x Socket Cinch/RCA

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 CEE	14891

## EYECC

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x Socket Cinch/RCA  
2x Cinch-RCA

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 ECC	14888

## EYYCC

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/8" Socket stereo  
2x Cinch-RCA

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 YCC	14889

## EY FMM

elements



**Bulk Cable** elements MIC 2 twin stereo

**Plugs** 1x XLR female 3-pole  
2x XLR male 3-pole

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 FMM	14880

## EY MFF

elements



**Bulk Cable** elements MIC 2 twin stereo

**Plugs** 1x XLR male 3-pole  
2x XLR female 3-pole

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 MFF	14881

## EYVPP

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/4" Plug stereo  
2x 1/4" Plug mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 VPP	14876
●	1.50	EY1,5 VPP	14877
●	3.00	EY3 VPP	14878
●	5.00	EY5 VPP	14879

## EY KPP

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/4" Socket stereo  
2x 1/4" Plug mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 KPP	14885

## EYVGG

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/4" Plug stereo  
2x 1/4" Plug Socket mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 VGG	14890

## EYVKK

elements



**Bulk Cable** elements MIC 2 twin stereo

**Plugs** 1x 1/4" Plug stereo  
2x 1/4" Socket stereo

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 VKK	14882

## EYVYY

elements



**Bulk Cable** elements MIC 2 twin stereo

**Plugs** 1x 1/4" Plug stereo  
2x 1/8" Socket stereo

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 VYY	14886

## EY PGG

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/4" Plug mono  
2x 1/4" Plug Socket mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 PGG	14884

## EY GPP

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/4" Plug Socket mono  
2x 1/4" Plug mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 GPP	14887

## EYWCC

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/8" Plug stereo  
2x Cinch-RCA

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WCC	14854
●	1.50	EY1,5 WCC	14855
●	3.00	EY 3 WCC	14856
●	5.00	EY 5 WCC	14857

## EYWRCC

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/8" Plug stereo rectangular  
2x Cinch-RCA

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WRCC	14858
●	1.50	EY1,5 WRCC	14859
●	3.00	EY 3 WRCC	14860
●	5.00	EY 5 WRCC	14861

## EYWMM

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/8" Plug stereo  
3x XLR male 3-pole

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WMM	14870
●	1.50	EY1,5 WMM	14871
●	3.00	EY 3 WMM	14872

## EYWRMM

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/8" Plug stereo rectangular  
2x XLR male 3-pole

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WRMM	14873
●	1.50	EY1,5 WRMM	14874
●	3.00	EY 3 WRMM	14875

## EYWPP

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/8" Plug stereo  
2x 1/4" Plug mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WPP	14862
●	1.50	EY1,5 WPP	14863
●	3.00	EY 3 WPP	14864
●	5.00	EY 5 WPP	14865

## EYWRPP

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/8" Plug stereo rectangular  
2x 1/4" Plug mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WRPP	14866
●	1.50	EY1,5 WRPP	14867
●	3.00	EY 3 WRPP	14868
●	5.00	EY 5 WRPP	14869

## EYWGG

elements



**Bulk Cable** elements MIC 2 twin

**Plugs** 1x 1/8" Plug stereo  
2x 1/4" Plug Socket mono

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 WGG	14892

## EYWYY

elements



**Bulk Cable** elements MIC 2 twin stereo

**Plugs** 1x 1/8" Plug stereo  
2x 1/8" Socket stereo

**Cond. area** 0.14 mm<sup>2</sup> / AWG 26

**Shielding** Spiral wound copper wire  
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 WYY	14883



last updated:  
07.2021