

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-ACPL	(20) Audio Control Panel with front panel Mic/Line inputs, volume control and po	89,84	89,84	St
APA-ACPR	(20) Audio Control Panel with permanently connected rear connection input and fr	89,84	89,84	St
APA-ALINP	(20) Active Local Input Panel with MIC and Line input with individual volume con	232,62	232,62	St
apa-AMP-D225H	AMP-D225H 2 channel, 25W half-rack amplifier	634,34	634,34	St
APA-BBI1	Universal BTicino built-in box 3 modules	7,26	7,26	St
APA-BBI2	Universal BTicino built-in box 2 x 3 modules	12,10	12,10	St
APA-BUZZ19	Metal adapter for 2 pieces BUZZSTOP-MKIII in 19" rack	14,52	14,52	St
APA-BUZZSTOP-MKIII	(10) BUZZSTOP-MKIII - Universal stereo input adaptor, converts any output to line level.	87,19998	87,19998	St
APA-CE2E2	(10) (A) Cable 1.5m Euro connector 2P to Euro 2P	20,87	20,87	St
APA-CE3E3	(B) Cable 1.5m Euro connector 3P to Euro 3P	36,60	36,60	St
APA-CHAMP-4	(2) High End, very dynamic 4-channel low impedance power amplifier, convection c	897,89998	897,89998	St
APA-CM1008	(8) 8" two-way ceiling speaker 8 ohms / 100 watts, white, with removable logo an	89,84	89,84	St
APA-CM1008-BL	(8) 8" two-way ceiling speaker 8 ohms / 100 watts, black, with removable logo an	89,84	89,84	St
APA-CM1008D	(last pieces) (8) 8" two-way thin edge grille design ceiling speaker 8 ohms / 100 watts, white	97,10	97,10	St
APA-CM20DT	(12) Apart CM20DT - 6.5" two-way ceiling speaker 100-70 volt / 20 watts, 16 oh	106,55998	106,55998	St
APA-CM20DTS	(4) 4.25? two-way thin edge design ceiling speaker 100-70 volt / 20 watts, 16 oh	186,64	186,64	St
APA-CM20T	(12) 6.5" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 60 watts,	94,45998	94,45998	St
APA-CM20T-BL	(12) 6.5" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 60 watts,	94,45998	94,45998	St
APA-CM30DTD	(4) 4.25? two-way thin edge design ceiling speaker 100-70 volt / 30 watts, 16 oh	198,74	198,74	St
APA-CM3T	(24) apart CM3T - 3" Miniature ceiling speaker 70 - 100 volt white	43,63998	43,63998	St
APA-CM3T-BL	(24) Apart CM3T - 3" Miniature ceiling speaker 70 - 100 volt black	43,63998	43,63998	St
APA-CM4	(12) 4" ceiling speaker with backcan 16 ohms / 30 watts, spring clips mounting,	70,48	70,48	St
APA-CM4-BL	(12) 4" ceiling speaker with backcan 16 ohms / 30 watts, spring clips mounting,	70,48	70,48	St
APA-CM4T	(16) 4" ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 30 watts, spring clip	48,47998	48,47998	St
APA-CM4T-BL	(16) 4" ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 30 watts, spring clip	48,47998	48,47998	St
APA-CM608	(12) 6.5" two-way ceiling speaker 8 ohms / 60 watts, white, with removable logo	68,06	68,06	St
APA-CM608-BL	(12) 6.5" two-way ceiling speaker 8 ohms / 60 watts, black, with removable logo	68,06	68,06	St
APA-CM60DTD	(4) 6.5? two-way thin edge design ceiling speaker 100-70 volt / 60 watts, 16 ohm	244,72	244,72	St
APA-CM6E	(12) Apart CM6E - 6.5" dual cone ceiling speaker 100 volt	48,47998	48,47998	St
APA-CM6T	(12) 6.5" two-way ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 60 watts, w	77,51998	77,51998	St
APA-CM6T-BL	(12) 6.5" two-way ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 60 watts, b	77,44	77,44	St
APA-CMAR5T-W	(16) 5.25" two-way built-in marine speaker 8 ohms / 50 watts or 100 volt / 20 wa	152,53998	152,53998	St
APA-CMAR5-W	(16) 5.25" two-way built-in marine speaker 8 ohms / 50 watts, IP65, white	97,10	97,10	St
APA-CMAR6T-W	(12) 6.5" two-way built-in marine speaker 8 ohms / 60 watts or 100 volt / 20 wat	186,41998	186,41998	St
APA-CMAR6-W	(12) 6.5" two-way built-in marine speaker 8 ohms / 60 watts, IP65, white	123,72	123,72	St
APA-CMAR8T-W	(12) 8" two-way built-in marine speaker 8 ohms / 100 watts or 100 volt / 20 watt	232,39998	232,39998	St
APA-CMAR8-W	(12) 8" two-way built-in marine speaker 8 ohms / 100 watts, IP65, white	167,28	167,28	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-CMBB	(12) On-wall box for CM6T, CM6E, CM20T, CM608, CM20DT and CM608D loudspeaker ran	38,79998	38,79998	St
APA-CMM108	(Last pieces)miniatuur inbouwluidspreker 8o10w,wit	22,30	22,30	St
APA-CMSUB8	(8) 8" dual coil ceiling subwoofer 2 x 8 ohms / 2 x 80 watts, built-in crossover	186,64	186,64	St
APA-CMX20DT	(8) 8" two-way thin edge design ceiling speaker 70 - 100 volt / 20 watts, 16 ohm	123,49998	123,49998	St
APA-CMX20T	(8) 8" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 100 watts, wh	108,97998	108,97998	St
APA-CMX20T-BL	(8) 8" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 100 watts, b	108,97998	108,97998	St
APA-COLS101	(4) 10 x 2" slim sound column speaker with 1" tweeter 70/100 volt / 40 watts or	370,33998	370,33998	St
APA-COLS41	(6) 4 x 2" slim sound column speaker with 1" tweeter 70 - 100 volt / 20 watts or	174,31998	174,31998	St
APA-COLS81	(6) 8 x 2" slim sound column speaker with 1" tweeter 70 - 100 volt / 30 watts or	300,15998	300,15998	St
APA-COLSBRA	(50) Bracket for easy tilting and rotating of COLS sound columns	38,72	38,72	St
APA-COLW101	(2) 10 x 3.3" sound column speaker with 1" tweeter 70 - 100 volt / 100 watts or	648,63998	648,63998	St
APA-COLW41	(4) 4 x 3.3" sound column speaker with 1" tweeter 70 - 100 volt / 40 watts or 16	343,71998	343,71998	St
APA-COLW81	(4) 8 x 3.3" sound column speaker with 1" tweeter 70 - 100 volt / 80 watts or 8	534,89998	534,89998	St
APA-COLWBRA	(50) Bracket for easy tilting and rotating of COLW sound columns	38,72	38,72	St
APA-CONCEPT1-RC	Infrared remote control for CONCEPT1 and CONCEPT1T	32,72	32,72	St
APA-CONCEPT1T-KIT	(20) 2 x 100 volt transformers, 60 watts each. Transforms CONCEPT1 into CONCEPT1	139,15	139,15	St
APA-CSP	(H) Speakon connector Male	8,47	8,47	St
APA-DAB-FM	combiner for DAB compatible tuners	56,87	56,87	St
APA-D-ALINP	(20) Active Local Input Panel decora style with MIC and Line input with individu	232,62	232,62	St
APA-D-DIWAC	(20) Digital decora style wall control with 2 line LCD display. Buttons for sou	225,06	225,06	St
APA-DIWAC	(20) Apart DIWAC Digital wall control with 2 line LCD display. Buttons for source selection	203,58	203,58	St
APA-D-MODON	(48) Built-on box for wall controls Decora style	19,36	19,36	St
APA-D-VOL120	(24) 70 volt, 120 watts Decora style volume control, white, with 24V prioirty re	94,38	94,38	St
APA-D-VOL30	(24) 70 volt, 30 watts Decora style volume control, white, with 24V prioirty rel	50,82	50,82	St
APA-D-VOL60	(24) 70 volt,60 watts Decora style volume control, white, with 24V prioirty rela	75,02	75,02	St
APA-E-MODIN	Built-in box for Euro controls	9,68	9,68	St
APA-E-MODON	(24) Built-on box for wall controls	19,36	19,36	St
APA-EN-CM5T6	(12) 5.25" built-in ceiling speaker made of powder coated steel (RAL 9010 equiva	94,45998	94,45998	St
APA-EN-CM6T6	(12) 6.5? built-in ceiling speaker made of powder coated steel (RAL 9010 equival	94,45998	94,45998	St
APA-EN-CMX6T10	(8) 6.5" built-in 2-way ceiling speaker made of powder coated steel (RAL 9010 eq	150,11998	150,11998	St
APA-EN-H10-G	(8) powerful horn speaker made of UV and impact resistant ABS (RAL 7035 equivale	162,21998	162,21998	St
APA-EN-H15-G	(8) powerful horn speaker made of UV and impact resistant ABS (RAL 7035 equivale	186,41998	186,41998	St
APA-EN-MP5T20-W	(8) compact and stylish sound projector with a 5.25" woofer, made of powder coa	254,17998	254,17998	St
APA-EN-MPBD5T10-W	(8) EN-MPBD5T10-W - compact and stylish bi-directional sound projector	254,17998	254,17998	St
APA-EN-SM6T10-W	(12) 6.5" surface mounted round speaker made of powder coated steel (RAL 9010 eq	121,07998	121,07998	St
APA-EN-SMS6MT6-W	(8) 6.5" surface mounted metal square speaker made of powder coated	150,11998	150,11998	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-EN-SMS6T6-W	steel (RAL (8) 6.5"surface mounted speaker made of high density MDF with a steel grille (RA	116,23998	116,23998	St
APA-EN-SPH5T16-W	(6) compact 5.25? sphere loudspeaker with ABS housing (UI94 HB) (RAL 9010 equiva	208,19998	208,19998	St
APA-EN-SPH6T20-W	(4) 6.5? sphere loudspeaker with ABS housing (RAL 9016 equivalent), equipped wit	346,13998	346,13998	St
APA-E-VOL120	(24) 100 volt, 120 watts Euro volume control, white, with 24V priority relais	89,54	89,54	St
APA-E-VOL20	(24) 100 volt, 20 watts Euro volume control, white, with 24V priority relais	31,46	31,46	St
APA-E-VOL40	(24) 100 volt, 40 watts Euro volume control, white, with 24V priority relais	50,82	50,82	St
APA-E-VOL60	(24) 100 volt, 60 watts Euro volume control, white, with 24V priority relais	72,60	72,60	St
APA-E-VOLST	(24) Stereo, 2 x 40 watts Euro volume control, white	106,48	106,48	St
APA-H10-G	(12) Compact compression horn loudspeaker, 100 volt / 10 watts and 8 ohms / 20 w	94,45998	94,45998	St
APA-H20-G	(12) Powerful compression horn loudspeaker, 100 volt / 20 watts and 8 ohms / 30	116,23998	116,23998	St
APA-H30LT-G	(6) Long throw compression horn loudspeaker, 100 volt / 30 watts and 8 ohms / 45	140,43998	140,43998	St
APA-HM25-G	(6) Ultra long throw compression horn loudspeaker 100 volt / 25 watts, aluminium	174,31998	174,31998	St
APA-KUBO3-BL	(8) 3" compact design full range cabinet loudspeaker, 8 ohms / 40 watts, mountin	116,16	116,16	St
APA-KUBO3T-BL	(8) 3" compact design full range cabinet loudspeaker, 70 - 100 volt / 10 watts o	137,94	137,94	St
APA-KUBO3T-W	(8) 3" compact design full range cabinet loudspeaker, 70 - 100 volt / 10 watts o	137,94	137,94	St
APA-KUBO3-W	(8) 3" compact design full range cabinet loudspeaker, 8 ohms / 40 watts, mountin	116,16	116,16	St
APA-KUBO5-BL	(8) 5.25" compact design two-way cabinet loudspeaker, 8 ohms / 80 watts, mountin	162,44	162,44	St
APA-KUBO5T-BL	(8) KUBO5T-BL - 5.25" design two-way cabinet loudspeaker, 70 - 100 volt / 30 watts	188,76	188,76	St
APA-KUBO5T-W	(8) 5.25" compact design two-way cabinet loudspeaker, 70 - 100 volt / 30 watts o	188,76	188,76	St
APA-KUBO5-W	(8) 5.25" compact design two-way cabinet loudspeaker, 8 ohms / 80 watts, mountin	162,14	162,14	St
APA-LRAPRE-BL	Premium light rail adaptor KUBO3/5,SDQ5P,OVO5, pack of 2	147,62	147,62	St
APA-LRAPRE-W	Premium light rail adaptor KUBO3/5,SDQ5P,OVO5, pack of 2	147,62	147,62	St
APA-MA120	Apart Ma120 - 19" End-user and installer mixing amplifier 70 - 100 volt	648,63998	648,63998	St
APA-MA240	Apart MA240 - 19" mixing amplifier 70 - 100 volt / 240w	1.043,09998	1.043,09998	St
APA-MA247MR	Multizone Mixing amplifier, 6 Zone (1 passive, 5 active) 100 volt / 240 watts, v	1.936,07998	1.936,07998	St
APA-MA30	9.5" End-user and installer friendly intuitive mixing amplifier 70 - 100 volt /	382,43998	382,43998	St
APA-MA3060-19	(10) 19" bracket kit for MA30/MA60	41,14	41,14	St
APA-MA35-19	19" bracket for MA35/MA65	19,36	19,36	St
APA-MA60	Apart MA60 - 9.5" End-user and installer friendly intuitive mixing amplifier 70 - 100 volt /	510,69998	510,69998	St
APA-MA65	Compact mixing amplifier 100 volt / 65 watts, 3 mic + 2 line inputs, chime, 2-le	546,99998	546,99998	St
APA-MASK2-BL	(12) 2.5" compact design cabinet loudspeaker, 8 ohms / 50 watts, wall bracket in	89,84	89,84	St
APA-MASK2CMT-BL	(10) Ceiling mounting tool for MASK2-BL. Priced per piece sold in pairs.	12,10	12,10	St
APA-MASK2CMT-W	(10) Ceiling mounting tool for MASK2-W. Priced per piece sold in pairs.	12,10	12,10	St
APA-MASK2-W	(12) 2.5" compact design cabinet loudspeaker, 8 ohms / 50 watts, wall bracket in	89,84	89,84	St
APA-MASK4C-BL	(8) 4.25" small design two-way cabinet loudspeaker, 8 ohms / 70 watts, Black, CL	150,34	150,34	St
APA-MASK4CT-BL	(8) 4.25" small design two-way cabinet loudspeaker, 70 - 100 volt / 20 watts or	162,21998	162,21998	St
APA-MASK4CT-W	(8) 4.25" small design two-way cabinet loudspeaker, 70 - 100 volt / 20	162,21998	162,21998	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	watts or			
APA-MASK4C-W	(8) Mask4c-w - 4.25" two-way cabinet loudspeaker, 8 ohms / 70 watts, White	150,34	150,34	St
APA-MASK6C-BL	(4) MASK6C-BL - 6.5" design two-way cabinet loudspeaker, 8 ohms / 200 watts, Black, CLICKMOU	208,42	208,42	St
APA-MASK6CT-BL	(4) Apart Mask6ct-bl - 6.5" design two-way cabinet loudspeaker, 70 - 100 volt / 60 watts	220,29998	220,29998	St
APA-MASK6CT-W	(4) 6.5" design two-way cabinet loudspeaker, 70 - 100 volt / 60 watts or 16 ohms	220,29998	220,29998	St
APA-MASK6C-W	(4) MASK6C-W - 6.5" design two-way cabinet loudspeaker, 8 ohms / 200 watts, White	208,42	208,42	St
APA-MASK8F-BL	(2) Apart MASK8F-BL 8" two-way full range wooden design cabinet loudspeaker, 8 ohms / 300 watts,	459,87998	459,87998	St
APA-MASK8F-W	(2) 8" two-way full range wooden design cabinet loudspeaker, 8 ohms / 300 watts,	459,87998	459,87998	St
APA-MASK8-W	(2) (EOL) 8" high SPL two-way wooden design cabinet loudspeaker, 8 ohms / 300 wa	329,19998	329,19998	St
APA-MASKCL-BL	(10) L-shaped side bracket for MASK4C(T)-BL / MASK6C(T)-BL. Priced per piece sol	36,30	36,30	St
APA-MASKCL-W	(10) L-shaped side bracket for MASK4C(T)-W / MASK6C(T)-W. Priced per piece sold	36,30	36,30	St
APA-MASKCV-BL	(10) V-shaped 2-way cluster bracket for MASK4C(T)-BL/MASK6C(T)-BL	58,08	58,08	St
APA-MASKCV-W	(10) V-shaped 2-way cluster bracket for MASK4C(T)-W/MASK6C(T)-W	58,08	58,08	St
APA-MASKCW-BL	(10) Double V-shaped cluster bracket for MASK4C(T)-BL/MASK6C(T)-B	94,38	94,38	St
APA-MASKCW-W	(10) Double V-shaped cluster bracket for MASK4C(T)-W/MASK6C(T)-W	94,38	94,38	St
APA-MDSCHAIR	(10) Chairman Microphone for Microphone discussion system	334,03998	334,03998	St
APA-MDSDEL	(10) Delegate Microphone for Microphone discussion system	288,05998	288,05998	St
APA-MDSINT	Interface and PSU for Microphone discussion system	210,61998	210,61998	St
APA-MICPAT-2	(5) 2-Zone paging microphone with gooseneck and push to talk button per zone.	217,87998	217,87998	St
APA-MICPAT-4	(12) 4-Zone paging microphone with gooseneck	699,45998	699,45998	St
APA-MICPAT-6	(12) 6-Zone paging microphone with gooseneck	629,27998	629,27998	St
APA-MICPAT-D	(5) All call dynamic paging microphone with gooseneck and priority switch, DIN5	152,53998	152,53998	St
APA-MP16-G	(6) Compact sound projector, 5.25" coated woofer, 100 volt / 16 watts, all metal	101,71998	101,71998	St
APA-MP26-G	(6) Powerful sound projector, 6.5" coated woofer, 100 volt / 26 watts, all metal	135,59998	135,59998	St
APA-MPBD20-G	(8) Bi-directional and angled sound projector, 2 x 5.25" full range coated woofe	179,15998	179,15998	St
APA-MPH31-G	(6) Horn loaded long throw high volume sound projector, 5.25" coated paper cone	142,85998	142,85998	St
APA-MPLT32-G	(2) High quality two-way long throw music projector with 6.5" HD woofer + 1" hor	406,63998	406,63998	St
APA-MPLT62-G	(2) Apart MPLT62-G - two-way long throw music projector with 6.5" HD woofer + 1"	462,29998	462,29998	St
APA-NETKIT-IR	NETKIT-Ethernet to IR convertor	252,96998	252,96998	St
APA-N-MODIN	Helia built-in box for wall controls	7,26	7,26	St
APA-N-VOL10K-W	10 K-ohms Niko volume control, white	121,00	121,00	St
APA-OVO3-BL	(12) Small design two-way cabinet speaker, 3" coated paper cone woofer + 1" silk	70,48	70,48	St
APA-OVO3T-BL	(12) Small design two-way cabinet speaker, 3" coated paper cone woofer + 1" silk	94,45998	94,45998	St
APA-OVO3T-W	(12) Apart Ovo3T-w - Small design two-way cabinet speaker, 3" + 1" silk	94,45998	94,45998	St
APA-OVO3-W	(12) Small design two-way cabinet speaker, 3" coated paper cone woofer + 1" silk	70,48	70,48	St
APA-OVO5-BL	(8) Apart Ovo5-bl - Design two-way cabinet speaker, 5.25" coated paper cone woofer + 1" silk dom	109,20	109,20	St
APA-OVO5P-BL	(4) Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 20watts.	268,92	268,92	St
APA-OVO5P-W	(4) Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 20watts.	268,92	268,92	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-OVO5T-BL	(8) OVO5T-BL - 5.25" coated paper cone woofer + 1" silk dom	140,43998	140,43998	St
APA-OVO5T-W	(8) Design two-way cabinet speaker, 5.25" coated paper cone woofer + 1" silk dom	140,43998	140,43998	St
APA-OVO5-W	(8) Design two-way cabinet speaker, 5.25" coated paper cone woofer + 1" silk dom	109,20	109,20	St
APA-OVO8-BL	(2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome	199,95	199,95	St
APA-OVO8P-BL	(2) Design mono active cabinet speaker, 8" coated paper cone woofer + 1" silk do	343,94	343,94	St
APA-OVO8P-W	(2) Design mono active cabinet speaker, 8" coated paper cone woofer + 1" silk do	343,94	343,94	St
APA-OVO8T-BL	(2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome	261,43998	261,43998	St
APA-OVO8T-W	(2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome	261,43998	261,43998	St
APA-OVO8-W	(2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome	232,62	232,62	St
APA-P30DT-BL	4.5" two-way, pendant loudspeaker, black	312,25998	312,25998	St
APA-P30DT-W	4.5" two-way, pendant loudspeaker, white	312,25998	312,25998	St
APA-P60DT-BL	6.5" two-way, pendant loudspeaker 70-100 volt / 60 watts, 16 ohms / 120 watts, w	416,31998	416,31998	St
APA-P60DT-W	6.5" two-way, pendant loudspeaker 70-100 volt / 60 watts, 16 ohms / 120 watts, w	416,31998	416,31998	St
APA-PA2240BP	Apart PA2240BP - 2-channel 100 volt power amplifier, 2 x 240 watts	1.459,33998	1.459,33998	St
APA-PA240P	Power amplifier 240 watts @ 100 volt with program and priority input, 24V priori	941,45998	941,45998	St
APA-PC1000RMKII	(4) Media Player, CD/MP3 from Disc, SD-card or USB memory stick, RS232 control,	382,43998	382,43998	St
APA-PCD-REM	Optional remote control for DVD control functionality on PC1000RMKII and PCR3000	45,98	45,98	St
APA-PCR3000RMKIII	(4) Apart Pcr3000r mkiii - DAB+ and FM RDS / CD / USB / SD-card /Bluetooth	735,75998	735,75998	St
APA-PM1122RL	(12) Optional remote panel for PM1122 with music selection, music volume and mic	92,26	92,26	St
apa-PM4100	PM4100 Half-rack stereo pre-amplifier/mixer with 4 inputs	634,34	634,34	St
apa-PMR4000RMKIII	PMR4000RMKIII Multi source music player with Internet/FM radio, USB player (for MP3,WAV, FLAC files), UPNP player connection to ethernet via wired or wireless, 1U, 19" rackmount, black	532,70	532,70	St
APA-PREZONE1	Stereo pre-amplifier/mixer with 2 mono / stereo volume zones, 4 line inputs, 2 M	636,53998	636,53998	St
APA-PREZONE2	Prezone 2 -Stereo Pre-Amplifier, Ethernet and RS232 controlled, 2 stereo zones	1.096,33998	1.096,33998	St
APA-REVAMP1120T	Apart REVAMP1120T - Class D amplifier 1 x 120 Watts (70/100 Volts or RMS @ 4 Ohms)	711,55998	711,55998	St
APA-REVAMP1680	16 Channel class D amplifier 16 x 80 Watts (RMS @ 4 Ohms), 16 x 100 Watts (Dynam	2.221,63998	2.221,63998	St
APA-REVAMP2060T	2 Channel class D amplifier 2 x 60 Watts (70/100 Volts or RMS @ 4 Ohms) or in br	711,55998	711,55998	St
APA-REVAMP2120T	2 Channel class D amplifier 2 x 120 Watts (70/100 Volts or RMS @ 4 Ohms) or in b	813,19998	813,19998	St
APA-REVAMP2150	2 Channel class D amplifier 2 x 150 Watts (RMS @ 4 Ohms), 2 x 165 Watts (Dynamic	663,15998	663,15998	St
APA-REVAMP2250	REVAMP2250 - 2 Channel amplifier 2 x 250 Watts (RMS @ 4 Ohms), 2 x 350 Watts	735,75998	735,75998	St
APA-REVAMP2600	2 Channel class H amplifier 2 x 600 Watts (RMS @ 4 Ohms), 2 x 840 Watts (Dynamic	977,75998	977,75998	St
APA-REVAMP4100	4 Channel class D amplifier 4 x 100 Watts (RMS @ 4 Ohms), 4 x 110 Watts (Dynamic	825,29998	825,29998	St
APA-REVAMP4120T	4 Channel class D amplifier 4 x 120 Watts (70/100 Volts or RMS @ 4 Ohms) or in b	1.650,51998	1.650,51998	St
APA-REVAMP4240T	4 Channel class D amplifier 4 x 240 Watts (70/100 Volts or RMS @ 4 Ohms) or in b	2.093,37998	2.093,37998	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-REVAMP8250	8 Channel class D amplifier 8 x 250 Watts (RMS @ 4 Ohms), 8 x 350 Watts (Dynamic	1.839,27998	1.839,27998	St
APA-RJ45SPLIT	RJ45 splitter: 1 input, 4 output to connect multiple MICPAT-4 or ZONE4R to ZONE4	96,80	96,80	St
apa-RMS-1	RMS-1 1RU rack mount shelf	283,44	283,44	St
APA-ROCK20	(2) Rock design outdoor loudspeaker, two-way, 100 volt / 20 watts or 8 ohms / 60	237,23998	237,23998	St
APA-ROCK608	(2) Rock design outdoor loudspeaker, two-way, 8 ohms / 60 watts	203,58	203,58	St
APA-SDQ5P-BL	(4) Apart Audio SDQ5p-bl - Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 30 watts	242,30	242,30	St
APA-SDQ5PIR-BL	(4) Stereo loudspeaker set with incl. IR and RS232 remote control. 1 active and	288,28	288,28	St
APA-SDQ5PIR-REM	Remote control for SDQ5PIR-W/BL	26,62	26,62	St
APA-SDQ5PIR-W	(4) Stereo loudspeaker set with incl. IR and RS232 remote control. 1 active and	288,28	288,28	St
APA-SDQ5P-W	(4) Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 30 watts	244,72	244,72	St
APA-SM6V-W	(12) On-wall speaker with built-in volume control, 100 volt / 6 watts, white	87,19998	87,19998	St
APA-SM6-W	(12) On-wall speaker, 100 volt / 6 watts, white	43,63998	43,63998	St
APA-SMB6-G	(12) On-wall speaker with back plate and U-bracket, 100 volt / 6 watts, grey	50,89998	50,89998	St
APA-SMB6V-G	(12) On-wall speaker with back plate and U-bracket, built-in volume control, 100	96,87998	96,87998	St
APA-SPA-GSQ100	SPA-GSQ100 Square grille with integrated safety wire, 12-pack (fits CM60DTD, CM30DTD, CM20DTS, CM1008D, CM608D, CM20DT, CMX20DT)	559,32	559,32	St
APA-SPA-GSQ100/1X	SPA-GSQ100 1 PIECE Square grille with integrated safety wire, (fits CM60DTD, CM30DTD, CM20DTS, CM1008D, CM608D, CM20DT, CMX20DT)	46,89	46,89	St
APA-SPH16	(8) Two-way pendant sphere speaker, 100 volt / 16 watts, white	121,07998	121,07998	St
APA-SPH20	(4) Pendant sphere loudspeaker with 360° dispersion cone, 100 volt / 20 watts, w	142,85998	142,85998	St
APA-SQGR	(24) Optional square grille with integrated safety wire for CM Design Series Ava	50,89998	50,89998	St
APA-SUB2201-BL	Apart Sub2201-BL - Passive 10" subwoofer, 4 ohms / 250 watts	786,80	786,80	St
APA-SUB2400-BL	Apart Audio sub2400-bl - Passive 2 x 10" subwoofer, 600Watt	1.016,47998	1.016,47998	St
APA-SUB2400-W	Passive 2 x 10" subwoofer, 4 ohms or 16 ohms / 600 watts, plywood construction w	1.016,47998	1.016,47998	St
APA-SUBLIME-BL	(2) Ultra compact 6.5" dual coil passive subwoofer, 2 x 8 ohms / 2 x 80 watts, f	535,12	535,12	St
APA-SUBLIME-W	(2) Ultra compact 6.5" dual coil passive subwoofer, 2 x 8 ohms / 2 x 80 watts, f	535,12	535,12	St
APA-T20	(50) 8 ohms to 100 volt transformer with different power taps: 20 - 10 - 5 - 2.5	26,62	26,62	St
APA-T20IP	(24) 8 ohms to 100 volt transformer with different power taps: 20 - 10 - 5 - 2.5	62,92	62,92	St
APA-T60	(24) 8 ohms to 100 volt transformer with different power taps: 60 - 30 - 15 - 6	48,40	48,40	St
APA-TLVOL36T	TL-VOL36T Remote Control	20,00	20,00	St
APA-USB 200	USB 200 2x1 USB switch	319,74	319,74	St
APA-ZONE4	(6) Quad zone pre-amplifier: 4 stereo output zones. Inputs: 3 mono mic/line + 4	1.326,23998	1.326,23998	St
APA-ZONE4R	(12) Digital wall control panel for use with ZONE4 for music volume adjustment,	198,74	198,74	St