



FESTILIGHT

RÉPUBLIQUE FRANÇAISE

LIBERTÉ

FRATERNITÉ

2023 | 2024

CITIES AND VILLAGES

EDITO

The last few years have been pivotal years for the development of Festilight, but also for the future of the Group.

For **26 years** now, our company has made available all its know-how to design exclusive creations for the different communities (municipalities, hotels and restaurants, shopping malls and shops

Innovation is at the heart of our priorities: our flagship collection **LE MOTIF FRANÇAIS®** is the proof.

Our **4R-EVOLUTION** technology aims to be **Responsible, Reactive, Recycled and Recyclable** because we attach great importance to our environment, and we apply in making our products follow an end-of-life process.

We are pleased to offer new End-Of-Year festive decorations experience.

Thus, with our **Bulles enchantées**, come discover the tailor-made Vitribulles, the Bubble Village with indoor visit and outdoor walk.

Our employees are fully involved to offer **decorations exclusive solutions, effective project expertise** and **support customized** to best meet your needs.

I wish you a very good reading.

Didier MAROILLEY
PDG de Festilight

SEE THE ENTIRE

Cities and Villages collection

2022-2023

by visiting

www.festilight.fr



Summary

OUR CREATIONS

04 | Discover our creations book

OUR NEW PRODUCTS

30 | Discover our 2023 innovations

MOTIFS

40 | Mini-Motifs

40 | Pole motifs

42 | Cross-street motifs

DECORATIONS

44 | Illuminated elements

45 | Freestanding decorations

46 | Illuminated trees and Christmas trees

47 | Spray Christmas trees

48 | Large volume Christmas trees

49 | Masterpieces

50 | Arches

ESSENTIALS

INFINI'LIGHT PRO | 230 V

54 | Connectable accessories

55 | Garlands

58 | Illuminated ceilings

58 | Curtainlights

61 | Ropelights

64 | B22 garlands

67 | Hangings

80 V RANGE

74 | 80V garlands

75 | 80V icicle curtains

75 | Accessories

SCENOGRAPHY

78 | LED projectors - Spectra range

80 | Gobo projector range

OUR LEGEND

See
the main
light effects



- **STEADY** | No light effect

 **1/5 FLASHING** | 1 in 5 LEDs flashes white

100^x **100% FLASHING** | All LEDs flash white

 **FLASH** | Flashing LED bulbs

 **NEON** | Ultra-bright flexible neon ropelight

 **COLOR CHANGING LED** | Color changing

 **STRIPLED** | ultra-bright SMD LED

 **COMET** | Shooting light effect

 **FESTISNOW** | Snowfall effect

RGB^x **RGB LED** | Random or synchronized

8_{FN}^x **8 FUNCTIONS** | Product with an animation controller

 **230V CONNECTABLE PRODUCT** **INFINI' LIGHT PRO**



STREET DECORATIONS

1

1 Motifs p.45 / Cross-street decorations p.46 / Curtainlights p.61



2

2 Motifs p.46



4

4 Motif p.43



3

3 Cross-street decoration and motif p.43 and 46



5

5 Motifs p.45



1

1 Curtainlights p.61 / Circular attachment p.76



2

2 Motifs p.45



3

3 Motifs p.45



4

4 Arch p.55 / Fountain p.51 / Spray Christmas trees p.52 / Motifs p.43



1 3 Curtainlights p.61 / Spheres p.69

2 Motifs p.45

4 Illuminated ceilings p.61



5

5 Alena stars p.72 / Curtainlights p.61/ Boa garlands p.60

TREE DECORATIONS



1

1 Garlands p.58



2

2 Illuminated branches p.60



3



4

3 Spheres p.69

4 Light bubbles p.72



5

5 Garlands p.58



1 Motifs p.43



2 Motifs p.45 / Festisnow p.63



3



4

3 Motifs p.45

4 Garlands p.58



5

5 Garlands p.58



1

1 RGB garland p.59



2

2 Motifs p.45



3

3 Motifs p.45



4



5



6



7

4 Garlands p.58

5 Alena stars p.72 / Spray Christmas tree p.52 /
Reindeer p.47 / Bouquets p.70

6 Plaits p.60

7 Boa garlands p.63



1

1 Curtainlights p.61



2

2 Curtainlights p.61



3

3 Curtainlights p.61



4



5

4 Curtainlights p.61 / Motif p.45

5 Branches p.60

FACADE DECORATIONS



1

1 Curtainlights p.61



2

2 Arches p.55 / Garlands p.58 / Jabot p.71



3



4



5

3 Curtainlights p.61

4 Curtainlights p.61 / Boa garlands p.63 / Gobo projector p.82

5 Christmas present arch p.55 / Curtainlights p.61 / Spray Christmas trees p.52 / Alena stars p.72

FACADE DECORATIONS



1 2 3 4 LED projector p.79 / Gobo projector p.82



5 6 7 Curtainlights p.61

SQUARE DECORATIONS



1

1 Mailbox p. 48



2

2 Arch p.55



3



4



5



6

3 Reindeer and masterpiece p. 54
Christmas present arch p.55

4 Sleigh p.49 / Fountain p.51 / Arch p.55 /
3D stars p.49 / Reindeer p.47

5 Motifs p.45 / Christmas present p.48 /
Spray Christmas trees p.52 / Bears p.47

6 Reindeer p.49
CITY | 23



1

1 Fairy Tree p. 51 / Spheres p.69 / Bauble arch p.55



2

2 Walk-through Christmas tree p.53



3

3 Masterpiece p.54



1

1 Motifs p.45 / Garlands p.58



2

2 Giant nutcracker p.40 / Arch p.55



3

3 Bears p.47



4

4 Vitribulle p.28 / Spray Christmas trees p.52



5 Reindeer p.54 / Sleigh p.49 / Snowman p.47



6 Walk-through Christmas present p.55 / Reindeer p.47 /
3D stars p.49



7 Reindeer p.47 / 3D snowflake p.49



TURNKEY VITRIBULLE

4 themes, 18 possibilities

To meet all your desires and needs, we have created a collection of turnkey **3.50 m vitribulles**. This collection allows you to choose from **4 themes and 18 different decorations** to make your city beautiful.



1



2



3



1. IN THE HEART OF A FAIRY FOREST

3 colors available
(red, green and blue)

1. THE ENCHANTED GROVE

GREEN: VBUL-3M50-T1-1-V
RED: VBUL-3M50-T1-1-R
BLUE: VBUL-3M50-T1-1-B

2. FOREST FRIENDS

GREEN: VBUL-3M50-T1-2-V
RED: VBUL-3M50-T1-2-R
BLUE: VBUL-3M50-T1-2-B

3. BEAR WALK

GREEN: VBUL-3M50-T1-3-V
RED: VBUL-3M50-T1-3-R
BLUE: VBUL-3M50-T1-3-B

For more information, visit our website
www.lesbullesenchantees.com

 les_bulles_enchantees

 les bulles enchantées





4



5



6



7



8



9



10



11



12

2. WINTER VACATIONS

4. FRIENDS CHALET

VBUL-3M50-T2-1

5. SKIING

VBUL-3M50-T2-2

6. SCHUSS

VBUL-3M50-T2-3

3. THE ENCHANTED MOUNTAIN

7. LOOKING FOR PRESENTS

VBUL-3M50-T3-1

8. BEAR CAMP

VBUL-3M50-T3-2

9. THE BEARS' MAGIC PRESENT

VBUL-3M50-T3-3

4. PENGUIN ODYSSEY

10. PENGUIN ROCKET

VBUL-3M50-T4-1

11. SNOWY OBSERVATORY

VBUL-3M50-T4-2

12. PACK ICE BRIGADE

VBUL-3M50-T4-3

Eco-design, WHAT IT IS IT?

Eco-design consists in reducing the negative effects of a product on the environment by changing certain stages of its life cycle.



=



=




At Festilight, we are committed to **reducing, replacing or eliminating** components harmful to the planet in our manufacturing process.

The objective is to produce a product which is **environmentally friendly and sustainable**, from manufacturing to distribution to our customers, and in its transport and end use.

OUR COMMITMENTS

Since 2022, we have obtained the **MORE (MO**bilized to **RE**cycle) label, and joined the **Coq Vert** community, created by ADEME (the French Environmental Transition Agency) and the **BPI (Banque Publique d'Investissement)** community. We have been a member of the **Global Compact** since 2013.

Commitments testifying to our policy in favour of the environmental transition.





LE MOTIF FRANÇAIS®

represents our desire to manufacture and design our products differently, while maintaining the functions for which they are used: **ILLUMINATING & DECORATING**

This collection, consisting of 100% French decorations made with the help of additive manufacturing using **FGF (Fused Granular Fabrication)** technology, aims to be: **RE**sponsible, **RE**sponsive **RE**cycled and **RE**cyclable



LE MOTIF FRANÇAIS® AT FESTILIGHT THIS MEANS:



3
machines



9,000 H
of production



20 TONS
of recycled materials

The **CSR (Corporate Social Responsibility)** policy and **Sustainable Development** are an integral part of our corporate culture.

Born out of a desire to import as little raw material as possible from abroad, the new collection is **designed, manufactured and assembled** in our factory in Troyes in the Aube department.



This symbol allows you to identify the products in our **LE MOTIF FRANÇAIS®** collection in this catalogue.



TO FIND OUT MORE

See pictures of the creation of our **LE MOTIF FRANÇAIS® COLLECTION**.

Our sales team is at your disposal to answer your questions and create a project to highlight your community.



Freestanding decorations




GASTON 1.48 m



LUCIE 1.76 m



MARGOT 1.49 m



NAME	REFERENCE	STRUCTURE	LED	↑ ↓	↔	EFFECT	⚡	P	📦	🌱	🏠
GASTON	46594MIL-02	light grey	■ ■	H. 1.48 m	L. 0.86 m	-	230 V	21.6 W	7.6 kg	at input	IP44
LUCIE	46586MIL-9P9	light grey	■	H. 1.76 m	L. 0.49 m	✖	230 V	16 W	7.4 kg	at input	IP44
MARGOT	46584-R-MIL-2	red	■	H. 1.49 m	L. 0.49 m	-	230 V	9.6 W	6.2 kg	at input	IP44
MARGOT	46584-R-MIL-0	red	■	H. 1.49 m	L. 0.49 m	-	230 V	9.6 W	6.2 kg	at input	IP44
MARGOT	46584-R	red	non luminous	H. 1.49 m	L. 0.49 m	-	-	-	5.4 kg	-	INT/OUT

Supplied with 20 cm high base



GEORGES

1.45 m



ROGER

1.15 m



ROBERT

1.70 m



ETHEL

1.53 m



L'ENVOLÉE

1.25 m



Our printed decorations get some color!

NAME	REFERENCE	STRUCTURE	LED	↑↓	↔	EFFECT	⚡	P	📦	🔌	🏠
ETHEL	46582MIL-9P9	light grey	■	H. 1.53 m	L. 1.37 m	✕	230 V	58 W	5.9 kg	at input	IP44
GEORGES	46581-R-MIL-29	red	■ ■	H. 1.45 m	L. 1.33 m	-	230 V	21.6 W	5.6 kg	at input	IP44
ROGER	46591MIL-0	light grey	■	H. 1.15 m	L. 1.75 m	-	230 V	24 W	9.9 kg	at input	IP44
ROBERT	46585MIL-9	light grey	■	H. 1.70 m	L. 1.40 m	-	230 V	31.2 W	11.7 kg	at input	IP44
L'ENVOLÉE	46579MIL-0P0	light grey	■	H. 1.25 m	L. 2.50 m	✕	230 V	42.4 W	8 kg	at input	IP44

Supplied with base

Christmas trees & ornaments



1.92 m
with base

ABEL



1.70 m
with base

FELIX



2.06 m
with base


ADÈLE



NAME	REFERENCE	STRUCTURE	LED	↑ ↓	↔	EFFECT	⚡	P	KG	🔌	🏠
ABEL	46583MIL-0P9	light grey	■ ■	H. 1.72 m	L. 0.85 m	✕ ^x	230 V	83.4 W	9.3 kg	at input	IP44
ABEL	46583-V	green	non luminous	H. 1.72 m	L. 0.85 m	-	-	-	6.1 kg	-	INT/OUT
FELIX	46580MIL-0P9	light grey	■	H. 1.50 m	L. 1.38 m	✕ ^x	230 V	95.4 W	12.2 kg	at input	IP44
FELIX	46580-V	green	non luminous	H. 1.50 m	L. 1.38 m	-	-	-	9 kg	-	INT/OUT
ADÈLE	46587MIL-0P0	light grey	■	H. 1.86 m	L. 0.86 m	✕ ^x	230 V	90.6 W	11.1 kg	at input	IP44

Supplied with 20 cm high base


Daytime decorations...



ABEL 1,92 m (with base)



FELIX 1,70 m (with base)




SET OF 15 MINI-KANNIKS Ø 13.5 CM

REFERENCE	COLOR
46597-KIT-G	Light grey
46597-KIT-R	Red
46597-KIT-V	Green
46597-KIT-B	Blue

3D Presents



Daytime decorations...



With or without light, mix your pleasures.

NAME	REFERENCE	STRUCTURE	LED	↑	↔	EFFECT	⚡	P	⚖️	🔊	🏠
HONORÉ	46598-GB-MIL-0P0	light grey - blue	■	H. 1.35 m	L. 0.89 m	✕*	230 V	157.2 W	16.5 kg	at input	IP44
HONORÉ	46598-BG	blue - light grey	non luminous	H. 1.35 m	L. 0.89 m	-	-	-	12 kg	-	INT/OUT
HONORÉ	46599-GR-MIL-9P9	light grey - red	■	H. 1.35 m	L. 0.89 m	✕*	230 V	157.2 W	16.5 kg	at input	IP44
HONORÉ	46598-RG	red - light grey	non luminous	H. 1.35 m	L. 0.89 m	-	-	-	12 kg	-	INT/OUT



Guaranteed optical effect with these 3D effect discs

NAME	REFERENCE	STRUCTURE	LED	↕	↔	EFFECT	⚡	P	📖	🔊	🏠
JEAN	46592MIL-0P0	light grey	■	H. 0.64 m	L. 0.64 m	✕ ^x	230 V	9.4 W	1.2 kg	at input	IP44
JEAN	46592MIL-9P9	light grey	■	H. 0.64 m	L. 0.64 m	✕ ^x	230 V	9.4 W	1.2 kg	at input	IP44
JEAN	46593MIL-0P0	light grey	■	H. 0.96 m	L. 0.96 m	✕ ^x	230 V	16.4 W	2.1 kg	at input	IP44
JEAN	46593MIL-9P9	light grey	■	H. 0.96 m	L. 0.96 m	✕ ^x	230 V	16.4 W	2.1 kg	at input	IP44

Hangings



GERMAINE 0.57 m



AMÉLIE 0.28 m



Add a touch of color to your decorations!

NAME	REFERENCE	STRUCTURE	LED	↕	↔	EFFECT	⚡	P	KG	🔌	🏠
GERMAINE	46559MIL-0	light grey	■	H. 0.57 m	L. 0.43 m	-	230 V	4.8 W	0.9 kg	at input	IP44
GERMAINE	46559-R-MIL-2	red	■	H. 0.57 m	L. 0.43 m	-	230 V	4.8 W	0.9 kg	at input	IP44
AMÉLIE	46596MIL-0	light grey	■	H. 0.28 m	L. 0.28 m	-	230 V	2.4 W	0.4 kg	at input	IP44
AMÉLIE	46596MIL-9	light grey	■	H. 0.28 m	L. 0.28 m	-	230 V	2.4 W	0.4 kg	at input	IP44



PERLE

SYLVESTRE

STELLA

NEIGE

Stripled hangings

Decorate your trees and Christmas trees!



NAME	REFERENCE	STRUCTURE	LED	↕	↔	EFFECT	⚡	P	🛒	🔌	🏠
PERLE	46595-9	light grey	■	H. 0.79 m	L. 0.22 m	☀️☀️	230 V	10 W	0.5 kg	at input	IP44
SYLVESTRE	46588-V-9	green	■	H. 0.64 m	L. 0.52 m	☀️☀️	230 V	10 W	0.5 kg	at input	IP44
NEIGE	46590-B-0	blue	■	H. 0.62 m	L. 0.62 m	☀️☀️	230 V	25 W	1.1 kg	at input	IP44
STELLA	46589-R-9	red	■	H. 0.59 m	L. 0.59 m	☀️☀️	230 V	10 W	0.6 kg	at input	IP44



EUGENE 3.40 m



ÉMILE 2.01 m



JOSEPH 1.83 m



LOLLIPOP 1.81 m



PETIT BISCUIT 1.95 m



SUCRE D'ORGE 2.20 m

Life-size subject

Day and night decorations.

NAME	REFERENCE	↕	↔	↗	KG	🏠
EUGENE	93853	H. 3.40 m	L. 0.94 m	D. 0.84 m	70 kg	INT/OUT
ÉMILE	93854	H. 2.01 m	L. 0.58 m	D. 0.58 m	25 kg	INT/OUT
JOSEPH	93855	H. 1.83 m	L. 0.54 m	D. 0.48 m	17 kg	INT/OUT
LOLLIPOP	93783	H. 1.81 m	L. 0.60 m	-	14 kg	INT/OUT
PETIT BISCUIT	93784	H. 1.95 m	L. 1.47 m	D. 0.33 m	32 kg	INT/OUT
SUCRE D'ORGE	93785	H. 2.20 m	L. 0.62 m	D. 0.52 m	19 kg	INT/OUT



LE NOËL DES LUTINS



LA NUIT DE NOËL

Photocall

Enliven your squares with our photocalls.
Conviviality guaranteed!

NAME	REFERENCE	↕	↔	KG	🏠
LE NOËL DES LUTINS	93837	H. 1.90 m	L. 0.80 m	15 kg	INT/OUT
LA NUIT DE NOËL	93852	H. 1.90 m	L. 0.80 m	15 kg	INT/OUT



0.60 m

0.30 m



EDITH



KANNIK



FLAKE



ALGOL



LOUISE



CHARLES

0.80 kg

0.50 m



JOSEPHINE



AIMÉE



LÉONCE



FRANCE



LUCIEN

1.00 m

0.50 m



FLOCON



HADAR

























































LILA NEON



LILA




















MINI-MOTIFS | 230 V

NAME	REFERENCE	LED	↑	↔	EFFECT	⚡	P	KG	Ⓜ	🏠
 EDITH	46538NEON-0		Ø. 29 cm			230 V	4.8 W	0.4 kg	at input	IP44
 EDITH	46538NEON-9		Ø. 29 cm			230 V	4.8 W	0.4 kg	at input	IP44
 EDITH X5 (KIT) 	46538NEON-5-0		Ø. 29 cm			230 V	5 x 4.8 W	5 x 0.4 kg	at input	IP44
 KANNIK	46535-0		H. 0.33 m	L. 0.38 m		230 V	12.9 W	0.9 kg	at input	IP44
 KANNIK	46535-9		H. 0.33 m	L. 0.38 m		230 V	12.9 W	0.9 kg	at input	IP44
 KANNIK X5 (KIT) 	46548-5-0		H. 0.33 m	L. 0.38 m		230 V	5 x 12.9 W	5 x 0.9 kg	yes	IP44
 FLAKE	46494-P0		Ø 55 cm			230 V	10.5 W	1.5 kg	at input	IP44
 FLAKE	46494-P9		Ø 55 cm			230 V	10.5 W	1.5 kg	at input	IP44
ALGOL	40531-03	 / 	H. 0.59 m	L. 0.61 m	8FN^x	230 V	13.6 W	1.9 kg	no	IP44
 LOUISE	46558NEON-0		H. 0.54 m	L. 0.73 m		230 V	33.6 W	1.8 kg	at input	IP44
 LOUISE	46558NEON-2		H. 0.54 m	L. 0.73 m		230 V	33.6 W	1.8 kg	at input	IP44
 CHARLES	46539NEON-0		Ø. 55 cm			230 V	19.2 W	1.2 kg	at input	IP44
 JOSEPHINE	46540NEON-9		Ø. 51 cm			230 V	9.6 W	1.3 kg	at input	IP44
 AIMÉE	46541NEON-2		H. 0.58 m	L. 0.65 m		230 V	9.6 W	0.9 kg	at input	IP44
 LÉONCE	46542MIL-0P9	 	Ø. 79 cm			230 V	28.4 W	1.7 kg	at input	IP44
 FRANCE	46543MIL-9P0	 	H. 0.94 m	L. 1.23 m		230 V	81.2 W	4.8 kg	at input	IP44
 LUCIEN	46544MIL-0		Ø. 88 cm		-	230 V	24 W	2.4 kg	at input	IP44
STEM FASTENING	90735	Aluminum stem supplied with eyebolt for hanging at 40, 60 or 80 cm  0.85 kg (max. load 15 kg)								

: 1 power lead (1.50 m) ⊕ 1 manifold 5 outputs (8 m) ⊕ 5 mini-motifs


MOTIFS | LESS THAN 1.5 M | 230 V

NAME	REFERENCE	LED	↑	↔	EFFECT	⚡	P	KG	🏠
FLOCON	43184LED-P0		H. 0.80 m	L. 0.69 m		230 V	57.6 W	3.3 kg	IP44
FLOCON	43184LED-P3		H. 0.80 m	L. 0.69 m		230 V	57.6 W	3.3 kg	IP44
HADAR	40539-09	 / 	H. 0.90 m	L. 0.44 m		36 V	3.6 W	1.3 kg	IP44
LILA NEON	43102NEON-0		H. 1.20 m	L. 0.40 m		230 V	63 W	7 kg	IP44
LILA NEON	43102NEON-03	 	H. 1.20 m	L. 0.40 m		230 V	63 W	7 kg	IP44
LILA	43102LED-0P0		H. 1.20 m	L. 0.40 m		230 V	24 W	7 kg	IP44
LILA	43102LED-3P0	 	H. 1.20 m	L. 0.40 m		230 V	24 W	7 kg	IP44

1.80 m

1.00 m

0.50 m



ÉTOILE FILANTE

ALFRED

ORIGINE

BYBLIS ÉTOILE

SNOWFLAKE NÉON

SNOWFLAKE

SNOWFLAKE DOUBLE

2.00 m

1.00 m



SUZIE

GUSTAVE

THYRA

CHANCE

ARCTIC

MODERN TREE

MODERN TREE DOUBLE

3.00 m

2.00 m

1.00 m



BLANCHE

BRILLANT

RUBAN

FOLIE

BONNES FÊTES

ORIGINE

ORIGINE

MOTIFS | 1.5 M TO 2 M | 230 V

	NAME	REF.	LED	↑	↔	EFFECT	⚡	P	KG	🏠
	ÉTOILE FILANTE	43186LED-0	■	H. 1.50 m	L. 0.80 m		230 V	31.2 W	5 kg	IP44
🔒	ALFRED	46545MIL-FP0	■	H. 1.50 m	L. 0.72 m	100^x	230 V	38.2 W	5.8 kg	IP44
	ORIGINE	43129LED-P0	■	H. 1.60 m	L. 0.80 m		230 V	13.8 W	7.5 kg	IP44
	BYBLIS ÉTOILE	43098LED	■	H. 1.80 m	L. 1.00 m	-	230 V	81.6 W	5.5 kg	IP44
	SNOWFLAKE NÉON	43226NEON-0	■	H. 1.80 m	L. 0.90 m		230 V	99 W	8 kg	IP44
	SNOWFLAKE	43226LED-0P9	■ ■	H. 1.80 m	L. 0.90 m		230 V	71.2 W	8 kg	IP44
	SNOWFLAKE DOUBLE	43226LED-2-0P9	■ ■	H. 1.80 m	L. 1.80 m		230 V	142.4 W	16 kg	IP44
🔒	SUZIE	46546MIL-0FP0	■	H. 1.98 m	L. 0.79 m	100^x	230 V	43 W	5.5 kg	IP44

MOTIFS | 2 M TO 3 M | 230 V

	NAME	REF.	LED	↑	↔	EFFECT	⚡	P	KG	🏠
NEW	BLANCHE	46234MIL-0	■	H. 2.00 m	L. 0.80 m		230 V	24 W	4.6 kg	IP44
🔒	GUSTAVE	46547MIL-0FP0	■	H. 2.00 m	L. 0.80 m	100^x	230 V	71.8 W	5.4 kg	IP44
🔒	THYRA	43105LED-0P0	■	H. 2.00 m	L. 0.90 m		230 V	80.8 W	7 kg	IP44
	CHANCE	43223LED-0P0	■	H. 2.00 m	L. 1.00 m		230 V	71.2 W	8.5 kg	IP44
	ARCTIC	43233LED-0P0	■	H. 2.00 m	L. 1.00 m		230 V	76 W	8.5 kg	IP44
	MODERN TREE	43236LED-0P0	■	H. 2.50 m	L. 1.00 m	100^x	230 V	71.2 W	8 kg	IP44
	MODERN TREE DOUBLE	43236LED-2-0P0	■	H. 2.50 m	L. 2.00 m	100^x	230 V	142.4 W	16 kg	IP44
	BRILLANT	43229LED-P0	■	H. 2.50 m	L. 1.00 m		230 V	24 W	9.5 kg	IP44
	RUBAN	43224LED-0FP0	■	H. 2.50 m	L. 1.00 m	100^x	230 V	76 W	11.5 kg	IP44
	FOLIE	43237LED-0P0	■	H. 3.00 m	L. 1.20 m		230 V	114.4 W	14 kg	IP44
	BONNES FÊTES	43005LED-0P0	■	H. 3.00 m	L. 1.20 m		230 V	60 W	14 kg	IP44
	ORIGINE	43130LED-P0	■	H. 3.00 m	L. 1.20 m		230 V	18.4 W	8.5 kg	IP44
	ORIGINE	43130LED-P9	■	H. 3.00 m	L. 1.20 m		230 V	18.40 W	8.50 kg	IP44



JOYEUSES FÊTES

◀ 4.00 m ▶



BRILLANT DOUBLE ▶ 5.00 m ▶



ARCTIC DOUBLE

◀ 4.00 m ▶



JOYEUSES FÊTES NÉON

◀ 4.00 m ▶



RUBAN DOUBLE ▶ 5.00 m ▶



CLUSTER DOUBLE

◀ 4.00 m ▶





FOLIE DOUBLE ▶ 6.00 m ▶


CROSS-STREET MOTIFS | 230 V

NAME	REF.	LED	↑	↔	EFFECT	⚡	P	⚖️	🏠
JOYEUSES FÊTES	43206LED-P0	■	H. 1.00 m	L. 4.00 m	✕ ^x	230 V	36.3 W	19 kg	IP44
JOYEUSES FÊTES NÉON	43206NEON-0	■	H. 1.00 m	L. 4.00 m	—	230 V	243 W	19 kg	IP44
ARCTIC DOUBLE	43233LED-2-0P0	■	H. 1.00 m	L. 4.00 m	✕ ^x	230 V	152 W	17 kg	IP44
CLUSTER DOUBLE	43232LED-2-0P0	■	H. 1.00 m	L. 4.00 m	✕ ^x	230 V	200 W	20 kg	IP44
BRILLANT DOUBLE	43229LED-2-P0	■	H. 1.00 m	L. 5.00 m	✕ ^x ✕ ^x	230 V	48 W	19 kg	IP44
RUBAN DOUBLE	43224LED-2-0FP0	■	H. 1.00 m	L. 5.00 m	100 ^x	230 V	152 W	23 kg	IP44
FOLIE DOUBLE	43237LED-2-0P0	■	H. 1.20 m	L. 6.00 m	✕ ^x	230 V	228.8 W	28 kg	IP44

ILLUMINATED ELEMENTS



NAME	REFERENCE	LED	↕	↔	EFFECT	⚡	P	📦	🏠
VIXEN 3D	40545-0	■	H. 1.10 m	-	✖	230 V	20.4 W	3.3 kg	IP44
VIXEN 3D	40547-0	■	H. 1.60 m	-	-	230 V	23.8 W	5.4 kg	IP44
VIXEN 3D	40546-0	■	H. 2.15 m	-	✖	230 V	34 W	6.5 kg	IP44
SKIPPER	40447-W0-31V	■	H. 1.50 m	L. 1.23 m	-	31 V	12 W	13 kg	IP44
BALOO	40448-W0-31V	■	H. 1.55 m	L. 1.33 m	-	31 V	12 W	13 kg	IP44
POLAR BEAR	40577-0	■	H. 0.98 m	L. 1.75 m	-	31 V	12 W	15 kg	IP44
SNOWMAN	40578-0	■	H. 1.40 m	-	-	31 V	12 W	13 kg	IP44
SLEIGH	40455-W0	■	H. 0.96 m	L. 1.48 m	-	31 V	8 W	7.2 kg	IP44
REINDEER	40298-W0	■	H. 0.90 m	-	-	31 V	3.5 W	2kg	IP44
REINDEER	40300-W0	■	H. 1.20 m	-	-	31 V	5 W	3.5 kg	IP44
REINDEER	40299-W0	■	H. 1.80 m	-	-	31 V	8 W	5.8 kg	IP44




FREESTANDING 3D DECORATIONS

NAME	REFERENCE	STRUCTURE	LED	↑	↔	↗	EFFECT	⚡	P	KG	🏠
GIFT	43458LED-9	-	■	H. 1.05 m	L. 0.80 m	D. 0.80 m	✕	24 V	16 W	15 kg	IP44
HONORÉ	46598-GB-MIL-0P0	light grey - blue	■	H. 1.35 m	L. 0.89 m	D. 0.89 m	✕	230 V	157.2 W	16.5 kg	IP44
HONORÉ	46599-GR-MIL-9P9	light grey - red	■	H. 1.35 m	L. 0.89 m	D. 0.89 m	✕	230 V	157.2 W	16.5 kg	IP44
MAILBOX	43468LED-2	-	■	H. 1.50 m	L. 0.78 m	D. 0.78 m	✕	230 V	92 W	39 kg	IP44
PRESENT	43460LED-9	-	■	H. 2.00 m	L. 1.70 m	D. 0.20 m	✕	24 V	76 W	38 kg	IP44















FREESTANDING 3D DECORATIONS


NAME	REFERENCE	LED	↑	↔	↗	EFFECT	⚡	P	📦	🏠
ASTRE	43465LED-P0	■	H. 1.50 m	L. 1.50 m	D. 0.25 m	✕ ^x	24 V	12 W	22 kg	IP44
ASTRE	43465LED-P9	■	H. 1.50 m	L. 1.50 m	D. 0.25 m	✕ ^x	24 V	12 W	22 kg	IP44
ASTRE	43466LED-P0	■	H. 2.00 m	L. 2.10 m	D. 0.30 m	✕ ^x	24 V	16 W	38 kg	IP44
ASTRE	43466LED-P9	■	H. 2.00 m	L. 2.10 m	D. 0.30 m	✕ ^x	24 V	16 W	38 kg	IP44
ASTRE	43470LED-P0	■	H. 3.00 m	L. 3.10 m	D. 0.35 m	✕ ^x	24 V	40 W	50 kg	IP44
ASTRE	43470LED-P9	■	H. 3.00 m	L. 3.10 m	D. 0.35 m	✕ ^x	24 V	40 W	50 kg	IP44
SNO	43467LED-P9	■	H. 1.80 m	L. 2.50 m	D. 1.20 m	✕ ^x	24 V	24 W	35 kg	IP44
BRISKA	43469LED-P9	■	H. 1.25 m	L. 2.30 m	D. 1.20 m	✕ ^x	36 V	434 W	100 kg	IP44
SNOW	43459LED-9	■	H. 2.00 m	L. 2.10 m	D. 0.20 m	✕ ^x	24 V	50 W	38 kg	IP44



ILLUMINATED TREES & ARTIFICIAL CHRISTMAS TREES

 Artificial Christmas tree sprigs
All our PVC Christmas trees are M1 fire-rated

NAME	REFERENCE	LED	STRUCTURE	↑↓	↗	EFFECT			P		
WIZARD	61503-B0		black	H. 1.90 m	-	-	-	31 V	9.5 W	6.2 kg	IP44
WIZARD	61450-B0		black	H. 2.50 m	-	-	-	31 V	11.8 W	6.6 kg	IP44
CANDY TREE	61504-B9		black	H. 1.90 m	-	-	-	31 V	9.5 W	6.5 kg	IP44
CANDY TREE	61453-B9		black	H. 2.40 m	-	-	-	31 V	9.5 W	10 kg	IP44
DEMI SAPIN	70215-9		-	H. 1.80 m	Ø 0.96 m	-	527	31 V	10 W	7.9 kg	IP44
THE PINE TREE	70189-0		-	H. 2.30 m	Ø 1.35 m	-	1475	31 V	20 W	18.8 kg	IP44
THE PINE TREE	70173-0		-	H. 4.00 m	Ø 1.83 m	-	4061	31 V	40 W	39.9 kg	IP44
THE PINE TREE	70173-9		-	H. 4.00 m	Ø 1.83 m	-	4061	31 V	40 W	39.9 kg	IP44



FAIRY TREE

FONTANA X4

FAIRY TREE | 230 V


A magical and majestic tree.

NAME	REFERENCE	LED	↑	↗	EFFECT	⚡	P	KG	🏠
FAIRY TREE	43451LED-P0	■	H. 2.00 m	Ø 1.70 m	✕ ^x	230 V	110.4 W	20 kg	IP44
FAIRY TREE	43451LED-P9	■	H. 2.00 m	Ø 1.70 m	✕ ^x	230 V	110.4 W	20 kg	IP44
FAIRY TREE	43452LED-P0	■	H. 3.00 m	Ø 2.50 m	✕ ^x	230 V	267 W	40 kg	IP44
FAIRY TREE	43452LED-P9	■	H. 3.00 m	Ø 2.50 m	✕ ^x	230 V	267 W	40 kg	IP44
FAIRY TREE	43453LED-P0	■	H. 4.00 m	Ø 3.50 m	✕ ^x	230 V	360 W	63 kg	IP44
FAIRY TREE	43453LED-P9	■	H. 4.00 m	Ø 3.50 m	✕ ^x	230 V	360 W	63 kg	IP44

FONTANA | 230 V

NAME	REFERENCE	LED	↑	↔	↗	EFFECT	⚡	P	KG	🔌	🏠
FONTANA	43407NEON-0	■	H. 4.15 m	L. 2.15 m	L. 1.50 m	✕ ^x	230 V	120 W	24 kg	yes	IP44
4 elements assembled as a fountain		■	H. 4.15 m	L. 3.96 m	D. 3.96 m	✕ ^x	230 V	480 W	96 kg	yes	IP44

Provide a ballast of 175 kg for the fountain and 105 kg for the element alone.



SPRAY CHRISTMAS TREES| 31 V

NAME	REFERENCE	LED	STRUCTURE	↑	↗	EFFECT	⚡	P	KG	🏠
SPRAY	40479-AP0	■	silver	H. 1.50 m	Ø 0.75 m	✕ ^x	31 V	9.5 W	3.3 kg	IP44
SPRAY	40479-AP9	■	silver	H. 1.50 m	Ø 0.75 m	✕ ^x	31 V	9.5 W	3.3 kg	IP44
SPRAY	40477-AP0	■	silver	H. 1.80 m	Ø 0.88 m	✕ ^x	31 V	9.5 W	4.5 kg	IP44
SPRAY	40477-AP9	■	silver	H. 1.80 m	Ø 0.88 m	✕ ^x	31 V	9.5 W	4.5 kg	IP44
SPRAY	40477-APM	▨	silver	H. 1.80 m	Ø 0.88 m	-	31 V	9.5 W	4.5 kg	IP44
SPRAY	40478-AP0	■	silver	H. 2.10 m	Ø 1.00 m	✕ ^x	31 V	11.8 W	6.5 kg	IP44
SPRAY	40478-AP9	■	silver	H. 2.10 m	Ø 1.00 m	✕ ^x	31 V	11.8 W	6.5 kg	IP44
SPRAY	40479-CMATP9	■	copper	H. 1.50 m	Ø 0.75 m	✕ ^x	31 V	9.5 W	3.3 kg	IP44
SPRAY	40477-CMATP9	■	copper	H. 1.80 m	Ø 0.88 m	✕ ^x	31 V	9.5 W	4.5 kg	IP44
SPRAY	40478-CMATP9	■	copper	H. 2.10 m	Ø 1.00 m	✕ ^x	31 V	11.8 W	6.5 kg	IP44
SPRAY XL	40560-AP0	■	silver	H. 3.00 m	Ø 1.25 m	✕ ^x	31 V	69 W	30 kg	IP44
SPRAY XL	40561-AP0	■	silver	H. 4.00 m	Ø 1.45 m	✕ ^x	31 V	139 W	49.5 kg	IP44
SPRAY XL	40560-CMATP9	■	copper	H. 3.00 m	Ø 1.25 m	✕ ^x	31 V	69 W	30 kg	IP44
SPRAY XL	40561-CMATP9	■	copper	H. 4.00 m	Ø 1.45 m	✕ ^x	31 V	139 W	49.5 kg	IP44



LARGE VOLUME CHRISTMAS TREES | 230 V


🌲 | Artificial Christmas tree sprigs
 All our PVC Christmas trees are M1 fire-rated

NAME	REFERENCE	LED	↑	↗	EFFECT	🌲	⚡	P	📊	🏠
SPLENDID	70221-9	🟡	H. 5.10 m	Ø 2.00 m	✕	2584	230 V	219 W	200 kg	IP44
SPLENDID	70226-9	🟡	H. 8.10 m	Ø 3.35 m	✕	22360	230 V	644 W	900 kg	IP44
SAPIN PASSAGE	70242-P9	🟡	H. 7.20 m	Ø 2.80 m	✕	5370	230 V	580 W	800 kg	IP44
RIBBON TREE	43431LED-P0	🟡	H. 4.00 m	L. 1.00 m	✕	-	230 V	220.4 W	57 kg	IP44
RIBBON TREE	43432LED-P0	🟡	H. 6.00 m	L. 2.00 m	✕	-	230 V	322.8 W	112 kg	IP44




MASTERPIECES

Day decorations with their illuminated fir covering.



NAME	REFERENCE	LED	↕	↔	↗	EFFECT	⚡	P	⚖️	🏠
OLEN	43454LED-P0	■	H. 3.00 m	L. 2.40 m	D. 1.20 m	✕	80 V	54.4 W	48 kg	IP44
OLEN	43454LED-P9	■	H. 3.00 m	L. 2.40 m	D. 1.20 m	✕	80 V	54.4 W	48 kg	IP44
PADDY	98186-3M	■ ■	H. 3.00 m	L. 2.20 m	-	✕	24 V	77 W	77 kg	IP44
SANTA	98184-3M	■	H. 3.00 m	L. 1.85 m	D. 1.40 m	✕	80 V	105 W	130 kg	IP44
TEDDY	98185-3M	■ ■ ■	H. 3.00 m	L. 1.60 m	D. 1.60 m	✕	24 V	330 W	135 kg	IP44
MAGIC HAT	98846-4M	■ ■	H. 3.65 m	L. 2.45 m	-	✕	230 V	369.2 W	200 kg	IP44



ARCHES


Invite the public to stroll through your life-size decors.

NAME	REFERENCE	LED	↕	↔	↗	EFFECT	⚡	P	⚖️	🏠
ARCHE DE NOËL	43434LED-0	■	H. 2.20 m	L. 3.05 m	D. 0.30 m	✕	230 V	145 W	49 kg	IP44
ARCHE CADEAU	43439LED-0P0	■	H. 3.50 m	L. 5.70 m	-	✕	230 V	271.2 W	63 kg	IP44
FAIRY TALE	43471LED-P9	■	H. 3.50 m	L. 3.20 m	-	✕	230 V	157 W	140 kg	IP44
MAGIC GIFT	43461LED-9	■ ■	H. 3.00 m	L. 2.15 m	D. 2.15 m	✕	24 V	92 W	66 kg	IP44
FAIRY GIFT	43462LED-9	■ ■	H. 4.00 m	L. 3.00 m	D. 3.00 m	✕	24 V	234 W	316 kg	IP44
NAME	REFERENCE	LED	↕	↔	↗	EFFECT	⚡	P	⚖️	🏠
PASSAGE DE NOËL	43435LED-P0	■	H. 4.30 m	L. 4.90 m	D. 4.90 m	✕	230 V	1868 W	368 kg	IP44




A real luminous attraction delivered with 2 sets of 15 baubles (Ø 10/15/20 cm).

Our connectable system INFINI' LIGHT PRO



A SINGLE CONNECTION

All our 230 V products are equipped with a **single connector**,
This will allow you to combine all our 230 V products (600 refs) without any additional accessories.



COMBINE THE EFFECTS

This system allows you, for example, to combine total sparkling with the comet, neon, flash and other effects.



A SINGLE POWER SUPPLY

With this system, our 230V products are all connected to a **single power supply**.



MIX THE PRODUCTS

Thanks to our connectable accessories, this system allows you to combine the different products with each other, for example: garlands, festisnow, mini-motifs, etc.



230 V CONNECTABLE IP44 & IP66

Connectable accessories



POWER SUPPLY

REFERENCE	CABLE	↔	⚡	P	🏠
90102-B-BS	black	L. 1,50 m	230 V	1000 W (Max.)	IP44
90102-B-CH	black	L. 1,50 m	230 V	1000 W (Max.)	IP44
90102-W-Z	white	L. 1,50 m	230 V	1000 W (Max.)	IP66
90102-B-Z	black	L. 1,50 m	230 V	1000 W (Max.)	IP66




EXTENSIONS

REFERENCE	CABLE	↔	⚡	P	🏠
90303-B-Z	black	L. 0,60 m	230 V	1000 W (Max.)	IP66
90303-W-Z	white	L. 0,60 m	230 V	1000 W (Max.)	IP66
90304-B-Z	black	L. 1,00 m	230 V	1000 W (Max.)	IP66
90304-W-Z	white	L. 1,00 m	230 V	1000 W (Max.)	IP66
90305-B-Z	black	L. 2,00 m	230 V	1000 W (Max.)	IP66
90305-W-Z	white	L. 2,00 m	230 V	1000 W (Max.)	IP66
90306-B-Z	black	L. 5,00 m	230 V	1000 W (Max.)	IP66
90306-W-Z	white	L. 5,00 m	230 V	1000 W (Max.)	IP66

CONNECTION T

NAME	REFERENCE	CABLE	⚡	P	🏠
FLEXIBLE T	90225-B-Z	black	230 V	750 W (Max.)	IP66
FLEXIBLE T	90225-W-Z	white	230 V	750 W (Max.)	IP66
RIGID T	90221-B-Z	black	230 V	750 W (Max.)	IP66
RIGID T	90221-W-Z	white	230 V	750 W (Max.)	IP66



COLLECTORS


NAME	REFERENCE	CABLE	↔	⚡	P	🏠
3 OUTPUT	90380-B-Z	black	L. 0,50 m	230 V	1000 W (Max.)	IP66
	90380-W-Z	white	L. 0,50 m	230 V	1000 W (Max.)	IP66
5 OUTPUT	90385-B-Z	black	L. 1,00 m	230 V	1000 W (Max.)	IP66
	90385-W-Z	white	L. 1,00 m	230 V	1000 W (Max.)	IP66
8 OUTPUT	90390-B-Z	black	L. 2,00 m	230 V	1000 W (Max.)	IP66
	90390-W-Z	white	L. 2,00 m	230 V	1000 W (Max.)	IP66
12 OUTPUT	90391-B-Z	black	L. 2,00 m	230 V	1000 W (Max.)	IP66
	90391-W-Z	white	L. 2,00 m	230 V	1000 W (Max.)	IP66
16 OUTPUT	90396-B-Z	black	L. 2,00 m	230 V	1000 W (Max.)	IP66
	90396-W-Z	white	L. 2,00 m	230 V	1000 W (Max.)	IP66
24 OUTPUT	90398-B-Z	black	L. 2,20 m	230 V	1000 W (Max.)	IP66
	90398-W-Z	white	L. 2,20 m	230 V	1000 W (Max.)	IP66

THE PROFESSIONAL CONNECTABLE RANGE

INFINI' LIGHT PRO




MÂLE connector



FEMALE connector

example of 3-output composition



GARLANDS

STEADY | 230 V

ORIGINAL
Steady lighting garland, caps 8mm

L. 10.00 M

NB LEDS		P		
100	230 V	9.2 W	x 10	IP66

REFERENCE

LED	WHITE CABLE	BLACK CABLE
	50385-1-W0-Z	50385-1-B0-Z
	50385-1-W9-Z	50385-1-B9-Z
	50385-1-W3-Z	50385-1-B3-Z
		50385-1-BM-Z




L. 20.00 M

NB LEDS		P		
200	230 V	18.40 W	x 5	IP66

REFERENCE

LED	WHITE CABLE	BLACK CABLE
	50385-2-W0-Z	50385-2-B0-Z
	50385-2-W9-Z	50385-2-B9-Z
	50385-2-W3-Z	50385-2-B3-Z
		50385-2-BM-Z



GARLANDS

FLASHING | 230 V

ORIGINAL
Flashing garland, caps 8mm

L. 10.00 M

NB LEDS		P		
100	230 V	9.2 W	x 10	IP66

REFERENCE

LED	WHITE CABLE	BLACK CABLE
	54380-1-W0-Z	54380-1-B0-Z
	54380-1-W9-Z	54380-1-B9-Z
	54380-1-W3-Z	54380-1-B3-Z
	54380-1-W2-Z	54380-1-B2-Z




L. 20.00 M

NB LEDS		P		
200	230 V	18.40 W	x 5	IP66

REFERENCE

LED	WHITE CABLE	BLACK CABLE
	54380-2-W0-Z	54380-2-B0-Z
	54380-2-W9-Z	54380-2-B9-Z
	54380-2-W3-Z	54380-2-B3-Z
	54380-2-W2-Z	54380-2-B2-Z



GARLAND

FULL FLASHING | 230 V


100^x ORIGINAL
Full flashing garland, caps Ø 8mm

L. 20.00 M

NB LEDS		P		
200	230 V	18.4 W	x 5	IP66

REFERENCE

LED	WHITE CABLE
	54380-2-FP0-Z



GARLAND | RGB | 230 V

Pastel multicolored garland with random color change.

| caps Ø 25 mm





NAME	REFERENCE	NB LEDS	LED	CABLE	↔	EFFECT	⚡	P	⊕	🏠
TRENDY	50350-1-BRGB-Z	80		black	L. 10.0 m	RGB ^x	230 V	12 W	x 5	IP66

GARLANDS | COMET EFFECT BOA | 230 V


A comet effect to attract everyone's attention.

power supply not provided



| caps Ø 8 mm | boas Ø 13 cm

NAME	REFERENCE	NB LEDS	LED	CABLE	↑	EFFECT	⚡	P	⊕	🏠
COMET BOA	39301-W0-Z	50		white	H. 1.00 m		230 V	4 W	at input	IP66
NEW	39301-W9-Z	50		white	H. 1.00 m		230 V	4 W	at input	IP66
	39302-W0-Z	150		white	H. 3.00 m		230 V	5 W	at input	IP66
NEW	39302-W9-Z	150		white	H. 3.00 m		230 V	5 W	at input	IP66
	39303-W0-Z	250		white	H. 5.00 m		230 V	8 W	at input	IP66
	39304-W0-Z	500		white	H. 10.0 m		230 V	12 W	at input	IP66




NAME	REFERENCE	NB LEDS	LED	CABLE	↑	↔	EFFECT	⚡	P	⊕	🏠
6 COMET BOAS KIT	39350-W0-Z	300		white	H. 1.00 m	L. 25.0 m		230 V	24 W	x4	IP66

: 1 power lead (1.50m) ⊕ 5 extensions (5x5m) ⊕ 6 T connectors ⊕ 6 comet effect boas (6x1m)


FLASHING BOA | GARLANDS | 230 V

| caps Ø 8 mm | Boas Ø 9,5 cm



NAME	REFERENCE	NB LED	LED	CABLE	↔	EFFECT	⚡	P	Ⓢ	🏠
BOA	54371-2-W0-Z	600	■	white	L. 2 x 5,00 m	✕ [*]	230 V	36,8 W	x 10	IP66
	54371-2-W9-Z	600	■	white	L. 2 x 5,00 m	✕ [*]	230 V	36,8 W	x 10	IP66
	54371-2-B0-Z	600	■	black	L. 2 x 5,00 m	✕ [*]	230 V	36,8 W	x 10	IP66
	54371-2-B9-Z	600	■	black	L. 2 x 5,00 m	✕ [*]	230 V	36,8 W	x 10	IP66


GARLANDS | PLAIT | 230 V



📦 : 1 power lead (1m50) ⊕ 5 extensions (5x5m) ⊕ 6 T connector ⊕ 6 boa plaits (6x1m)

NAME	REFERENCE	NB LED	LED	CABLE	↕	↔	EFFECT	⚡	P	Ⓢ	🏠
KIT 6 PLAIT	95140-6-WP0-Z	300	■	white	H. 1,00 m	L. 25,0 m	✕ [*]	230 V	27,6 W	x 15	IP66
	95140-6-WP9-Z	300	■	white	H. 1,00 m	L. 25,0 m	✕ [*]	230 V	27,6 W	x 15	IP66


LIGHTING BRANCHES TO BE STRUCTURED | 230 V



60 | CITY

NAME	REFERENCE	NB LED	LED	BRANCHES	↔	↗	EFFECT	⚡	P	Ⓢ	🏠
VÉGÉTAL	54360-W0	288	■	white	L. 3,60 m	Ø 0,30 m	✕ [*]	230 V	18,4 W	x 10	IP44
	54360-W9	288	■	white	L. 3,60 m	Ø 0,30 m	✕ [*]	230 V	18,4 W	x 10	IP44
	54360-B9	288	■	black	L. 3,60 m	Ø 0,30 m	✕ [*]	230 V	18,4 W	x 10	IP44

ILLUMINATED CEILINGS | FLASHING | 230 V




| caps Ø 8 mm

NAME	REFERENCE	NB LEDS	LED	CABLE	↑	↔	EFFECT	⚡	P	Ⓢ	🏠
COSMIC	54500-8-W0-Z	216	■	white	L. 10 m	l. 2.00 m	✕ ^x	230 V	36.8 W	x 10	IP66
	54500-8-W9-Z	216	■	white	L. 10 m	l. 2.00 m	✕ ^x	230 V	36.8 W	x 10	IP66
COSMIC	54501-8-W0-Z	800	■	white	L. 30 m	l. 2.00 m	✕ ^x	230 V	73.0 W	x 3	IP66
	54501-8-W9-Z	800	■	white	L. 30 m	l. 2.00 m	✕ ^x	230 V	73.6 W	x 3	IP66

STRAIGHT CURTAINLIGHTS | FLASHING | 230 V


| caps Ø 8 mm



NAME	REFERENCE	NB LED	LED	CABLE	DESC.	↑	↔	EFFECT	⚡	P	Ⓢ	🏠
MASTER	54412-12-W0-Z	240	■	white	x 12	H. 1,50 m	L. 2,00 m	✕ ^x	230 V	18,4 W	x 50	IP66
	54412-12-W9-Z	240	■	white	x 12	H. 1,50 m	L. 2,00 m	✕ ^x	230 V	18,4 W	x 50	IP66
	54412-12-W3-Z	240	■	white	x 12	H. 1,50 m	L. 2,00 m	✕ ^x	230 V	18,4 W	x 50	IP66
	54412-12-W2-Z	240	■	white	x 12	H. 1,50 m	L. 2,00 m	✕ ^x	230 V	18,4 W	x 50	IP66
MASTER	54418-12-W0-Z	480	■	white	x 12	H. 3,00 m	L. 2,00 m	✕ ^x	230 V	28,8 W	x 15	IP66
	54418-12-W9-Z	480	■	white	x 12	H. 3,00 m	L. 2,00 m	✕ ^x	230 V	28,8 W	x 15	IP66
	54418-12-W3-Z	480	■	white	x 12	H. 3,00 m	L. 2,00 m	✕ ^x	230 V	28,8 W	x 15	IP66
	54418-12-W2-Z	480	■	white	x 12	H. 3,00 m	L. 2,00 m	✕ ^x	230 V	28,8 W	x 15	IP66
MASTER+	54310-W0-Z	50	■	white	x 1	H. 3,00 m	-	✕ ^x	230 V	4,6 W	x 30	IP66
	54310-W9-Z	50	■	white	x 1	H. 3,00 m	-	✕ ^x	230 V	4,6 W	x 30	IP66
	54310-W2-Z	50	■	white	x 1	H. 3,00 m	-	✕ ^x	230 V	4,6 W	x 30	IP66
	54310-W3-Z	50	■	white	x 1	H. 3,00 m	-	✕ ^x	230 V	4,6 W	x 30	IP66
MASTER	54419-12-WFP0-Z	144	■	white	x 12	H. 1,50 m	L. 2,00 m	100 ^x	230 V	9,2 W	x 50	IP66
MASTER	54420-12-WFP0-Z	288	■	white	x 12	H. 3,00 m	L. 2,00 m	100 ^x	230 V	18,4 W	x 15	IP66
STEADY	50415-12-W0-Z	240	■	white	x 12	H. 1,50 m	L. 2,00 m	-	230 V	13,8 W	x 50	IP66
	50415-12-W9-Z	240	■	white	x 12	H. 1,50 m	L. 2,00 m	-	230 V	13,8 W	x 50	IP66
	50435-12-W0-Z	480	■	white	x 12	H. 3,00 m	L. 2,00 m	-	230 V	27,6 W	x 15	IP66
	50435-12-W9-Z	480	■	white	x 12	H. 3,00 m	L. 2,00 m	-	230 V	27,6 W	x 15	IP66

ICICLE CURTAINLIGHTS | STEADY | 230 V

Several dimensions, colors and effects for this essential element of your decorations!




| caps Ø 8 mm

NAME	REFERENCE	NB LEDS	LED	CABLE	DROP	↕	↔	EFFECT	⚡	P	⬇️	🏠
AUTHENTIC	50421-16-W0-Z	144	■	white	x 16	H. 0.60 m	L. 3.00 m	-	230 V	9.2 W	x 30	IP66
	50421-16-W9-Z	144	■	white	x 16	H. 0.60 m	L. 3.00 m	-	230 V	9.2 W	x 30	IP66
	50421-16-W3-Z	144	■	white	x 16	H. 0.60 m	L. 3.00 m	-	230 V	9.2 W	x 30	IP66

Drop height: 50 | 30 | 40 | 60 cm

ICICLE CURTAINLIGHTS | FLASHING | 230 V




| caps Ø 8 mm

NAME	REFERENCE	NB LEDS	LED	CABLE	DROP	↕	↔	EFFECT	⚡	P	⬇️	🏠
AUTHENTIC	54422-60-W0-Z	280	■	white	x 60	H. 0.80 m	L. 2 x 2.25 m	✕ ^x	230 V	18.4 W	x 20	IP66
	54422-60-W9-Z	280	■	white	x 60	H. 0.80 m	L. 2 x 2.25 m	✕ ^x	230 V	18.4 W	x 20	IP66
	54422-60-W3-Z	280	■	white	x 60	H. 0.80 m	L. 2 x 2.25 m	✕ ^x	230 V	18.4 W	x 20	IP66
	54422-60-W2-Z	280	■	white	x 60	H. 0.80 m	L. 2 x 2.25 m	✕ ^x	230 V	18.4 W	x 20	IP66
AUTHENTIC	54425-36-WFP0-Z	180	■	white	x 36	H. 0.80 m	L. 2 x 2.25 m	100^x	230 V	9.2 W	x 20	IP66

Drop height: 20 | 40 | 80 cm


LIGHTING NET | FLASHING | 230 V



| caps Ø 8mm

NAME	REFERENCE	NB LED	LED	CABLE	↕	↔	EFFECT	⚡	P	⬇️	🏠
STITCH	54450-B0-Z	200	■	black	H. 3,00 m	L. 2,00 m	✕ ^x	230 V	18,4 W	x 30	IP66
	54450-B9-Z	200	■	black	H. 3,00 m	L. 2,00 m	✕ ^x	230 V	18,4 W	x 30	IP66


BOA CURTAINLIGHT | COMET EFFECT | 230 V



| caps Ø 8mm


NAME	REFERENCE	NB LEDS	LED	CABLE	DROP	↕	↔	EFFECT	⚡	P	⊕	🏠
BOA CURTAIN	39400-W0-Z	250	■	white	5	H. 1.00 m	L. 2.00 m		230 V	20 W	x 50	IP66

FESTISNOW CURTAINLIGHTS | 230 V




NAME	REFERENCE	NB LEDS	LED	CABLE	↕	↔	EFFECT	⚡	P	⊕	🏠
FESTISNOW CURTAIN	39212-0	70	■	black	H. 0.38 and 0.58 m	L. 2.00 m		230 V	5 W	x 50	IP44

📦: 1 power lead (1.50 m) ⊕ 4 extensions (5x2m) ⊕ 5 T connectors ⊕ 5 Festisnow(5x0.58m)



NAME	REFERENCE	NB LEDS	LED	CABLE	↕	↔	EFFECT	⚡	P	⊕	🏠
FESTISNOW KIT	39200-0	5 x 20	■	black	H. 0.58 m	L. 10.0 m		230 V	20 W x 10	IP44	
	39210-0	5 x 40	■	black	H. 1.08 m	L. 10.0 m		230 V	20 W x 10	IP44	

CREATE YOUR CUSTOM CURTAIN | FESTISNOW



⊕ To compose or lengthen your curtains | Festisnow tubes

NAME	REFERENCE	NB LEDS	LED	CABLE	↕	EFFECT	⚡	P	⊕	🏠
FESTISNOW	39201-0	20	■	black	H. 0.58 m		230 V	4 W	at input	IP44
	39211-0	40	■	black	H. 1.08 m		230 V	4 W	at input	IP44

LED | ROPELIGHT | 230 V

↔ 44m reel | ⚡ Ø 13 mm | 30 LEDs/m | ✂ cut at 1 m

⚡ 230V | P 4.8 W/m (90m max.) | 📦 6.8 kg | 🏠 IP44

🔌 CORDON PACK | 3 powers supplied **with** rectifiers

NAME	REFERENCE	NB LEDs	LED	EFFECT
ROPE	18044H-1	30 LEDs/m	☐	-
	18944H-1	30 LEDs/m	☐	-
	18144H-1	30 LEDs/m	☐	-
	18244H-1	30 LEDs/m	☐	-
	18344H-1	30 LEDs/m	☐	-
	18444H-1	30 LEDs/m	☐	-
	18M44H-1	30 LEDs/m	☐	-

NAME	REFERENCE	NB LEDs	LED	EFFECT
FLASHING ROPE	170W44H-1	30 LEDs/m	☐	✕
	179W44H-1	30 LEDs/m	☐	✕
	172W44H-1	30 LEDs/m	☐	✕
	173W44H-1	30 LEDs/m	☐	✕
	174W44H-1	30 LEDs/m	☐	✕

NAME	REFERENCE	NB LEDs	LED	EFFECT
MILKY	180OP44H-1	30 LEDs/m	☐	-
	189OP44H-1	30 LEDs/m	☐	-
	182OP44H-1	30 LEDs/m	☐	-



Our wooden reel is FSC certified (from sustainably managed forests)



CONNECT



90050 CONNECTION PACK - ROPELIGHT

2 pins ⊕ + 2 tubes ⊕ + cap ⊙



90004 / 90004-BS / 90004-CH POWER SUPPLY CONNECTION

CABLE	⚡	P	🏠
black	230 V	460 W (max.)	IP44

Connection pack with rectifier for LED stringlight + pins ⊕ + tube ⊕ + caps ⊙

COMPLETE

	↔	REFERENCE
⊕ CONNECTION PINS	x 100 (to power lead)	90152
⊕ CONNECTION PINS	x 100 (from ropelight to ropelight)	90170
⊙ PROTECTIVE CAPS	x 100	90400
⊕ THERMO-SHRINKING TUBE	pre-glued transparent 0.10 m	90488
	pre-glued transparent 1.22 m	90490

INSTALL

90500 MOUNTING RULE

↔ 1 meter x 13 mm



ROPELIGHT | STRIPLED | 230 V


Stripled ultra-luminous!

↔ 30 m reel | ↗ 12 x 6 mm | 60 LEDs/m | ✂ cut at 1 m | ⚡ 230V | P 5 W/m (90 m max.) | ⚖ 6.8 kg | 🏠 IP44

⊕ PACK STRIPLED | 1 pre-installed power supply with protective cap + 2 connection packs

	NAME	REFERENCE	NB LEDs	LED	EFFECT
	STRIPLED	82030H-1	60 LEDs/m	White	Starburst
		82930H-1	60 LEDs/m	Yellow	Starburst
		82230H-1	60 LEDs/m	Red	Starburst
		82330H-1	60 LEDs/m	Blue	Starburst

Our wooden reel is FSC certified (from sustainably managed forests)



CONNECT

80912 CONNECTION PACK - STRIPLED

2 pins ⊕ + 2 tubes ⊕ + cap ⊕



80911 CONNECTION PACK - POWER SUPPLY

CABLE	⚡	P	🏠
black	230 V	1500 W (max.)	IP44

Power supply for stripled with rectifier + pin ⊕ + tube ⊕ + cap ⊕



COMPLETE

	REFERENCE
⊕ CONNECTION PINS x 100 (to power lead)	80914
⊕ CONNECTION PINS x 100 (from ropelight to ropelight)	80915
⊕ PROTECTIVE CAPS x 100	80916
⊕ THERMO-SHRINKING TUBE x 100 (pre-glued) transparent 25 x 80 mm	80917

80913 STRIPLED RECTIFIER

for composition with our connectable products



INSTALL

90500 MOUNTING RULE

↔ 1 meter x 13 mm




NEON | ROPELIGHT | 230 V


Create your contemporary decor!

↔ 30m reel | ↕ 15x9 mm | 120 LEDs/m | ✂ cut at 1 m | ⚡ 230V | P 9 W/m (30m max.) | ⚖ 5 kg | 🏠 IP44

⊕ NEON PACK | supplied with 3 connection packs. Possibility of connecting 30 m maximum on a single power supply.



NAME	REFERENCE	NB LEDS	LED	EFFECT
NEON	83030H-1	120 Leds/m	☐	—
	83330H-1	120 Leds/m	■	—
	83430H-1	120 Leds/m	■	—
	83930H-1	120 Leds/m	■	—



Our wooden reel is FSC certified (from sustainably managed forests)

CONNECT

80919 CONNECTION PACK - NEON

2 pins ⊕ + 2 tubes ⊕ + cap ⊗



80918 CONNECTION PACK - POWER SUPPLY

CABLE	⚡	P	🏠
black	230 V	460 W (max.)	IP44

Power supply for ropelight with rectifier + pin ⊕ + tube ⊕ + cap ⊗



power lead not provided

COMPLETE

		REFERENCE
	⊕ CONNECTION PINS x 100 (to power lead)	80921
	⊕ CONNECTION PINS x 100 (from ropelight to ropelight)	80922
	⊗ PROTECTIVE CAPS x 100	80923
	⊕ THERMO-SHRINKING TUBE pre-glued transparent 25 x 80 mm	80924

80920 STRIPLED RECTIFIER

for composition with our connectable products



GARLAND | MONTMARTRE RANGE | 36 V

NEW



CAPS set of 10 attachable metal caps

REFERENCE	CAPS	INT/ OUT
61550-CH	rounded	INT/ OUT
61550-LO	wavy	INT/ OUT



61550-CH

61550-LO

Create a retro atmosphere for all occasions! Personalize it by adding our rounded or wavy vintage metal caps.

MONTMARTRE GARLAND

10-bulb garland - supplied without power supply

REFERENCE	LED BULB	CABLE	↔	EFFECT	⚡	P	🏠	🔌
61550-9	■	black	L. 5.00 m	-	36 V	3 W	IP44	x 3
61550-M	■	black	L. 5.00 m	-	36 V	3 W	IP44	x 3

POWER SUPPLY transformer for 3 garlands, remote control and 6-hour timer

REFERENCE	⚡	P	🏠
95536	36 V	9 W	IP44



BULBS

set of 4 bulbs

REFERENCE	LED BULBS	⚡	P	🏠
65110-9	■	36 V	1 W	IP44
65110-M	■	36 V	1 W	IP44



GARLANDS | RETRO | 230 V



◀ 10 m ▶ | 12 bulbs



◀ 4.5 m ▶ | 10 bulbs

SMD LED RETRO GARLANDS

12 moulded bulbs - opaque - 3 LEDs/bulb

REFERENCE	NB LEDS	LED	CABLE	↔	EFFECT	⚡	P	🔌	🏠
50352-1-B0	12 x 3	■	black	L. 10.0 m	-	230 V	4.6 W	x 10	IP44
50352-1-B9	12 x 3	■	black	L. 10.0 m	-	230 V	4.6 W	x 10	IP44
50352-1-BM	12 x 3	■	black	L. 10.0 m	-	230 V	4.6 W	x 10	IP44

FILAMENT GINGUETTE GARLANDS

10 moulded bulbs - semi-transparent - LED filament

REFERENCE	NB BULBS	LED	CABLE	↔	EFFECT	⚡	P	🔌	🏠
50358-B9	10	■	black	L. 4.5 m	-	230 V	4.6 W	x 10	IP44
50358-BM	10	■	black	L. 4.5 m	-	230 V	4.6 W	x 10	IP44

GARLANDS | B22 | 230 V



Precaution for use:

Must not be used without all the bulbs and all the seals of the B22 garland being in place. Check the condition of the seals before installation.

Personalize your B22 garlands in your colors with our selection of bulbs.

B22 GARLAND

Bulbs not provided

REFERENCE	NB SOCKETS	CABLE	↔	EFFECT	⚡	P	🏠
69020S	20	black	L. 9 m	-	230 V	max 15 W / socket	IP44
69040	40	black	L. 15 m	-	230 V	max 15 W / socket	IP44
69140	140	black	L. 50 m	-	230 V	max 15 W / socket	IP44
69100	100	black	L. 100 m	-	230 V	max 15 W / socket	IP44
69300	300	black	L. 100 m	-	230 V	max 15 W / socket	IP44


BULBS | B22 | 230 V



FLASHING B22 LED BULB

60 flashes / min - Ultra-bright effect

REFERENCE	NB LEDs	LED	EFFECT	⚡	P	🏠
65006	8 SMD LEDs / bulb	■	✳️	230 V	1 W	IP44




RGB B22 LED BULB

Synchronized color change

REFERENCE	NB LEDs	LED	↻	EFFECT	⚡	P	🏠
65650	7 LEDs / bulb	🌈	∅ 60 mm	RGB ^x	230 V	1 W	IP44

BULBS | B22 SMD LED | 230 V




SMD LED lighting is **10 times brighter** than a standard LED. Its high brightness provides **better performance and a greater lighting angle.**

B22 SMD LED BULB

Opaque polycarbonate caps - aluminum base

REFERENCE	NB LEDs	LED	↻	EFFECT	⚡	P	🏠
65682-0PC	4 SMD LEDs / bulb	■	∅ 45 mm - ∅ 47 mm	-	230 V	0.62 W	IP44
65682-1PC	4 SMD LEDs / bulb	■	∅ 45 mm - ∅ 47 mm	-	230 V	0.62 W	IP44
65682-2PC	4 SMD LEDs / bulb	■	∅ 45 mm - ∅ 47 mm	-	230 V	0.62 W	IP44
65682-3PC	4 SMD LEDs / bulb	■	∅ 45 mm - ∅ 47 mm	-	230 V	0.62 W	IP44
65682-4PC	4 SMD LEDs / bulb	■	∅ 45 mm - ∅ 47 mm	-	230 V	0.62 W	IP44
65682-5PC	4 SMD LEDs / bulb	■	∅ 45 mm - ∅ 47 mm	-	230 V	0.62 W	IP44
65682-9PC	4 SMD LEDs / bulb	■	∅ 45 mm - ∅ 47 mm	-	230 V	0.62 W	IP44


STRIPLD HANGINGS | 230 V



NAME
NEPTUNE

REFERENCE	NB LEDS	LED	↗	EFFECT	⚡	P	⏻	⚖	🏠
98612-A0	240	■	Ø 0.34 m	☀️☀️☀️	230 V	39.6 W	at input	1.5 kg	IP44
98613-A0	600	■	Ø 0.64 m	☀️☀️☀️	230 V	50 W	at input	2.5 kg	IP44
98614-A0	960	■	Ø 0.88 m	☀️☀️☀️	230 V	80 W	at input	3.5 kg	IP44

ILLUMINATED SPHERES | 230 V




NAME
SATURN

REFERENCE	NB LEDS	LED	↗	EFFECT	⚡	P	⚖	⏻	🏠
98604-AWP0-Z	100	■	Ø 0.40 m	✕ [*]	230 V	9.2 W	2.56 kg	yes	IP66
98604-AWP2-Z	100	■	Ø 0.40 m	✕ [*]	230 V	9.2 W	2.56 kg	yes	IP66
98604-AWP3-Z	100	■	Ø 0.40 m	✕ [*]	230 V	9.2 W	2.56 kg	yes	IP66
98604-AWP9-Z	100	■	Ø 0.40 m	✕ [*]	230 V	9.2 W	2.56 kg	yes	IP66
98606-AWP0-Z	200	■	Ø 0.60 m	✕ [*]	230 V	18.4 W	4.15 kg	yes	IP66
98606-AWP2-Z	200	■	Ø 0.60 m	✕ [*]	230 V	18.4 W	4.15 kg	yes	IP66
98606-AWP3-Z	200	■	Ø 0.60 m	✕ [*]	230 V	18.4 W	4.15 kg	yes	IP66
98606-AWP9-Z	200	■	Ø 0.60 m	✕ [*]	230 V	18.4 W	4.15 kg	yes	IP66
98610-AWP0-Z	300	■	Ø 1.00 m	✕ [*]	230 V	27.6 W	8.05 kg	yes	IP66
98610-AWP2-Z	300	■	Ø 1.00 m	✕ [*]	230 V	27.6 W	8.05 kg	yes	IP66
98610-AWP3-Z	300	■	Ø 1.00 m	✕ [*]	230 V	27.6 W	8.05 kg	yes	IP66
98610-AWP9-Z	300	■	Ø 1.00 m	✕ [*]	230 V	27.6 W	8.05 kg	yes	IP66


↕ Ø 0.40 m | ↕ Ø 0.60 m | ↕ Ø 1.00 m

BOUQUETS | 31 V AND 230 V



NAME	REFERENCE	NB LEDS	LED	BRANCHES	↻	EFFECT	⚡	P	🔌	🏋️	🏠
GALACTIC	61404-BP0	240	■	30 black	Ø 0.50 m	✕*	31 V	9 W	no	1.3 kg	IP44
	61404-BP9	240	■	30 black	Ø 0.50 m	✕*	31 V	9 W	no	1.3 kg	IP44
	61403-BP9	270	■	45 black	Ø 1.00 m	✕*	31 V	15 W	no	2.2 kg	IP44
GALACTIC PLUS	40475-WP0	390	■	26 white	Ø 1.20 m	✕*	230 V	27.60 W	at input	4.4 kg	IP44

LIGHTING BOUQUETS | 230 V



NAME	REFERENCE	NB LEDS	LED	BRANCHES	↔	EFFECT	⚡	P	🔌	🏋️	🏠
ROMANCE	54361-AP0	190	■	silver	Ø 0.50 m	✕*	230 V	5 W	at input	1.1 kg	IP44
	NEW 54362-AP0	380	■	silver	Ø 1.00 m	✕*	230 V	12 W	at input	1.4 kg	IP44
	54361-AP9	190	■	silver	Ø 0.50 m	✕*	230 V	5 W	at input	1.1 kg	IP44
	NEW 54362-AP9	380	■	silver	Ø 1.00 m	✕*	230 V	12 W	at input	1.4 kg	IP44
	54361-AFP0	100	■	silver	Ø 0.50 m	100 ^x	230 V	5 W	at input	1.1 kg	IP44
	NEW 54362-AFP0	200	■	silver	Ø 1.00 m	100 ^x	230 V	- W	at input	1.4 kg	IP44

FIR DECORATIONS | 80 V



NAME	REFERENCE	NB LEDS	LED	↕	↗	∅	EFFECT	⚡	P	📖	🔌	🏠
ÉTOILE	93652-P9	300	■	H. 0.90 m	L. 0.90 m		✕ ^x	80 V	19.2 W	6 kg	at input	IP44
COURONNE LUNE	93650-P9	300	■	H. 1.10 m	L. 1.10 m	∅ 35 cm max	✕ ^x	80 V	19.2 W	13 kg	at input	IP44
JABOT	93649-P9	300	■	-	L. 2.70 m	∅ 35 cm max	✕ ^x	80 V	9.6 W	2.6 kg	at input	IP44

All our PVC fir decorations are M1 fire rated

CUSTOM LIGHT BOXES | 230 V



See all our custom light boxes at:
<https://myfestilight.com/app/products/bal/>

NAME	REFERENCE	NB LEDS	LED	↗	EFFECT	⚡	P	🔌	📖	🏠
CUSTOM LIGHT BOX ∅ 67	40550LED-0	120	■	∅. 0.67 m	⚡⚡	230 V	10W	yes	3.6 kg	IP44
CUSTOM LIGHT BOX ∅ 100	40549LED-0	180	■	∅. 1.00 m	⚡⚡	230 V	15 W	yes	8.6 kg	IP44

For your customizations we recommend vector files

3D STARS | 12 V




↑ ↓ Ø 50 cm

NAME	REFERENCE	COLORS	NB LEDS	LED	↗	EFFECT	⚡	P	⚡	KG	🏠
ALENA WHITE	50371-B9	■	24 leds / bulb	■	Ø 0.50 m	-	12 V	3 W	at input	0.6 kg	IP44
ALENA RED	50372-B2	■	24 leds / bulb	■	Ø 0.50 m	-	12 V	3 W	at input	0.6 kg	IP44
ALENA YELLOW	50373-B9	■	24 leds / bulb	■	Ø 0.50 m	-	12 V	3 W	at input	0.6 kg	IP44

LIGHT BUBBLES | 230 V

power lead not provided




NAME	REFERENCE	NB BULBS	LED	↗	EFFECT	⚡	P	KG	⚡	🏠
LIGHT BUBBLE	98620-20-B9	1 (E27)	■	Ø 0.20 m	-	230 V	2 W	0.4 kg	at input	IP44
	98620-30-B9	1 (E27)	■	Ø 0.30 m	-	230 V	2 W	0.6 kg	at input	IP44
	98620-40-B9	1 (E27)	■	Ø 0.40 m	-	230 V	2 W	0.8 kg	at input	IP44

E27 LED BULB
(replacement bulb for light bubbles)



REFERENCE	NB LEDS	LED	↗	EFFECT	⚡	P	🏠
65062-9	1 LED / bulb	■	Ø 60 mm	-	230 V	2 W	IP44
65062-2	1 LED / bulb	■	Ø 60 mm	-	230 V	2 W	IP44

SPIRAL 230 V



Approximative width: 2.40 m

Bring an original and stylish touch to your streets and alleys



NAME	REFERENCE	LED	↕	↔	EFFECT	⚡	P	⚖️	⬆️	🏠
LILIANE	46102MIL-0	■	-	L. 2.40 m	-	230 V	48.00 W	2.8 kg	yes	IP44
LILIANE	46102MIL-9	■	-	L. 2.40 m	-	230 V	48.00 W	2.8 kg	yes	IP44

UNBREAKABLE BAUBLES



Glittery plastic baubles,
with hanging system

NAME	REFERENCE	COLOR	↔	🏠
BAUBLE Ø 12CM	94212-B04	gold	Ø 12 cm	INT/OUT
	94212-B14	silver	Ø 12 cm	INT/OUT
	94212-BH15	red	Ø 12 cm	INT/OUT
	94212-B29	blue	Ø 12 cm	INT/OUT
BAUBLE Ø 15CM	94215-B04	gold	Ø 15 cm	INT/OUT
	94215-B14	silver	Ø 15 cm	INT/OUT
	94215-BH15	red	Ø 15 cm	INT/OUT
	94215-B29	blue	Ø 15 cm	INT/OUT
BAUBLE Ø 22CM	94222-B04	gold	Ø 22 cm	INT/OUT
	94222-B14	silver	Ø 22 cm	INT/OUT
	94222-BH15	red	Ø 22 cm	INT/OUT
	94222-B29	blue	Ø 22 cm	INT/OUT
15-BAUBLE KIT	94302-B04	gold	Ø 12/15/22 cm	INT/OUT
	94302-B14	silver	Ø 12/15/22 cm	INT/OUT
	94302-BH15	red	Ø 12/15/22 cm	INT/OUT
	94302-B29	blue	Ø 12/15/22 cm	INT/OUT




Infini'Light Range




GARLANDS | 80 V

A range available as a starter kit (supplied with transformer)
or as an extension (without transformer).


THE CONNECTABLE
CONCEPT DECLINED
IN VERY LOW VOLTAGE !
UP TO 2000 LEDS ON A
SINGLE POWER SUPPLY.



NAME	REFERENCE	NB LEDS	LED	CABLE	↔	EFFECT	⚡	P	ⓘ	🏠
STARTER KIT	57310-2-BP0	200	☐	black	L. 2 x 10.0 m	✗	80 V	6.4 W	yes	IP44
	57310-2-BP9	200	☐	black	L. 2 x 10.0 m	✗	80 V	6.4 W	yes	IP44
	57310-2-BP3	200	☐	black	L. 2 x 10.0 m	✗	80 V	6.4 W	yes	IP44
EXTENSION	57310-BP0-R	100	☐	black	L. 10.0 m	✗	80 V	3.2 W	yes	IP44
	57310-BP9-R	100	☐	black	L. 10.0 m	✗	80 V	3.2 W	yes	IP44
	57310-BP3-R	100	☐	black	L. 10.0 m	✗	80 V	3.2 W	yes	IP44



EXTENSION CORD



SPLITTER CORD


NAME	REFERENCE	CABLE	↔	⚡	P	ⓘ	🏠
EXTENSION CORD	57105-B	black	L. 5.00 m	80 V	-	yes	IP44
SPLITTER CORD	57150-B	black	L. 0.30 m	80 V	-	yes	IP44
TRANSFORMER	57000	-	-	80 V	24 W	-	IP44



ICICLE CURTAINLIGHTS | 80 V

Low voltage connectable

Drop height: 40 | 20 | 30 | 60 cm



NAME	REFERENCE	NB LEDS	LED	CABLE	↔	↕	EFFECT	⚡	P	🔌	🏠
STARTER KIT	57500-2-BP0	200	■	black	L. 2 x 5.00 m	H. 0.60 m	✕	80 V	6.4 W	yes	IP44
	57500-2-BP9	200	■	black	L. 2 x 5.00 m	H. 0.60 m	✕	80 V	6.4 W	yes	IP44
	57500-2-BP3	200	■	black	L. 2 x 5.00 m	H. 0.60 m	✕	80 V	6.4 W	yes	IP44
EXTENSION	57500-BP0-R	100	■	black	L. 5.00 m	H. 0.60 m	✕	80 V	3.2 W	yes	IP44
	57500-BP9-R	100	■	black	L. 5.00 m	H. 0.60 m	✕	80 V	3.2 W	yes	IP44
	57500-BP3-R	100	■	black	L. 5.00 m	H. 0.60 m	✕	80 V	3.2 W	yes	IP44

Accessories

ANIMATION CONTROLLERS




91410 **INVERTER FLASHER - 2-WAY | 2X6A**
 flashing effect: on / off | 2 alternating paths
 adjustable speed | **P** = 2 x 1150 W | 🏠 IP55

CONNECTIONS | ELECTRICAL SAFETY



98003 **PROTECTION UNIT**
 differential circuit breaker with manual reset
 1 socket + circuit-breaker - 🏠 IP44

POLE | ATTACHMENT



NAME	Ø	REFERENCE	KG	🏠
CIRCULAR ATTACHMENT Composed of 2 half-circles and 2 adjustable pole clamps. Supplied without light decoration. Aluminum structure.	Ø. 0.60 m	90608	1.6 kg	INT/OUT
	Ø. 1.20 m	90609	3.1 kg	

NAME	REFERENCE	🏠
POLE CLAMP FOR MOTIFS UP TO 1.50 M Secure, quick and practical attachment systems.	90601	INT/OUT
POLE CLAMP FOR MOTIFS LONGER THAN 1.50 M Kit of 2 pole clamps composed of 2 parts each. Secure, quick and practical attachment systems.	90602	INT/OUT

Cable cover



CABLE COVER



NAME	REFERENCE	↕	↔	↗	KG	CHANNEL SIZE (W X H)
1-WAY CABLE COVER	CC-1V-100	H. 2.0 cm	L. 1.00 m	D. 0.14 m	Max load 1.5 T	40 x 10 mm
2-WAY CABLE COVER	CC-2V-100	H. 5.0 cm	L. 1.00 m	D. 0.30 m	Max load 10 T	37 x 37 mm (x2)

CABLE SLEEVE | WITH HINGED COVER

**SECURITY:
NOT REMOVABLE!**



Cable sleeve with non-removable hinged cover.

NAME	REFERENCE	↕	↔	↗	KG	CHANNEL SIZE (W X H)
2-WAY CABLE SLEEVE	PC-2V-100	H. 4.5 cm	L. 1.00 m	D. 0.25 m	Max load 12 T	30 x 32 mm (x2)
3-WAY CABLE SLEEVE	PC-3V-90	H. 5.5 cm	L. 0.90 m	D. 0.55 m	Max load 20 T	30 x 30 mm (x3)
4-WAY CABLE SLEEVE	PC-4V-90	H. 6.0 cm	L. 0.90 m	D. 0.58 m	Max load 20 T	50 x 32 mm (x4)

Certified by APAVE | Caution: never exceed the indicated loads.

SEE OUR
WHOLE SCENOGRAPHY RANGE
IN OUR DEDICATED CATALOG



Contact your sales representative for more information.



Easy coloring **SPECTRA** range

Discover our specially designed new range. Intuitive and easy to use, it is accessible to everyone! The connections and the settings correspond to standard products on the market. Discover our wide range that will meet all your needs.

Mix the range on a facade with no heterogeneous color.

Optional external optic
40°, 60° or 40x25° optic screwed onto the projector from the outside.

Power connector
DMX and XLR connector

Screwed protection plate
To protect the control interface from birds or people.

Power connector
Seetronic True 1 input connector, IP 65 certified



LED projectors

SPECTRA range



	SP-PARLED710-IP	SP-PARLED1210-IP	SP-PARLED1810-IP	SP-WASH2410-IP	SP-BAR1210-IP
POWER	7 LED x 10 W	12 LED x 10 W	18 LED x 10 W	24 LED x 10 W (RGBW)	12 LED x 10 W (RGBW)
COLOR MODE	RGBW (4 in 1)				
BRIGHTNESS	5,230@2m	8,650@2m	17 100@2m	19 030@2m	7,400@2m
LED LIFETIME	40,000 h or approx. 5 years in permanent use				
SOUND LEVEL	0 dB				
ANGLE	25°				
DMX CHANNELS	5 or 8				
CONTROL MODE	DMX 512, Master-slave / Independent				
FEATURE	Video capture: Flicker free				
DIMMER	0 to 100% - 16 bit				
USE	Outdoor (IP 65)				
STANDARDS	CE / ROHS				
CONSUMPTION	80 W	125 W	200 W	260 W	125 W
TEMPERATURE	minimum: -20°C / maximum: +40°C				
DIMENSIONS	226 x 244 x 156 mm	298 x 268 x 157.5 mm	298 x 268 x 157.5 mm	525 x 205 x 150 mm	1,000 x 95 x 185 mm
WEIGHT	4.3 kg	5.5 kg	7.6 kg	7.6 kg	7 kg

Simplified installation and programming

The Festilight BONUS: SPECTRA ANIMATION KIT including a simple configuration and installation guide, 8 programs stored in a USB key and a DMX player.

WHICH PROJECTORS?

Works with the whole SPECTRA range, mixed or not.

HOW MANY PROJECTORS?

1 to 10, 12, 15 or 20 projectors

HOW DO YOU USE IT?

Connect and configure your SPECTRA devices, following our diagram. You then just need to press "PLAY". Change programs with the seasons using the buttons on the front

PROGRAM 1

All cold white
2 projectors



PROGRAM 2

All warm white
6 projectors



PROGRAM 3

All blue
6 projectors



PROGRAM 4

All pink
6 projectors



PROGRAM 5

Blue / white / red
4 projectors



PROGRAM 6

Gradual color change
6 projectors



PROGRAM 7

Warm white / Cold white

PROGRAM 8

Blue / white / red V2



SP-RECDMX-512

220V player - 8 programs
512 channels



SP-RECDMX-60

USB player - 8 programs
up to 4 projectors

PLAY MODE	Loop, Once Auto, Music	Adjustable in software
PROGRAM	Adjustable in speed	Adjustable in software
STORAGE	Built-in 512 MB	8 kB
NUMBER OF PROGRAMS	8	16
CONTENT DURATION	5 minutes	800 steps on 60 channels
CONTROL MODE	Administrator mode	selection via button
CONNECTIONS	RJ45 / RS 232 / XLR 3 points	terminal block
BACK-UP / DOWNLOAD	USB key	via software
ELECTRICAL INPUT	AC88-256 V 50/60 Hz	mini USB
USE	-	-
STANDARDS	-	-
DIMENSIONS	482 x 173 x 46 mm	52 x 29 x 24 mm
WEIGHT	1.65 kg	0.16 kg

CABLES



PRP433

POWER CABLE 3X1.5 MM²
SHUKO MALE / POWERCON TRUE1 FEMALE

PRP433-1.5
1.5 m



PRP435

POWERCON TRUE1 CABLE,
MALE AND FEMALE

PRP435-1.5
1.5 m

PRP435-3
3 m

PRP435-5
5 m



IPDMX

DMX IP EXTENSION

IPDMX-3
3 m

IPDMX-5
5 m

IPDMX-10
10 m

IPDMX-20
20 m

Gobo Projectors



GP40R1-IP



GP80R1-IP



GP200R1-IP

POWER	40 W	80 W	200 W
COLOR TEMPERATURE (KELVIN)	6,500° K		8,000 °K
LUX	9,380 lux@1m	15,000 lux@1m	14,000 lux@1m
BRIGHTNESS	4,200 lumens	9,000 lumens	14,000 lm
MAX. PROJECTION DISTANCE (ideal conditions)	25 m	35 m	47 m
MAX. RECOMMENDED DISTANCE	15 m	20 m	37 m
IMAGE SIZE	12.5 m (25 m) 7 m (15 m)	12 m (20 m) 21 m (35 m)	14 m (37 m)
OPENING (ANGLE)	28°		22°
FIXED AND/OR ROTATING GOBOS	Rotating (adjustable)		Rotating (adjustable)
SETTINGS	Stop - Rotation - 3 speed levels		Stop - Rotation - 3 speed levels
GOBO SIZE	54 mm		54 mm
NUMBER OF GOBOS (NOT SUPPLIED)	1		1
USE	Outdoor (IP65)		Outdoor (IP65)
CONSUMPTION	45 W	85 W	220 W
DIMENSIONS	290 x 290 x 150 mm	360 x 250 x 220 mm	395 x 194 x 263 mm
WEIGHT	3 kg	6 kg	5.7 kg
REMOTE CONTROL	yes		yes



GOBOS | OUR GOBO RANGE



GOBO-FLOCON-1C-54



GOBO-CAD-1C-54



GOBO-TRAI-1C-54



GOBO-FLOCON-2C-54



GOBO-FILANTE-2C-54



GOBO-PN-2C-54



GOBO-JF-2C-54



GOBO-ANGE-1C-54



GOBO-ETOILE-1C-54



GOBO-JF-1C-54



GOBO-VAL-2C-54



GOBO-PNL-2C-54



GOBO-MULTI-3C-54



GOBO-JOY-2C-54



GOBO-GOURMAN-3C-54

Custom gobos

THROUGHOUT THE YEAR

In addition to the festive season, gobos can be used to communicate on other events in your city: Pink October, Valentine's Day, national holiday, sporting events, cultural events, etc.



GOBO VERRE 1C

1-color glass gobo

Ø 54 mm

GOB054MM-1C



GOBO VERRE 2C

2-color glass gobo

GOB054MM-2C



GOBO VERRE 3C

3-color glass gobo

Ø 54 mm

GOB054MM-3C



GOBO VERRE 4C+

Glass gobo, 4 colors or more

GOB054MM-4C



ILLUSTRATION OF YOUR CHOICE!
(UP TO 4 COLOR BLOCKS)

PROVIDE US WITH AN ILLUSTRATION IN A
DIGITAL VECTOR FORMAT (MANDATORY)



See all our custom gobos at:
<https://myfestilight.com/app/products/gobos/>
or scan the QR code above.



COLORS AVAILABLE FOR CREATION OF YOUR CUSTOM GOBOS

1 TO 3 COLORS



FULL COLOR



Index

Référence	Page
-----------	------

170W44H-1	64
172W44H-1	64
173W44H-1	64
174W44H-1	64
179W44H-1	64
18044H-1	64
1800P44H-1	64
18144H-1	64
18244H-1	64
1820P44H-1	64
18344H-1	64
18444H-1	64
18944H-1	64
1890P44H-1	64
18M44H-1	64
39200-0	63
39201-0	63
39210-0	63
39211-0	63
39212-0	63
39301-W0-Z	59
39301-W9-Z	59
39302-W0-Z	59
39302-W9-Z	59
39303-W0-Z	59
39304-W0-Z	59
39350-W0-Z	59
39400-W0-Z	63
40298-W0	47
40299-W0	47
40300-W0	47
40447-W0-31V	47
40448-W0-31V	47
40455-W0	47
40475-WP0	70
40477-AP0	52
40477-AP9	52
40477-APM	52
40477-CMATP9	52
40478-AP0	52
40478-AP9	52
40478-CMATP9	52
40479-AP0	52
40479-AP9	52
40479-CMATP9	52

40531-03	43
40539-09	43
40545-0	47
40546-0	47
40547-0	47
40549LED-0	71
40550LED-0	71
40560-AP0	52
40560-CMATP9	52
40561-AP0	52
40561-CMATP9	52
40577-0	47
40578-0	47
43005LED-0P0	45
43098LED	45
43102LED-0P0	43
43102LED-3P0	43
43102NEON-0	43
43102NEON-03	43
43105LED-0P0	45
43129LED-P0	45
43130LED-P0	45
43130LED-P9	45
43184LED-P0	43
43184LED-P3	43
43186LED-0	45
43206LED-P0	46
43206NEON-0	46
43223LED-0P0	45
43224LED-0FP0	45
43224LED-2-0FP0	46
43226LED-0P9	45
43226LED-2-0P9	45
43226NEON-0	45
43229LED-2-P0	46
43229LED-P0	45
43232LED-2-0P0	46
43233LED-0P0	45
43233LED-2-0P0	46
43236LED-0P0	45
43236LED-2-0P0	45
43237LED-0P0	45
43237LED-2-0P0	46
43407NEON-0	51
43431LED-P0	53
43432LED-P0	53
43434LED-0	55
43435LED-P0	55
43439LED-0P0	55
43451LED-P0	51

43451LED-P9	51
43452LED-P0	51
43452LED-P9	51
43453LED-P0	51
43453LED-P9	51
43454LED-P0	54
43454LED-P9	54
43458LED-9	48
43459LED-9	49
43460LED-9	48
43461LED-9	55
43462LED-9	55
43465LED-P0	49
43465LED-P9	49
43466LED-P0	49
43466LED-P9	49
43467LED-P9	49
43468LED-2	48
43469LED-P9	49
43470LED-P0	49
43470LED-P9	49
43471LED-P9	55
46102MIL-0	73
46102MIL-9	73
46234MIL-0	45
46494-P0	43
46494-P9	43
46535-0	43
46535-9	43
46538NEON-0	43
46538NEON-9	43
46538NEON-5-0	43
46539NEON-0	43
46540NEON-9	43
46541NEON-2	43
46542MIL-0P9	43
46543MIL-2P0	43
46543MIL-9P0	43
46544MIL-0	43
46545MIL-FP0	45
46546MIL-0FP0	45
46547MIL-0FP0	45
46548-5-0	43
46559MIL-0	38
46559-R-MIL-2	38
46579MIL-0P0	33
46580MIL-0P9	34
46580-V	34
46581-R-MIL-29	33
46582MIL-9P9	33

46583MIL-0P9	34
46583-V	34
46585MIL-9	33
46586MIL-9P9	32
46587MIL-0P0	34
46588-V-9	39
46589-R-9	39
46590-B-0	39
46591MIL-0	33
46592MIL-0P0	37
46592MIL-9P9	37
46593MIL-0P0	37
46593MIL-9P9	37
46594MIL-02	32
46595-9	39
46596MIL-0	38
46596MIL-9	38
46597-KIT-R	35
46597-KIT-B	35
46597-KIT-V	35
46597-KIT-G	35
46598-BG	36
46598-GB-MIL-0P0	36
46598-RG	36
46599-GR-MIL-9P9	36
46558NEON-0	43
46558NEON-2	43
46584-R	32
46584-R-MIL-0	32
46584-R-MIL-2	32
50350-1-BRGG-Z	59
50352-1-B0	67
50352-1-B9	67
50352-1-BM	67
50358-B9	67
50358-BM	67
50371-B9	72
50372-B2	72
50373-B9	72
50385-1-B0-Z	58
50385-1-B3-Z	58
50385-1-B9-Z	58
50385-1-BM-Z	58
50385-1-W0-Z	58
50385-1-W3-Z	58
50385-1-W9-Z	58
50385-2-B0-Z	58
50385-2-B3-Z	58
50385-2-B9-Z	58
50385-2-BM-Z	58

50385-2-W0-Z	58
50385-2-W3-Z	58
50385-2-W9-Z	58
50415-12-W9-Z	61
50415-12-W0-Z	61
50421-16-W0-Z	62
50421-16-W3-Z	62
50421-16-W9-Z	62
50435-12-W9-Z	61
50435-12-W0-Z	61
54310-W0-Z	61
54310-W2-Z	61
54310-W3-Z	61
54310-W9-Z	61
54360-B9	60
54360-W0	60
54360-W9	60
54361-AFP0	70
54361-AP0	70
54361-AP9	70
54362-AFP0	70
54362-AP0	70
54362-AP9	70
54371-2-W0-Z	60
54371-2-W9-Z	60
54371-2-B0-Z	60
54371-2-B9-Z	60
54380-1-B0-Z	58
54380-1-B2-Z	58
54380-1-B3-Z	58
54380-1-B9-Z	58
54380-1-W0-Z	58
54380-1-W2-Z	58
54380-1-W3-Z	58
54380-1-W9-Z	58
54380-2-B0-Z	58
54380-2-B2-Z	58
54380-2-B3-Z	58
54380-2-B9-Z	58
54380-2-FP0-Z	58
54380-2-W0-Z	58
54380-2-W2-Z	58
54380-2-W3-Z	58
54380-2-W9-Z	58
54412-12-W0-Z	61
54412-12-W2-Z	61
54412-12-W3-Z	61
54412-12-W9-Z	61
54418-12-W0-Z	61
54418-12-W2-Z	61

54418-12-W3-Z	61
54418-12-W9-Z	61
54419-12-WFP0-Z	61
54420-12-WFP0-Z	61
54422-60-W0-Z	62
54422-60-W2-Z	62
54422-60-W3-Z	62
54422-60-W9-Z	62
54425-36-WFP0-Z	62
54450-B0-Z	62
54450-B9-Z	62
54500-8-W0-Z	61
54500-8-W9-Z	61
54501-8-W0-Z	61
54501-8-W9-Z	61
57000	74
57105-B	74
57150-B	74
57310-2-BP0	74
57310-2-BP3	74
57310-2-BP9	74
57310-BP0-R	74
57310-BP3-R	74
57310-BP9-R	74
57500-2-BP0	74
57500-2-BP3	74
57500-2-BP9	74
57500-BP0-R	74
57500-BP3-R	74
57500-BP9-R	74
61403-BP9	70
61404-BP0	70
61404-BP9	70
61450-B0	50
61453-B9	50
61503-B0	50
61504-B9	50
61550-9	67
61550-CH	67
61550-LO	67
61550-M	67
65006	68
65062-2	72
65062-9	72
65110-9	67
65110-M	67
65682-0PC	68
65682-1PC	68
65682-2PC	68
65682-3PC	68

65682-4PC	68
65682-5PC	68
65682-9PC	68
65650	68
69020S	68
69040	68
69100	68
69140	68
69300	68
70173-0	50
70173-9	50
70189-0	50
70215-9	50
70221-9	53
70226-9	53
70242-P9	53
80911	65
80912	65
80913	65
80914	65
80915	65
80916	65
80917	65
80918	66
80919	66
80920	66
80921	66
80922	66
80923	66
80924	66
82030H-1	65
82230H-1	65
82330H-1	65
82930H-1	65
83030H-1	66
83330H-1	66
83430H-1	66
83930H-1	66
90004	64
90004-BS	64
90004-CH	64
90050	64
90102-B-Z	57
90102-W-Z	57
90152	64
90170	64
90221-B-Z	57
90221-W-Z	57
90225-B-Z	57
90225-W-Z	57

90303-B-Z	57
90303-W-Z	57
90304-B-Z	57
90304-W-Z	57
90305-B-Z	57
90305-W-Z	57
90306-B-Z	57
90306-W-Z	57
90380-B-Z	57
90380-W-Z	57
90385-B-Z	57
90385-W-Z	57
90390-B-Z	57
90390-W-Z	57
90391-B-Z	57
90391-W-Z	57
90396-B-Z	57
90396-W-Z	57
90398-B-Z	57
90398-W-Z	57
90400	64
90488	64
90490	64
90500	64
90601	76
90602	76
90608	76
90609	76
90735	43
91410	76
93649-P9	71
93650-P9	71
93652-P9	71
93784	40
93785	40
93783	40
93853	40
93854	40
93855	40
93873	40
93837	41
93852	41
94212-B04	73
94212-B14	73
94212-B29	73
94212-BH15	73
94215-B04	73
94215-B14	73
94215-B29	73
94215-BH15	73

94222-B04	73
94222-B14	73
94222-B29	73
94222-BH15	73
94302-B04	73
94302-B14	73
94302-B29	73
94302-BH15	73
95140-6-WP0-Z	60
95140-6-WP9-Z	60
95536	67
98003	76
98184-3M	54
98185-3M	54
98186-3M	54
98604-AWP0-Z	69
98604-AWP2-Z	69
98604-AWP3-Z	69
98604-AWP9-Z	69
98606-AWP0-Z	69
98606-AWP2-Z	69
98606-AWP3-Z	69
98606-AWP9-Z	69
98610-AWP0-Z	69
98610-AWP2-Z	69
98610-AWP3-Z	69
98610-AWP9-Z	69
98612-A0	69
98613-A0	69
98614-A0	69
98620-20-B9	72
98620-30-B9	72
98620-40-B9	72
98846-4M	54
CC-1V-100	77
CC-2V-100	77
GOBO54MM-1C	84
GOBO54MM-2C	84
GOBO54MM-3C	84
GOBO54MM-4C	84
GOBO-ANGE-1C-54	83
GOBO-CAD-1C-54	83
GOBO-ETOILE-1C-54	83
GOBO-FILANTE-2C-54	83
GOBO-FLOCON-1C-54	83
GOBO-FLOCON-2C-54	83
GOBO-GOURMAN-1C-54	83
GOBO-GOURMAN-3C-54	83
GOBO-JF-1C-54	83
GOBO-JF-2C-54	83

GOBO-JOY-2C-54	83
GOBO-MULTI-3C-54	83
GOBO-PN-2C-54	83
GOBO-PNL-2C-54	83
GOBO-TRAI-1C-54	83
GOBO-VAL-2C-54	83
GP200R1-IP	82
GP40R1-IP	82
GP80R1-IP	82
IPDMX-10	81
IPDMX-20	81
IPDMX-3	81
IPDMX-5	81
PC-2V-100	77
PC-3V-90	77
PC-4V-90	77
PRP433-1.5	81
PRP435-1.5	81
PRP435-3	81
PRP435-5	81
SP-BAR1210-IP	79
SP-PARLED1210-IP	79
SP-PARLED1810-IP	79
SP-PARLED710-IP	79
SP-RECDMX-512	81
SP-RECDMX-60	81
SP-WASH2410-IP	79
VBUL-3M50-T1-1-B	28
VBUL-3M50-T1-1-R	28
VBUL-3M50-T1-1-V	28
VBUL-3M50-T1-2-B	28
VBUL-3M50-T1-2-R	28
VBUL-3M50-T1-2-V	28
VBUL-3M50-T1-3-B	28
VBUL-3M50-T1-3-R	28
VBUL-3M50-T1-3-V	28
VBUL-3M50-T2-1	29
VBUL-3M50-T2-2	29
VBUL-3M50-T2-3	29
VBUL-3M50-T3-1	29
VBUL-3M50-T3-2	29
VBUL-3M50-T3-3	29
VBUL-3M50-T4-1	29
VBUL-3M50-T4-2	29
VBUL-3M50-T4-3	29

THANKS

Layout | Creation

Communication - Marketing Festilight
Printing La Renaissance

Photography

©Festilight - ©Unsplash - ©Ad just production - ©Shutterstock - ©Pixabay - ©AdobeStock - ©Olivier Frajman Photographe - ©GillesBertrand - ©BrunoRuiz - ©Loïc Bourniquel - ©Ludovic Maillard - ©Nicolas Duvivier - ©Hurluberlue Photographies - ©Olivier Douard Photographe - ©Marie Lou Photographie - ©Stéphane Clément Photographie - ©Bekafun - ©Lyskomponenter - ©Jensenmedia - ©Jehan Debujaudoux - ©Pyroconcept - ©Cédric Ragnolo - Newair Digital

Thank You!

To all our customers: communities, specialized distributors, associations of merchants, hotels, restaurants, shops and shopping centers, salespeople who renew their trust every year in our company and our products and which allowed us to embellish this catalog of beautiful achievements. To all the people who contributed to the development of this catalog.

All rights reserved.

Our catalogue displays non contractual photos. Dimensions and power consumption of our products are provided for information purposes only and may be subject to changes. Any reproduction by any means should be first approved by Festilight . Do not throw away in public spaces.

© 2023 by Festilight



all paper
are recyclable



COMMERCIAL

EXPORT SALES MANAGER

OLIVIER ROSSIGNOL

olivier.rossignol@festilight.fr

+33 (0)6 67 56 74 55

EXPORT ASSISTANT

DELPHINE DEPART

delphine.depart@festilight.fr

+33 (0)3 25 45 72 85





FESTILIGHT

8 rue des Vignes - 10410 VILLECHETIF - FRANCE
export@festilight.fr | Tel.: + 33 (0)3 25 83 23 00

MEMBRE DE  **FESTIGROUP**

HOLDING COMPANY WITH CAPITAL OF €6,000,000
SIMPLIFIED JOINT STOCK COMPANY (SAS) WITH CAPITAL OF €600,000 - FR 92 414 314 898 - APE 4647 Z

FESTILIGHT REF. **99998-2023-EN**

