



Visit product page



## KZ ZSN PROX BLACK

L005840

Professional 2-units pure balanced armature acoustic earphones, impedance: 25Ω, sensitivity 112db, frequency : 7-40000HZ, light weight 27g, high performance black aluminium hardware, 3.5mm plug, high-frequency balanced , 10mm mid-bass low-frequency.

### TECHNICAL DETAILS

#### Description / Details

Classic hybrid technology earphones.  
10 mm mid, bass and low frequency dynamic unit.  
Ergonomic and comfortable fitting.

#### Technical Specifications


Impedance: 25 Ω.  
Frequency range: 7 - 40,000 Hz.  
3,5 mm plug type.

## PHOTOS



### Acoustic Black Technology-reshape The Magnetic Gap, Redefine 10mm Dual Magnetic Dynamic

The distance between the magnetic cores is the magnetic gap of the sound unit. By adjusting the magnetic gap of the dynamic, the eddy current loss is reduced and the stroke is increased, providing rich low-frequency power, providing a wide frequency response, and bringing a sound experience like being on the spot.



### Specifications

Model: ZSN Pro X	Wear: ear hook
Sensitivity: 112dB	Impedance: 25Ω
Frequency: 7-40000Hz	Line Length: 125±5cm
Plug Type: 3.5mm	Pin Type: 0.75mm
Weight: 27±3	
Configuration: 10mm DD x1 30095 BA x1	

\*Due to factors such as measurement environment and temperature, it is normal if there are slight tolerances on product parameters.



### Professional Acoustic Team Intensively Researched And Tuned

#30095 high frequency  
balanced armature unit

10mm mid-bass low frequency  
dynamic unit



## PRODUCT VIDEO



## ACCESSORIES



### KZ Memory Foam

Replacement memory foam for KZ earphones, 3 pairs



### KZ Silicone eartips

Silicone eartips for KZ earphones, 3 pairs (Large,



### KZ APTX-HD BT

Bluetooth 5.0 cable for KZ earphones, C type, AptX



### KZ OFC FLAT CABLE

Cable for KZ earphones, 3,5mm plug ,C pin type.




### KZ ABS Case

High Quality plastic case for KZ earphones.



### KZ Oval Case

High Quality oval Leather fabric case for KZ earph



[www.fos-lighting.eu](http://www.fos-lighting.eu)

