



Visit product page



## F6 PLUS

L006071

.5 inch DSLR Camera Field Touch Screen Monitor with HDR 3D Lut Small Full HD 1920x1080 IPS Video Peaking Focus Assist 4K HDMI 8.4V DC Input Output Include Tilt Arm

### TECHNICAL DETAILS

#### Specifications

**Easy Touchscreen Controls:** FEELWORLD F6 PLUS features 1080p resolution, touchscreen control, HDMI input and output, a SD slot to load 3D LUTs, and supports up to UHD 4K input.

**User LUT Cube Import:** The LUT loading function makes the color calibration work of the previous shooting easier and more intuitive, optimizes the workflow and improves work efficiency. User creative 3D LUT cube or calibration 3D LUT cube can be uploaded to F6 PLUS by SD card.

**4K HDMI Input/ Output Without Delay:** Support 4K format: 4K UHD 3840X2160p (30/29.97/25/24/23.98Hz), 4096X2160p (24Hz). Directly to any DSLR or HD/4K video camera, and send the signal to other monitors, convenient for directors and photographers to monitor simultaneously.

**Cold Shoe Mounted Tilt Arm:** 360° rotation of Tilt Arm allows run-and-gun shooters to make quick, smooth monitor adjustments. Included an extra shoe mount for accessories like microphones, video lights.

**Ideal for Small Camera/ HDSLR Production:** More than just a monitor or a camera power supply system. FW568 with 8.4V DC output could power your camera to extend the run-time. Dummy Battery (optional for Sony, Canon, Nikon, Panasonic). Integrates with a dual-purpose battery plate: compatible Sony F970, Canon LP-E6.

**Optimised for DSLR Cameras:** Have three fast keys for quick operation. Compact size and professional image analysis are the perfect complement to your DSLR camera's features. Include Focus Assist, Histogram, False Colors, Zebra Exposure, Aspect Ratio, Image Flip,

Zoom, Anamorphic, Image Flip, Safe Area, etc.

## Convenient Touch Screen

All of the functions are at your fingertip. Easy to access everything by touching.




### Lightweight

#### Light and Slim Design, Only 235g

The F6 PLUS is 5.5 inch and only 235g, and makes it the ideal size and weight for field production. The entire monitor's build is sturdy and compact, allowing you to easily mount it to your DSLR camera or even a gimbal stabilizer. It gives you the freedom to shoot well anywhere.




Weighing only  
235g



## HDR Monitoring

**What you see is what you get.**

F6 PLUS has built-in HLG 2020, HLG 709, HLG P3 HDR 3D LUT, and Rec709 De-slog3 LUTs, includes SLOG2, SLOG3, LOGC, VLOG. The monitor can display an HDR (high dynamic range) signal for incredible clarity and detail, simplify the complexities of shooting Log and HDR, helping you to replicate post-production workflows at the moment when it matters most—while shooting.



Touch more quick to navigate, add 3D LUTs, waveform preview real time to judge your image with confidence

## 4K HDMI Input & Loop Output

### 4K HDMI Input & Loop Output

The F6 PLUS has 4K HDMI in and loop-out, allowing it to not only display live signals, but also send them out to other monitors simultaneously. The HDMI output can transmission to broadcast monitor, convenience director and photographer monitoring at the same time.



**4K HDMI** Format Supports

- 4096X2160p 24Hz/ 3840X2160p (30/29.97/25/24/23.98Hz)

## Convenient Mounting

### Tilt Arm

Every F6 PLUS monitor will ship with a cold shoe mounted Tilt Arm. Shooters will have a secure way to position their monitor while maintaining a low profile. • Allows the F6 PLUS monitor to rotate 360 degrees for viewing convenience • Secure and lightweight mounting via shoe mount or 1/4"-20 thread • Includes a shoe mount of its own for accessories like a microphone, LED light, or wireless receiver, etc.





## Power Input

In addition to the power supply through the battery plates and 12V DC power input (can be using 12V/1.5A adapter), it also supports 5V Type-C input, which can be powered by mobile phone charger or power bank. (At least 5V/2A)

Note: The 5V Type-C port is only used for power supply, not for data transmission, and cannot provide loop-out power



## Flexible Installation

### Flexible Install Both on Camera and Gimbal

FEELWORLD F6 PLUS features standard 1/4" mount points (top, bottom, right) for attaching it to cameras and rigs. Not only you can install it on a monitor through tilt arm, but also you can mount it on a handheld stabilizer or securely attach it to the top of your camera as the ultimate HD viewfinder! If you install it on the bottom of the device, you can also combine the image flip function to maintain the correct orientation of the screen!



## Portable Sunshade

### Portable Sunshade, Easy Install

The F6 PLUS monitor is equipped with a sunshade, which allows the photographer to focus more on the video and avoid the interference of strong light, providing a better visual experience. The installation process is simple and fast, which is very suitable for outdoor shooting.





### 3D LUT Color Calibration

Make the color calibration easier and more intuitive. 3D LUT color can be uploaded to FE PLUS by SD card.



Before Loading      After Loading

### Convenient Touch Screen

All of the functions are at your fingertips. Easy to access everything by touching.



### Accurate and Sharp Images Make Your Shooting Impressive

Built-in 3D LUT and REC. 170 color calibration, enhance your talents and speed up your workflow.



12.4" IPS color display      1000000 screen resolution      400 ppi pixel pitch      1000000 high-contrast      16:9 wide color panel      2000 nits viewing angle


### Power Your DSLR or Mirrorless Camera

Extending the run-time of your camera with a dummy battery (Optional).



### Monitoring Tools with Quick Accessibility

A variety of on-screen tools help your shootings more excellent and professional.



[www.fos-lighting.eu](http://www.fos-lighting.eu)

