



Visit product page

## FOS F-7

L005320

Super Bright 700watt IP65 Strobe/Washer, 48 led 15watt RGBW  
7000hz scan rate, 16bit Dimmer, Barndoor, Beam angle 120 degrees,  
Strobe Flash 0-650ms.



### TECHNICAL DETAILS

#### Light Source / Optics

48x 15 Watt RGBW LEDs.  
35° beam angle optics for each LED.  
Extra module with barndoors included.  
Luminosity: 15.000 lumens.  
LEDs life span: approx. 20,000 +.

#### Effects

RGBW Color mixing  
Four section control (Horizontal LED groups).  
Four different dimming cues (Linear, Square, Invert Square, S-Curve)  
Strobe effect.

#### Control

Auto, Stand Alone & DMX512.

1, 2, 3, 4, 6, 8, 9, 10, 15, 18 & 22 DMX Channel modes.  
16 bit dimming for each color and master.

### Dimension / Installation details

IP65 protection, suitable for outdoor use and architectural applications.  
Power Supply: 100/240 Volt, 50/60 Hz.  
Power Consumption: 700 Watt.  
Dimensions: 490 x 313 x 144 mm.  
Weight: 14,7 Kg.

### PHOTOS



### PRODUCT VIDEO



### ACCESSORIES



**FOS Case F-7**

Flight case with wheels for  
4 pcs F-7.



**FC-TP-PDC-1.5**

Professional  
TruePowercon/ DMX cable  
1.5 meter.




**FC-TP-PDC-3**

Professional  
TruePowercon/ DMX cable  
3 meter.



**FC-TP-PDC-5**

Professional  
TruePowercon/ DMX cable  
5 meter.



[www.fos-lighting.eu](http://www.fos-lighting.eu)

