



Visit product page



## FOS NITRO BSW

L006133

High Brightness Innovative multipurpose BSW moving head with the newest technology NEOLUX lamp 295 watt, Color Temperature: 8000K, high precision 138mm glass optic system with zoom 2.7° - 36° projection angle, 7 rotating gobos plus open, 16 static gobos plus open, 11 colors plus open CTO + CTB, 2 morphing prism 4 and 8 facet, Powercon IN/OUT, 20kg.

### TECHNICAL DETAILS

#### Product Description

Beam/Spot/Wash fixture, based on Stage 295 Watt Discharge Lamp.  
The newest technology NEOLUX lamp 295 watt become Nitro BSW the ideal solution for large events and concerts that demands a work horse luminaire.

#### Light Source / Optics

Based on Stage 295 Watt discharge lamp, 8000 Kelvin, life span of 1500 hours, and maximum luminous flux of 14000 lm.  
Linear zoom and focus.  
Beam mode offers 3° to 27°, spot mode ranges from 7° to 36° beam angles.  
Frost filter for wash light simulation projection.

#### Effects

11 dichroic colours, plus open (UV, CTO & CTB included).  
16 fixed gobos, plus open.  
7 rotating gobos, plus open (includes dichroic colored gobos).  
1x double rotating prism (4 + 8 Facet).  
Linear zoom  
Motorized focus from 2,5 to 15 meters.  
Frost filter.

Double blade shutter for dimming and strobe effects.

## Control

Auto, Music & DMX control options.

DMX control with 15, 17 & 19 control channels.

2,4" TFT Screen for options menu navigation.

Lamp hour counter.

Pan control range: 630° / 540° / 360°

Tilt control range: 270° / 180° / 90°.

## Technical Specifications

Power Supply: AC90/260 Volt, 50/60 Hz.

Power Consumption: 390 Watt.

Environmental temperature allowance: -35°C to +45°C.

Fan cooled.

55dB noise level.

IP20, for indoor use only.

Fixture dimensions: 379 x 255 x 585 mm

Packing dimensions: 510 x 470 x 650 mm

Net Weight: 20 Kgs,

Gross Weight: 22 Kgs.

## PHOTOS



## PRODUCT VIDEO



## ACCESSORIES



**FOS Double Case TRITON / Nintro BSW**

Double Case with Wheels for 2 pcs Triton , Nitro B



**FOS Folded Clamp**

Folded clamp for FOS moving heads. Suitable for Ti



**FOS SUPER CLAMP 200 BLACK**

Professional clamp for fixtures lifting weight 200



**FOS SUPER CLAMP 200**

Professional clamp for fixtures lifting weight 200



**FC-PDC-3**

Professional PowerCon / DMX cable 3 meter,

