

| Code           | Naam  | Catalogusprijs Uw nettoprijs Eenheid |                |
|----------------|---|--------------------------------------|----------------|
|                |   | Inclusief BTW                        | Inclusief BTW  |
| CRO-135MA      | Contractor serie mixer amplifier, 3 input, 1x 35W/8 ohm 70/100V   | 356,51998                            | 294,65998 St   |
| CRO-160MA      | 160 MA - ELA mixer amplifier, 4 inputs including 1x micro, one output zone, 60 watts at 8 ohms or 700/100 volts, priority circuit for micro, 2-band EQ for output, music on hold function, 4.2 kg | 561,98998                            | 464,46998 St   |
| CRO-CDI21200   | Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro  | 3.078,36                             | 2.544,10 St    |
| CRO-CDI21200BL | CDI21200BL - Installation amplifier, BLU-Link Audio Transport, DSP (EQ, X-Over, Limiter, Dela   | 3.505,84                             | 2.897,39 St    |
| CRO-CDI2300    | CDI2300 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro  | 1.567,85                             | 1.295,74 St    |
| CRO-CDI2300BL  | CDI2300BL - Installation amplifier, BLU Link Audio Transport, DSP (EQ, X-Over, Limiter, Dela  | 1.994,08                             | 1.648,00 St    |
| CRO-CDI2600    | CDI2600 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro  | 1.994,08                             | 1.648,00 St    |
| CRO-CDI2600BL  | CDI2600BL - Installation amplifier, BLU Link Audio Transport, DSP (EQ, X-Over, Limiter, Dela  | 2.422,81                             | 2.002,32 St    |
| CRO-CDI41200   | CDI41200 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro   | 4.663,65                             | 3.854,26 St    |
| CRO-CDI41200BL | Installationsverstärker, BLU-Link Audio Transport, DSP (EQ, X-Over, Limiter, Del  | 5.089,89                             | 4.206,52 St    |
| CRO-CDI4300    | CDI4300 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro  | 2.640,91                             | 2.182,57 St    |
| CRO-CDI4300BL  | CDI4300BL - Installation amplifier, BLU Link Audio Transport, DSP (EQ, X-Over, Limiter, Dela  | 3.067,14                             | 2.534,83 St    |
| CRO-CDI4600    | CDI4600 - Installation amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), operation via fro  | 3.647,92                             | 3.014,81 St    |
| CRO-CDI4600BL  | CDI4600BL - Installation amplifier, BLU-Link audio transport, DSP (EQ, X-Over, Limiter, Dela  | 4.074,15                             | 3.367,07 St    |
| CRO-CT4150     | COMTECH serie amplifier, 4 x 150W/8 ohm   | 1.630,23998                          | 1.347,31998 St |
| CRO-CT475      | COMTECH serie amplifier, 4 x 75W/8 ohm  | 1.425,84998                          | 1.178,39998 St |
| CRO-CT8150     | COMTECH serie amplifier, 8 x 150W/8 ohm   | 3.242,94998                          | 2.680,13998 St |
| CRO-CT875      | COMTECH serie amplifier, 8 x 75W/8 ohm  | 2.269,58998                          | 1.875,70998 St |
| CRO-CXM2000    | Monitoring unit and DSP with 8 channels (7.1) for cinema applications, system ca  | 1.454,42                             | 1.202,00 St    |
| CRO-DCI21250   | Crown DCI2-1250 - Digital 2-channel amplifier, DriveCore chip, 1,250 watts  | 4.276,06                             | 3.533,93 St    |
| CRO-DCI21250N  | Digital 2-channel amplifier, DriveCore chip, 1,250 watts per channel at 4/8 ohms  | 5.359,09                             | 4.429,00 St    |
| CRO-DCI22400N  | Digital 2-channel amplifier, DriveCore chip, 2400 watts per channel at 4 ohms   | 8.481,07                             | 7.009,15 St    |
| CRO-DCI2300    | Digital 2-channel amplifier for installations, DriveCore chip, 300 watts per ch   | 1.925,53                             | 1.591,35 St    |
| CRO-DCI2300N   | Digital 2-channel amplifier, DriveCore chip, 300 watts per channel into 4/8 ohms  | 2.849,04                             | 2.354,58 St    |
| CRO-DCI2600    | Digital 2-channel amplifier for installations, DriveCore chip, 600 watts per ch   | 2.849,04                             | 2.354,58 St    |
| CRO-DCI2600N   | Digital 2-channel amplifier, DriveCore chip, 600 watts per channel into 4/8 ohms  | 3.704,00                             | 3.061,16 St    |
| CRO-DCI41250   | Digital 4-channel amplifier for installations, DriveCore chip, 1,250 watts per c  | 6.627,82                             | 5.477,54 St    |
| CRO-DCI41250DA | Digital 4-channel amplifier with Dante Network Audio and AES67, DriveCore chip  | 7.982,55                             | 6.597,15 St    |
| CRO-DCI41250N  | Digital 4-channel amplifier, DriveCore chip, 1,250 watts per channel at 4/8 ohms  | 7.982,55                             | 6.597,15 St    |
| CRO-DCI41250ND | Digital 4-channel amplifier with AVB, DriveCore chip, 1,250 watts per channel in  | 8.780,18                             | 7.256,35 St    |
| CRO-DCI42400N  | Digital 4-channel amplifier, DriveCore chip, 2,400 watts per channel into 4 ohms  | 12.829,41                            | 10.602,82 St   |
| CRO-DCI4300    | Digital 4-channel amplifier for installations, DriveCore chip, 300 watts per ch   | 3.135,69                             | 2.591,48 St    |
| CRO-DCI4300DA  | Digital 4-channel amplifier with Dante Network Audio and AES67, DriveCore chip  | 4.347,09                             | 3.592,64 St    |
| CRO-DCI4300N   | Digital 4-channel amplifier, DriveCore chip, 300 watts per channel into 4/8 ohms  | 4.347,09                             | 3.592,64 St    |
| CRO-DCI4600    | Digital 4-channel amplifier for installations, DriveCore chip, 600 watts per ch   | 4.703,54                             | 3.887,22 St    |
| CRO-DCI4600DA  | Digital 4-channel amplifier with Dante Network Audio and AES67, DriveCore chip  | 6.058,26                             | 5.006,83 St    |
| CRO-DCI4600N   | Digital 4-channel amplifier, DriveCore chip, 600 watts per channel into 4/8 ohms  | 6.058,26                             | 5.006,83 St    |

| Code           | Naam   | Catalogusprijs | Uw nettoprijs | Eenheid |
|----------------|--|----------------|---------------|---------|
|                |  | Inclusief BTW  | Inclusief BTW |         |
| CRO-DCI8300    | Digital 8-channel amplifier for installations, DriveCore chip, 300 watts per ch  | 6.271,38       | 5.182,96      | St      |
| CRO-DCI8300DA  | Digital 8-channel amplifier with Dante Network Audio and AES67, DriveCore chip   | 7.841,72       | 6.480,76      | St      |
| CRO-DCI8300N   | Digital 8-channel amplifier, DriveCore chip, 300 watts per channel into 4/8 ohms   | 7.841,72       | 6.480,76      | St      |
| CRO-DCI8600    | Digital 8-channel amplifier for installations, DriveCore chip, 600 watts per ch  | 9.408,32       | 7.775,47      | St      |
| CRO-DCI8600DA  | Digital 8-channel amplifier with Dante Network Audio and AES67, DriveCore chip   | 11.689,05      | 9.660,37      | St      |
| CRO-DCI8600N   | Digital 8-channel amplifier, DriveCore chip, 600 watts per channel into 4/8 ohms   | 11.689,05      | 9.660,37      | St      |
| CRO-DCI8600ND  | Digital 8-channel amplifier with AVB, DriveCore chip, 600 watts per channel into   | 12.484,78      | 10.318,00     | St      |
| CRO-DSI1000    | Cinema amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), with presets for JBL ci   | 884,51         | 884,51        | St      |
| CRO-DSI2000    | Cinema amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), with presets for JBL ci   | 1.257,19       | 1.257,19      | St      |
| CRO-DSI4000    | Cinema amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), with presets for JBL ci   | 1.835,57       | 1.835,57      | St      |
| CRO-DSI6000    | Cinema amplifier, DSP (EQ, X-Over, Limiter, Delay etc.), with presets for JBL ci   | 3.049,20       | 3.049,20      | St      |
| CRO-DSI8M      | Switching and monitoring unit with 8 channels (7.1) for cinema applications, con   | 1.655,28       | 1.368,00      | St      |
| CRO-IT12000HD  | 2x 4,500 watts into 4 ohms, 1x 9,000 watts (mono bridge) into 8 ohms, BSS OmniDr   | 11.423,59      | 9.440,98      | St      |
| CRO-IT43500HD  | IT 4x3500 HD - 4x 3,000 watts into 4 ohms (1 kHz 20 ms burst), 2x 6000 watts (2x mono bridge) into 8 ohms, 4 inputs, 4 BSS OmniDrive HD DSP, 4 outputs, IIR and FIR filters, analog, Cobranet & AES/EBU input, HiQnet capable, additional USB connector, i | 12.781,30998   | 9.999,07998   | St      |
| CRO-IT4X3500HD | Crown I-Tech 4X3500HD - 4x 3,000 watts into 4 ohms   | 13.559,74      | 11.206,40     | St      |
| CRO-IT5000HD   | Crown I-Tech 5000HD - 2x 2.500 Watt into 4 Ohm, 1x 5.000 Watt (Mono Bridge) into 8 Ohm   | 7.618,63       | 6.296,39      | St      |
| CRO-IT9000HD   | 2x 3.500 Watt into 4 Ohm, 1x 7.000 Watt (Mono Bridge) into 8 Ohm, BSSOmniDrive   | 9.201,43       | 7.604,49      | St      |
| CRO-MA12000I   | 2x 4,000 watts into 4 ohms, input compressor, various limiters, HiQNet network   | 8.015,04       | 8.015,04      | St      |
| CRO-MA5000I    | 2x 2,000 watts into 4 ohms, input compressor, various limiters, HiQNet network   | 4.975,52       | 4.975,52      | St      |
| CRO-MA9000I    | 2x 3,000 watts into 4 ohms, input compressor, various limiters, HiQNet network   | 6.807,46       | 6.807,46      | St      |
| CRO-MAI12000   | MA 12000i - 2x 4,000 watts into 4 ohms, input compressor, various limiters, HiQNet network compatible, 10 presets, no DSP, 12.7 kg   | 8.015,11998    | 6.999,07998   | St      |
| CRO-MAI5000    | MA 5000i - 2x 2,000 watts into 4 ohms, input compressor, various limiters, HiQNet network compatible, 10 presets, no DSP, 12.7 kg  | 4.975,59998    | 4.299,07998   | St      |
| CRO-MAI9000    | MA 9000i - 2x 3,000 watts into 4 ohms, input compressor, various limiters, HiQNet network compatible, 10 presets, no DSP, 12.7 kg  | 6.807,53998    | 5.999,07998   | St      |
| CRO-RM1        | Single rackmount kit for mounting a single MA unit in a rack   | 43,69998       | 36,12998      | St      |
| CRO-RM2        | Double rackmount kit for mounting two MA units side by side in a rack  | 29,98998       | 24,79998      | St      |
| CRO-XFMR-4     | Transmitter/transformer for 70/100 Volt lines, suitable for Crown CT 4150 or CT  | 543,39         | 449,08        | St      |
| CRO-XLC21300   | Cinema amplifier with 2x 1300 watts into 4 ohms, potentiometers on the back, con   | 1.235,41       | 1.021,00      | St      |
| CRO-XLC2500    | Cinema amplifier with 2x 500 watts into 4 ohms, efficient DriveCore technology,  | 654,61         | 541,00        | St      |
| CRO-XLC2800    | Cinema amplifier with 2x 800 watts into 4 ohms, efficient DriveCore technology,  | 998,25         | 825,00        | St      |
| CRO-XLI1500    | Crown XLI1500 - no 2 Ohm support, 2 x 450W/4 ohm - 2 x 330W/8 ohm  | 597,21998      | 379,07998     | St      |
| CRO-XLI2500    | Crown XLI2500 - NO 2 Ohm support, 2 x 750W/4 ohm - 2 x 500W/8 ohm  | 824,62998      | 549,07998     | St      |
| CRO-XLI3500    | Crown XLI3500 - NO 2 Ohm support, 2 x 1350W/4 ohm - 2 x 1000W/8 ohm  | 1.532,29998    | 999,07998     | St      |
| CRO-XLI800     | Crown XLI800 - NO 2 Ohm support, 2 x 300W/4 ohm - 2 x 200W/8 ohm   | 514,62998      | 339,07998     | St      |
| CRO-XLS1002    | Crown XLS1002 - DriveCore series amp 2 x 350W/4 ohm - 2 x 215W/8 ohm   | 608,64998      | 416,07998     | St      |
| CRO-XLS1502    | Crown XLS1502 - DriveCore series amp 2 x 525W/4 ohm - 2 x 300W/8 ohm   | 753,48998      | 481,07998     | St      |
| CRO-XLS2002    | Crown XLS2002 - DriveCore series amp 2 x 650W/4 ohm - 2 x 375W/8 ohm   | 1.004,37998    | 599,07998     | St      |

| Code        | Naam  | Catalogusprijs Uw nettoprijs Eenheid |                |
|-------------|---|--------------------------------------|----------------|
|             |   | Inclusief BTW                        | Inclusief BTW  |
| CRO-XLS2502 | Crown XLS2502 - DriveCore series amp 2 x 775W/4 ohm - 2 x 440W/8 ohm  | 1.026,63998                          | 694,07998 St   |
| CRO-XTI1002 | Crown XTI1002 - 2x 500W/4 ohm - 2 x 275W/8 ohm, DSP speaker presets   | 837,58998                            | 569,07998 St   |
| CRO-XTI2002 | Crown XTI2002 - 2x 800W/4 ohm - 2 x 475W/8 ohm, DSP speaker presets   | 1.150,40998                          | 769,07998 St   |
| CRO-XTI4002 | Crown XTI4002 - 2x 1200W/4 ohm - 2 x 650W/8 ohm, DSP speaker presets  | 1.713,73998                          | 1.199,07998 St |
| CRO-XTI6002 | Crown XTI6002 - 2x 2100W/4 ohm - 2 x 1200W/8 ohm, DSP speaker presets | 3.292,79998                          | 2.198,07998 St |