

| Code              | Naam  | Catalogusprijs | Uw nettoprijs | Eenheid |
|-------------------|---|----------------|---------------|---------|
|                   |   | Inclusief BTW  | Inclusief BTW |         |
| CTO-10CX300       | 10" Coaxial, 250W Lf + 50W Hf, 8+8 Ohms, 2.5" Lf + 1" Exit Hf (For lfix10)        | 275,00         | 275,00        | St      |
| CTO-10CX310       | 10" Coaxial, 250W Lf + 50W Hf, 8+8 Ohms, 2.5" Lf + 1" Exit Annular Hf (For Cmp10) | 309,00         | 309,00        | St      |
| CTO-10CXN300      | 10" Coaxial, 250W Lf + 50W Hf, 8+8 Ohms, 2.5" Lf + 1" Exit Hf (For Vcm10)         | 609,00         | 609,00        | St      |
| CTO-10CXN300-8RK  | Recone kit for 12CXN300 (VCM10)   | 82,50          | 82,50         | St      |
| CTO-10CXN400LA    | 10" Coaxial, 400W Lf + 80W Hf, 16+12 Ohms, 3" Lf + 1" Exit Annular Hf (For Cca10) | 990,00         | 990,00        | St      |
| CTO-10MB320-8     | 10" Mid-Bass, 300W, 8 Ohms, 2.5" Vc, Ferrite Magnet (For Ct10, Pm10)              | 189,00         | 189,00        | St      |
| CTO-10MB320-8RK   | Recone kit for 10MB320-8 (CT10)   | 82,50          | 82,50         | St      |
| CTO-10MBN350-16   | 10" Mid-Bass, 350W, 16 Ohms, 2.5" Vc, Neodymium Magnet, (For lwac210)             | 349,00         | 349,00        | St      |
| CTO-10MBN350-16RK | Recone kit for 10MBN350-16 (IWAC210)  | 82,50          | 82,50         | St      |
| CTO-12CXN400      | 12" Coaxial, 350W Lf + 100W Hf, 8+16 Ohms, 3" Lf + 1.4" Exit / 2.8" Vc Hf Neodym  | 799,00         | 799,00        | St      |
| CTO-12CXN400-8RK  | Recone kit for 12CXN400 (VCM12)   | 145,00         | 145,00        | St      |
| CTO-12MB402-8     | 12" mid-bass, 400W, 8 ohms, 3" VC, Ferrite magnet (For CT12)                      | 275,00         | 275,00        | St      |
| CTO-12MB402-8RK   | Recone kit for 12MBC400-8 (CT12)  | 129,00         | 129,00        | St      |
| CTO-12MB505-8     | 12" Mid-Bass, 500W, 8 Ohms, 3" Vc, Ferrite Magnet (For Pm12G2)                    | 309,00         | 309,00        | St      |
| CTO-12MB520-8     | 12" mid-bass, 500W, 8 ohms, 3" VC, Ferrite magnet (For PM12)                      | 285,00         | 285,00        | St      |
| CTO-12MB520-8RK   | Recone kit for 12MB520-8 (PM12)   | 139,00         | 139,00        | St      |
| CTO-12MBN500-16   | 12" mid-bass, 500W, 16 ohms, 3" VC, Neodymium magnet (For IWAC212)                | 475,00         | 475,00        | St      |
| CTO-12MBN500-16RK | Recone kit for 12MBN500-16 (IWAC212)  | 139,00         | 139,00        | St      |
| CTO-12MBN500-8    | 12" mid-bass, 500W, 8 ohms, 3" VC, Neodymium magnet (For VT12)                    | 469,00         | 469,00        | St      |
| CTO-12MBN500-8RK  | Recone kit for 12MBN500-8 (VT12)  | 139,00         | 139,00        | St      |
| CTO-12MBN900-8RK  | Recone kit for 12MBN900-8 (XL12)  | 199,00         | 199,00        | St      |
| CTO-13B700-8RK    | Recone Kit For 13B700-8   | 145,00         | 145,00        | St      |

| Code             | Naam   | Catalogusprijs Uw nettoprijs Eenheid |               |
|------------------|--|--------------------------------------|---------------|
|                  |  | Inclusief BTW                        | Inclusief BTW |
| CTO-13MB500-6RK  | (For Su113, Ct15G2, Pm15G2 And Ifix13S A3)<br>Recone kit for 13MB500-6 (iFix13S, PM13) | 145,00                               | 145,00 St     |
| CTO-13MB500-6V3  | 13" Mid-Bass, 500W, 6 Ohms, 3" Vc, Ferrite Magnet (For Pm13 And Ifix13S) - Obsol       | 329,00                               | 329,00 St     |
| CTO-13MB700-8    | 13" Mid-Bass, 700W, 8 Ohms, 3.6" Vc, Fe Magnet (For Su113, Ct15G2, Pm15G2 And If       | 329,00                               | 329,00 St     |
| CTO-15BN900-8    | 15" bass, 900W, 8 ohms, 4" VC, Neodymium magnet (For VT15/152/153, XL15)               | 595,00                               | 595,00 St     |
| CTO-15BN900-8RK  | Recone kit for 15BN900-8 (VT15/152/153, XL15)  | 209,00                               | 209,00 St     |
| CTO-15MB620-8    | 15" Mid-Bass, 600W, 8 Ohms, 3.5" Vc, Ferrite Magnet (For Ct15)                         | 329,00                               | 329,00 St     |
| CTO-15MB620-8RK  | Recone Kit For 15Mb620-8 (Ct15)  | 175,00                               | 175,00 St     |
| CTO-18EX1000-8   | 18" sub, 1000W, 8 ohms, 4" VC, Ferrite magnet (For CT118S/218S) - obsolete             | 439,00                               | 439,00 St     |
| CTO-18EX1000-8RK | Recone Kit For 18Ex1000-8 (Ct118S/218S). Obsolete, Replaced By 18Ex1100-8Rk            | 175,00                               | 175,00 St     |
| CTO-18EX1100-8   | 18" Sub, 1100W, 8 Ohms, 4" Vc, Ferrite Magnet (For Ct118S/218S A2 Versions) - Ob       | 439,00                               | 439,00 St     |
| CTO-18EX1100-8RK | Recone Kit For 18Ex1100-8 (Ct118S/218S Version A2). Obsolete, Replaced By 18Ex12       | 209,00                               | 209,00 St     |
| CTO-18EX1200-8   | 18" Sub, 1200W, 8 Ohms, 4" Vc, Ferrite Magnet (For Ct118S/218S A3 Versions)            | 475,00                               | 475,00 St     |
| CTO-18EX1200-8RK | Recone Kit For 18Ex1200-8 (Ct118S/218S Version A3)                                     | 209,00                               | 209,00 St     |
| CTO-18EX1400-8   | 18" Sub, 1400W, 8 Ohms, 4" Vc, Ferrite Magnet (For Csw118 / Csw218)                    | 529,00                               | 529,00 St     |
| CTO-18EX1400-8RK | Recone Kit For 18Ex1400-8 (Csw118 / Csw218)  | 209,00                               | 209,00 St     |
| CTO-18EX1505-8   | 18" Sub, 1500W, 8 Ohms, 4" Vc, Ferrite Magnet (For Su218TI)                            | 605,00                               | 605,00 St     |
| CTO-18EX1505-8RK | Recone Kit For 18Ex1505-8 (Su218TI,  | 275,00                               | 275,00 St     |

| Code              | Naam   | Catalogusprijs Uw nettoprijs Eenheid |                      |
|-------------------|--|--------------------------------------|----------------------|
|                   |  | Inclusief BTW                        | Inclusief BTW        |
| CTO-18EXN1200-4   | Hx118S A1<br>18" sub, 1200W, 4 ohms,<br>4" VC, Neodymium<br>magnet (For IWAC118S,<br>HX118S) | 715,00                               | 715,00 St            |
| CTO-18EXN1200-4RK | Recone kit for<br>18EXN1200-4<br>(IWAC118S, HX118S )   | 209,00                               | 209,00 St            |
| CTO-18EXN1200-8   | 18" Sub, 1200W, 8<br>Ohms, 4" Vc,<br>Neodymium Magnet (For<br>Su118/218)                     | 715,00                               | 715,00 St            |
| CTO-18EXN1200-8RK | Recone Kit For<br>18Exn1200-8<br>(Su118/218)   | 209,00                               | 209,00 St            |
| CTO-21EX1800-8    | 21" Sub, 1800W, 8<br>Ohms, 4.5" Vc, Ferrite<br>Magnet (For Su121Tlg2,<br>Su221 And Csw221    | 815,00                               | 815,00 St            |
| CTO-21EX1800-8RK  | Recone Kit For<br>21Ex1800-8 (Su121TI<br>G2, Su221 And Csw221)                               | 395,00                               | 395,00 St            |
| CTO-21EXN1600-4   | 21" sub, 1600W, 4 ohms,<br>5" VC, Neodymium<br>magnet (For SU121TL)                          | 1.429,00                             | 1.429,00 St          |
| CTO-21EXN1600-4RK | Recone kit for<br>21EX1600-4 (SU121TL)   | 395,00                               | 395,00 St            |
| CTO-6CX150        | 6" Coaxial, 120W Lf +<br>20W Hf, 12+8 Ohms,<br>1.7" Vc Lf + 0.75" Exit Hf<br>(For lfix6)     | 119,00                               | 119,00 St            |
| CTO-6CX150-12RK   | Recone Kit For<br>6Cx150-12 (lfix6 Lf)   | 72,00                                | 72,00 St             |
| CTO-6MN200-8      | 6.5" Mid Range, 200W, 8<br>Ohms, 2" Vc,<br>Neodymium Magnet (For<br>Vt153). Due To Very H    | 275,00                               | 275,00 St            |
| CTO-8CX150        | 8" coaxial, 120W LF +<br>30W HF, 12+12 ohms, 2"<br>VC LF + 1" exit HF (For<br>iFix8)         | 175,00                               | 175,00 St            |
| CTO-8CX150-8RK    | Recone Kit For 8Cx150-8<br>(lfix8 Lf)  | 72,00                                | 72,00 St             |
| CTO-8CX200        | 8" Coaxial, 160W Lf +<br>20W Hf, 8+8 Ohms, 2"<br>Vc Lf + 0.75" Exit Hf (For<br>lfix7)        | 145,00                               | 145,00 St            |
| CTO-8CX200-8RK    | Recone Kit For 8Cx200-8<br>(lfix7 Lf)  | 72,00                                | 72,00 St             |
| CTO-8MB201-8RK    | Recone Kit For<br>8Mb201-8 (Ct8 G2)  | 72,00                                | 72,00 St             |
| CTO-8MB220-8      | 8" mid-bass, 200W, 8<br>ohms, 2" VC, Ferrite<br>magnet (For CT8)                             | 109,00                               | 109,00 St            |
| CTO-8MB220-8RK    | Recone kit for 8MB220-8<br>(CT8)   | 72,00                                | 72,00 St             |
| CTO-ACD40-8       | 1" Exit / 1.7" Vc, 80W, 8<br>Ohms, Next Gen Hst<br>Annular Ring Radiator,<br>Ferrite Magn    | 169,00                               | 169,00 St            |
| CTO-ACD40-8DK     | Diaphragm Kit For Acd40<br>(Pm10/12 G2, Ct12G2,<br>Cmp10)                                    | 65,00                                | 65,00 St             |
| CTO-ACD44-8       | 1" Exit / 1.7" Vc, 80W, 8  |                                      | Prijs op aanvraag St |

| Code               | Naam  | Catalogusprijs | Uw nettoprijs     | Eenheid |
|--------------------|---|----------------|-------------------|---------|
|                    |   | Inclusief BTW  | Inclusief BTW     |         |
| CTO-ACD44-8DK      | Ohms, Next Gen Hst<br>Annular Ring Radiator,<br>Ferrite Magn<br>Diaphragm Kit For Acd44<br>(Cmp12, Ct15G2,<br>Pm15G2)         | 65,00          | 65,00             | St      |
| CTO-ACDN44-12      | 1" Exit / 1.7" Vc, 60W, 12<br>Ohms, Next Gen Hst<br>Annular Ring Radiator,<br>Neodymium M                                     | 169,00         | 169,00            | St      |
| CTO-ACDN44-12DK    | Diaphragm Kit For<br>Acdn44 (Isoray10,<br>Hype2, Ctc10)   | 65,00          | 65,00             | St      |
| CTO-C210           | Celto Acoustique C2.10 -<br>2X 1100W amplifier  | 805,66         | 805,66            | St      |
| CTO-C220           | Celto Acoustique C2.20 -<br>2X 2000W amplifier  | 1.087,99       | 1.087,99          | St      |
| CTO-C26            | Celto Acoustique C2.6 -<br>2X 600W amplifier  | 603,99         | 603,99            | St      |
| CTO-CCL1230BLANCHE | Enceinte colonne 12x3" -<br>4 ohms - 360 W RMS<br>blancheExiste en<br>noireDécouvrez les<br>colonnes part Celto<br>Acoustique | 983,13         | 983,13            | St      |
| CTO-CCL1230NOIRE   | Enceinte colonne 12x3" -<br>4 ohms - 360 W RMS<br>noireExiste en<br>blancDécouvrez les<br>colonnes part Celto<br>Acoustique   | 983,13         | 983,13            | St      |
| CTO-CCL430BLANCHE  | Enceinte colonne 4x3" - 8<br>ohms - 120 W RMS<br>blancheExiste en<br>noireDécouvrez les<br>colonnes part Celto<br>Acoustique  | 543,49         | 543,49            | St      |
| CTO-CCL430NOIRE    | Enceinte colonne 4x3" - 8<br>ohms - 120 W RMS<br>noireExiste en<br>blancDécouvrez les<br>colonnes part Celto<br>Acoustique    | 543,49         | 543,49            | St      |
| CTO-CCL830BLANCHE  | Enceinte colonne 8x3" - 6<br>ohms - 240 W RMS<br>blancheExiste en<br>noireDécouvrez les<br>colonnes part Celto<br>Acoustique  | 731,04         | 731,04            | St      |
| CTO-CCL830NOIRE    | Enceinte colonne 8x3" - 6<br>ohms - 240 W RMS<br>noireExiste en<br>blancDécouvrez les<br>colonnes part Celto<br>Acoustique    | 731,04         | 731,04            | St      |
| CTO-CCLCPK         | Plaque de jonction pour<br>colonne CCL - Celto<br>Acoustique  | 69,58          | 69,58             | St      |
| CTO-CCLWMK         | Kit de fixation mural pour<br>colonne CCL - Celto<br>Acoustique   | 85,71          | 85,71             | St      |
| CTO-CLM48          | 4 In X 8 Out Networkable<br>Digital Speaker<br>Controller, 1U, 4Kg.   |                | Prijs op aanvraag | St      |
| CTO-CMP10          | 2-Way Full Range  |                | Prijs op aanvraag | St      |

| Code                  | Naam  | Catalogusprijs Uw nettoprijs Eenheid |                      |
|-----------------------|---|--------------------------------------|----------------------|
|                       |   | Inclusief BTW                        | Inclusief BTW        |
|                       | Coaxial, 300W, 8 Ohms,<br>10" Lf + 1" Exit Hsp<br>Annular Hf                              |                                      |                      |
| CTO-CMP10-BAG         | Padded Cover Bag,<br>Socket Type, For Cmp10   |                                      | Prijs op aanvraag St |
| CTO-CMP10CASE         | CELTO CMP10 Case (for<br>2x CMP10 speaker)  | 934,50                               | 769,01 St            |
| CTO-CMP10COVER        | CELTO CMP10-SBAG<br>Cover   | 142,55                               | 112,91 St            |
| CTO-CMP10YOKE         | Yoke For Cmp10. High<br>Strenght Steel, Dual<br>Coating.                                  |                                      | Prijs op aanvraag St |
| CTO-CMP10-YOKEU       | CELTO CMP10-YOKE<br>U-Shape Bracket   | 171,35                               | 140,91 St            |
| CTO-CMP12             | 2-Way Full Range<br>Coaxial, 400W, 8 Ohms,<br>12" Lf + 1" Exit Hsp<br>Annular Hf          |                                      | Prijs op aanvraag St |
| CTO-CMP12-BAG         | Padded Cover Bag,<br>Socket Type, For Cmp12   |                                      | Prijs op aanvraag St |
| CTO-CMP12FYOKE        | Foldable Touring Yoke<br>For Cmp12. High<br>Strenght Steel, Dual<br>Coating, Shipped In V |                                      | Prijs op aanvraag St |
| CTO-CMP12YOKE         | Yoke For Cmp12. High<br>Strenght Steel, Dual<br>Coating, Shipped In Vinyl<br>Padded Bag   |                                      | Prijs op aanvraag St |
| CTO-CPC70             | CELTO CPC70 Distance<br>Tube Subwoofer/Satellite<br>with Crank                            | 142,55                               | 115,84 St            |
| CTO-CSCREWSKIT        | Set Of Stainless Steel<br>Screws For Celto<br>Speakers After Sales<br>Service (500Pcs)    |                                      | Prijs op aanvraag St |
| CTO-CSW118            | CELTO CSW118<br>Subwoofer   | 1.274,31                             | 1.035,62 St          |
| CTO-CSW118-BAG        | Padded Cover Bag,<br>Socket Type, For<br>Csw118   |                                      | Prijs op aanvraag St |
| CTO-CSW118COVER       | CELTO CSW118-SBAG<br>Cover  | 208,79                               | 169,87 St            |
| CTO-CSW218            | CELTO CSW218<br>Subwoofer   | 2.129,61                             | 1.763,72 St          |
| CTO-CSW218-BAG        | Padded Cover Bag,<br>Socket Type, For<br>Csw218   |                                      | Prijs op aanvraag St |
| CTO-CSW218COVER       | CELTO CSW218-SBAG<br>Cover  | 243,34                               | 197,02 St            |
| CTO-CSW221            | CELTO CSW221<br>Subwoofer   | 2.878,36                             | 2.353,93 St          |
| CTO-CSW221-BAG        | Padded Cover Bag,<br>Socket Type, For<br>Csw221   |                                      | Prijs op aanvraag St |
| CTO-CSW221/SU221COVER | CELTO<br>CSW221/SU221-SBAG<br>Cover   | 358,54                               | 293,93 St            |
| CTO-CT118S            | Celto CT118S -<br>Subwoofer, 1000W RMS,<br>8 ohms, 18" LF with 4"<br>voice coil           | 749,00                               | 749,00 St            |
| CTO-CT12-BAG          | Padded Cover Bag,<br>Socket Type, For<br>Ct12/Ct12 G2                                     | 115,00                               | 115,00 St            |

| Code                       | Naam  | Catalogusprijs | Uw nettoprijs | Eenheid |
|----------------------------|---|----------------|---------------|---------|
|                            |   | Inclusief BTW  | Inclusief BTW |         |
| CTO-CT12/CT12G2COVER       | CELTO CT12/CT12<br>G2-SBAG Cover  | 142,55         | 114,96        | St      |
| CTO-CT12/CT12G2UBRACKET    | CELTO CT12/CT12<br>G2-YK U-Shape Bracket  | 171,35         | 140,78        | St      |
| CTO-CT12G2                 | 2-Way Full Range, 500W<br>Rms, 8 Ohms, 12" Lf + 1"<br>Exit Hsp Annular Hf                 | 1.087,99       | 1.087,99      | St      |
| CTO-CT12G2-YOKE            | U-Shape Yoke For Ct12<br>(2Pcs/Ctn)   | 180,49         | 180,49        | St      |
| CTO-CT12G32                | CELTO CT12 G3 2-Way<br>Fullrange Loudspeaker  | 1.136,08       | 931,33        | St      |
| CTO-CT12V2                 | CELTO CT12V 2-Way<br>Fullrange Loudspeaker  | 833,70         | 682,81        | St      |
| CTO-CT15                   | Nearfield Compact<br>Speaker 2-way full range,<br>600W RMS, 8ohms, 15"<br>LF + 1" exit HF | 799,00         | 799,00        | St      |
| CTO-CT15G2                 | 2-Way Full Range, 700W<br>Rms, 8 Ohms, 15" Lf +<br>1.5" Exit Hsp Annular Hf               | 1.340,08       | 1.340,08      | St      |
| CTO-CT15G2-YOKE            | U-Shape Yoke For Ct15<br>(1Pc/Ctn)  | 180,49         | 180,49        | St      |
| CTO-CT15G32                | CELTO CT15 G3 2-Way<br>Fullrange Loudspeaker  | 1.510,46       | 1.243,49      | St      |
| CTO-CT15V2                 | CELTO CT15V 2-Way<br>Fullrange Loudspeaker  | 920,10         | 742,22        | St      |
| CTO-CT15X-BAG              | Padded Cover Bag,<br>Socket Type, For Ct15X /<br>Ct15 G2                                  | 145,00         | 145,00        | St      |
| CTO-CT15X/CT15G2COVER      | CELTO CT15X/CT15<br>G2-SBAG Cover   | 171,35         | 142,82        | St      |
| CTO-CT15X/CT15G2UBRACKET   | CELTO CT15X/CT15<br>G2-YK U-Shape Bracket   | 208,79         | 172,66        | St      |
| CTO-CT218S                 | Compact Vented<br>Subwoofer, 2000W RMS,<br>4 ohms, 2x18" LF with 4"<br>voice coil         | 1.139,00       | 1.139,00      | St      |
| CTO-CT8-BAG                | Padded Cover Bag,<br>Socket Type, For Ct8/Ct8<br>G2                                       | 105,00         | 105,00        | St      |
| CTO-CT8/CT8G2COVER         | CELTO CT8/CT8<br>G2-SBAG Cover  | 142,55         | 117,19        | St      |
| CTO-CT8/CT8G2UBRACKET      | CELTO CT8/CT8 G2-YK<br>U-Shape Bracket  | 142,55         | 117,32        | St      |
| CTO-CT8G2                  | Celto ct8g2 - 2-Way Full<br>Range, 250W Rms, 8<br>Ohms, 8" Lf + 1"                        | 835,91         | 835,91        | St      |
| CTO-CT8G2-WALLBRACKET-PAIR | Wall bracket for ct 8 g2<br>from celto price per pair                                     | 71,85          | 59,11         | St      |
| CTO-CT8G2-YOKE             | Celto ct8g2-Yoke -<br>U-Shape Yoke For Ct8<br>(2Pcs/Ctn)                                  | 162,42         | 162,42        | St      |
| CTO-CT8-YK                 | U-shape yoke for CT8<br>(2pcs/ctn)  | 96,00          | 96,00         | St      |
| CTO-EYEB10-50FG            | High Quality Forged<br>Steel M10 X40Mm<br>Eye-Bolts (50Pcs Per<br>Set)                    | 175,00         | 175,00        | St      |
| CTO-EYEB8-50FG             | High Quality Forged<br>Steel M8 X40Mm<br>Eye-Bolts (50Pcs Per<br>Set)                     | 175,00         | 175,00        | St      |
| CTO-FCD440-8DK             | Diaphragm kit for IFIX8   | 65,00          | 65,00         | St      |
| CTO-FCD510-8DK             | Diaphragm kit for   | 69,00          | 69,00         | St      |

| Code               | Naam   | Catalogusprijs | Uw nettoprijs     | Eenheid |
|--------------------|--|----------------|-------------------|---------|
|                    |  | Inclusief BTW  | Inclusief BTW     |         |
| CTO-FCD738TI-8DK   | FCD510-8 (PM12/13)<br>Diaphragm Kit For<br>Fcd738Ti-8 (Ct15X)  | 99,00          | 99,00             | St      |
| CTO-HF280-8K       | Replacement Hf Kit For<br>Ifix6 And Ifix7 (Versions<br>A2 And Above)                                 | 39,00          | 39,00             | St      |
| CTO-HFD44-8        | 1" Exit / 1.7" Vc, 60W, 8<br>Ohms, Polymer Dome,<br>Ferrite Magnet (For<br>Ct8/10/12/15,             | 169,00         | 169,00            | St      |
| CTO-HFD44-8DK      | Diaphragm kit for<br>HFD44-8 (CT8/10/12/15,<br>PM10)   | 75,00          | 75,00             | St      |
| CTO-HFDN72-16      | 1.5" Exit / 2.8" Vc, 110W,<br>16 Ohms, Aquaplasted<br>Tc4 Dome, Ferrofluid,<br>Demodulatin           | 395,00         | 395,00            | St      |
| CTO-HFDN72-16FDK   | Diaphragm kit for<br>HFDN72-16<br>(VT12/15/152, XL12/15,<br>IWAC210/212)                             | 145,00         | 145,00            | St      |
| CTO-HFDN72-8       | 1.5" Exit / 2.8" Vc, 110W,<br>8 Ohms, Aquaplasted Tc4<br>Dome, Ferrofluid,<br>Demodulating           | 395,00         | 395,00            | St      |
| CTO-HFDN72-8FDK    | Diaphragm kit for<br>HFDN72-8 (VT153,<br>VCM12)  | 145,00         | 145,00            | St      |
| CTO-HX118S         | Subwoofer, 1500W, 8<br>ohms, 18" with 4" voice<br>coil (updated power and<br>impedance)              |                | Prijs op aanvraag | St      |
| CTO-HX12           | 2-Way Satellite Coaxial<br>Loudspeaker, 400W, 8<br>Ohms, 12" Coaxial With<br>1.5" Exit Hf            |                | Prijs op aanvraag | St      |
| CTO-IFIX10BLK      | 2-Way Satellite<br>Loudspeaker (Not Full<br>Range, Must Be Used<br>With Sub), 250W                   | 724,99         | 724,99            | St      |
| CTO-IFIX10FR2BLACK | CELTO iFIX10 FR 2-Way<br>Coaxial Speaker black (<br>can be used without<br>subwoofer )               | 784,75         | 647,65            | St      |
| CTO-IFIX10FR2WHITE | CELTO iFIX10 FR 2-Way<br>Coaxial Speaker white (<br>can be used without<br>subwoofer )               | 784,75         | 647,01            | St      |
| CTO-IFIX10G22BLACK | CELTO iFIX10 G2 2-Way<br>Coaxial Speaker black (<br>not full range, must be<br>used with subwoofer ) | 747,31         | 610,60            | St      |
| CTO-IFIX10G22WHITE | CELTO iFIX10 G2 2-Way<br>Coaxial Speaker white (<br>not full range, must be<br>used with subwoofer ) | 747,31         | 610,60            | St      |
| CTO-IFIX10NAT      | 2-Way Satellite<br>Loudspeaker (Not Full<br>Range, Must Be Used<br>With Sub), 250W                   | 813,54         | 660,62            | St      |
| CTO-IFIX10WHT      | 2-Way Satellite<br>Loudspeaker (Not Full<br>Range, Must Be Used<br>With Sub), 250W                   | 724,99         | 724,99            | St      |

| Code                       | Naam  | Catalogusprijs | Uw nettoprijs | Eenheid |
|----------------------------|---|----------------|---------------|---------|
|                            |   | Inclusief BTW  | Inclusief BTW |         |
| CTO-IFIX13SBLK             | Celto ifix13s blk -<br>Installation Sub, 500W, 6<br>Ohms, 13.5" Driver                      | 775,41         | 775,41        | St      |
| CTO-IFIX13SBRACKETBLACK    | CELTO iFIX13S<br>Installation bracket black   | 71,85          | 57,79         | St      |
| CTO-IFIX13SBRACKETWHITE    | CELTO iFIX13S<br>Installation bracket white   | 71,85          | 57,79         | St      |
| CTO-IFIX13SG2BLACK         | CELTO iFIX13S G2<br>Vented Subwoofer black  | 790,51         | 649,37        | St      |
| CTO-IFIX13SG2NATURAL/WHITE | CELTO iFIX13S G2<br>Vented Subwoofer<br>natural/white                                       | 876,90         | 713,59        | St      |
| CTO-IFIX13SG2WHITE         | CELTO iFIX13S G2<br>Vented Subwoofer white  | 790,51         | 649,37        | St      |
| CTO-IFIX13SNAT             | Vented Installation Sub,<br>500W, 6 Ohms, 13.5"<br>Driver. Natural Wood<br>Cabinet Color    | 886,33         | 886,33        | St      |
| CTO-IFIX13SWHITE           | CELTO iFIX13S Vented<br>Subwoofer white   | 790,51         | 651,67        | St      |
| CTO-IFIX13SWHT             | Vented Installation Sub,<br>500W, 6 Ohms, 13.5"<br>Driver. Black Or White<br>Cabinet Colo   | 775,41         | 775,41        | St      |
| CTO-IFIX17SBLK             | Celto ifix17s blk -<br>Installation Sub, 700W, 8<br>Ohms, 17" Driver                        | 906,49         | 906,49        | St      |
| CTO-IFIX17SG2BLACK         | CELTO iFIX17S G2<br>Vented Subwoofer black  | 948,89         | 785,60        | St      |
| CTO-IFIX17SG2WHITE         | CELTO iFIX17S G2<br>Vented Subwoofer white  | 948,89         | 785,60        | St      |
| CTO-IFIX17SNAT             | Ultra Compact Vented<br>Installation Sub, 700W, 8<br>Ohms, 17" Driver.<br>Natural Wood Ca   | 1.035,29       | 833,14        | St      |
| CTO-IFIX17SWHT             | Ultra Compact Vented<br>Installation Sub, 700W, 8<br>Ohms, 17" Driver. Black<br>Or White    | 948,89         | 769,59        | St      |
| CTO-IFIX6BLK               | 2-Way Full Range<br>Loudspeaker (Can Be<br>Used Without<br>Subwoofer), 120W, 12<br>Ohms, 6" | 351,91         | 351,91        | St      |
| CTO-IFIX6G22WHITE          | CELTO iFIX6 G2 2-Way<br>Coaxial Speaker white (<br>can be used without<br>subwoofer )       | 401,73         | 324,58        | St      |
| CTO-IFIX6G2BLACK           | CELTO iFIX6 G2 2-Way<br>Coaxial Speaker black (<br>can be used without<br>subwoofer )       | 401,73         | 324,27        | St      |
| CTO-IFIX6NAT               | 2-Way Full Range<br>Loudspeaker (Can Be<br>Used Without<br>Subwoofer), 120W, 12<br>Ohms, 6" | 422,49         | 422,49        | St      |
| CTO-IFIX6WHT               | 2-Way Full Range<br>Loudspeaker (Can Be<br>Used Without<br>Subwoofer), 120W, 12<br>Ohms, 6" | 351,91         | 351,91        | St      |
| CTO-IFIX7BLK               | 2-Way Full Range<br>Loudspeaker (Can Be   | 442,66         | 442,66        | St      |



| Code                                 | Naam   | Catalogusprijs Uw nettoprijs Eenheid |                      |
|--------------------------------------|--|--------------------------------------|----------------------|
|                                      |  | Inclusief BTW                        | Inclusief BTW        |
|                                      | Used Without<br>Subwoofer), 200W, 8<br>Ohms, 8" C  |                                      |                      |
| CTO-IFIX7G2BLACK                     | CELTO iFIX7 G2 2-Way<br>Coaxial Speaker black (<br>can be used without<br>subwoofer )                | 502,53                               | 410,55 St            |
| CTO-IFIX7G2WHITE                     | CELTO iFIX7 G2 2-Way<br>Coaxial Speaker white (<br>can be used without<br>subwoofer )                | 502,53                               | 410,55 St            |
| CTO-IFIX7NAT                         | 2-Way Full Range<br>Loudspeaker (Can Be<br>Used Without<br>Subwoofer), 200W, 8<br>Ohms, 8" C         | 523,33                               | 523,33 St            |
| CTO-IFIX7WHT                         | 2-Way Full Range<br>Loudspeaker (Can Be<br>Used Without<br>Subwoofer), 200W, 8<br>Ohms, 8" C         | 442,66                               | 442,66 St            |
| CTO-IFIX8BLK                         | Celto Ifix8-blk - 2-Way<br>Satellite Loudspeaker<br>(Not Full Range, Must Be<br>Used With Sub), 150W | 554,36                               | 455,40 St            |
| CTO-IFIX8NAT                         | 2-Way Satellite<br>Loudspeaker (Not Full<br>Range, Must Be Used<br>With Sub), 150W                   | 603,32                               | 493,28 St            |
| CTO-IFIX8WHT                         | 2-Way Satellite<br>Loudspeaker (Not Full<br>Range, Must Be Used<br>With Sub), 150W                   | 554,36                               | 454,97 St            |
| CTO-IFIXS-WPCOVER                    | CELTO<br>IFIXS-WPCOVER<br>Backcover for outdoor<br>use   | 35,85                                | 29,38 St             |
| CTO-IR10+2-WAYCOAXIALLINEARRAYMODULE | CELTO IR10+ 2-Way<br>Coaxial Line Array<br>Module  | 3.454,32                             | 2.729,96 St          |
| CTO-IR10-BAG                         | Padded Cover Bag With<br>Heavy Duty Zip For<br>Cca10   |                                      | Prijs op aanvraag St |
| CTO-IR10+-CB1CARTON                  | Compact Crossbow<br>Flying Frame For Cca10,<br>Integrated Rigging, Up<br>To 2.5T Load. (1            |                                      | Prijs op aanvraag St |
| CTO-IR10+-CB1FLYFRAME                | CELTO IR10+-CB1<br>Flyframe  | 1.668,84                             | 1.368,68 St          |
| CTO-IR10+-CB2FLIGHTCASE              | Compact Crossbow<br>Flying Frame For Cca10,<br>Integrated Rigging, Up<br>To 2.5T Load. Pr            |                                      | Prijs op aanvraag St |
| CTO-IR10+-CB2FLYFRAMESETINCL.CASE    | CELTO IR10+-CB2<br>Flyframe Set incl. Case   | 3.857,49                             | 3.023,58 St          |
| CTO-IR10+-CCA10                      | Isoray Line Source<br>Speaker With Isotop<br>Wave Guide. 2-Way<br>Coaxial With 10" Lf + 1            |                                      | Prijs op aanvraag St |
| CTO-IR10COVER                        | CELTO IR10-SBAG<br>Cover   | 243,34                               | 197,77 St            |
| CTO-IR10+-FYOKEBRACKETINCL.BAG       | CELTO IR10+-FYOKE<br>Bracket incl. Bag   | 395,97                               | 313,84 St            |
| CTO-IR10+-MA                         | 35Mm Pole Mount To   |                                      | Prijs op aanvraag St |

| Code   | Naam   | Catalogusprijs Uw nettoprijs Eenheid |                      |
|--|--|--------------------------------------|----------------------|
|  |  | Inclusief BTW                        | Inclusief BTW        |
|  | M12 Thread Adapter For Cca10. Shipped Inside A Nylon Case                        |                                      |                      |
| CTO-IR10+-MAPOLEMOUNTADAPTERINCL.BAG               | CELTO IR10+-MA Pole Mount Adapter incl. Bag                                      | 156,95                               | 125,01 St            |
| CTO-IR10-SK  | Skateboard For 4Pcs Cca10 With Integrated Rigging, Protective Hard Cover And 10  |                                      | Prijs op aanvraag St |
| CTO-IR10+-SKSKATEBOARDCASE                         | CELTO IR10+-SK Skateboard case   | 2.008,66                             | 1.663,98 St          |
| CTO-IR10+-ST1UNIVERSALGROUNDSTACKFRAME             | CELTO IR10+-ST1 Universal Groundstack Frame                                      | 1.150,48                             | 942,51 St            |
| CTO-IR10+-ST2UNIVERSALGROUNDSTACKFRAMESETINCL.CASE | CELTO IR10+-ST2 Universal Groundstack Frame Set incl. Case                       | 2.843,80                             | 2.221,94 St          |
| CTO-IR18   | CELTO IR18-SBAG Cover  | 243,34                               | 195,43 St            |
| CTO-IR18S  | CELTO IR18S Subwoofer  | 4.145,47                             | 3.258,69 St          |
| CTO-IR18S-CCA118S                                  | 18" Neodymium 1200W 8 Ohms Complementary Subwoofer For Cca10. Speakon Connectors |                                      | Prijs op aanvraag St |
| CTO-IR18S-FR1CARTON                                | Large Flying Frame For Cca18S And Cca10, Up To 5T Load. (1Pc Per Carton, No Flig |                                      | Prijs op aanvraag St |
| CTO-IR18S-FR1FLYFRAME                              | CELTO IR18S-FR1 Flyframe   | 2.331,20                             | 1.819,94 St          |
| CTO-IR18S-FR2FLIGHTCASE                            | Large Flying Frame For Cca18S And Cca10, Up To 5T Load. Price For One Piece With |                                      | Prijs op aanvraag St |
| CTO-IR18S-FR2FLYFRAMEINCL.CASE                     | CELTO IR18S-FR2 Flyframe incl. Case  | 3.065,55                             | 2.369,26 St          |
| CTO-IR18S-IFRFLYFRAME                              | CELTO IR18S-IFR Flyframe   | 2.210,25                             | 1.794,96 St          |
| CTO-IR18S-TK                                       | Touring Kit For Cca118S, With 4Pcs 100Mm Heavy Duty Wheels And Padded Cover Bag  |                                      | Prijs op aanvraag St |
| CTO-IR18S-WB                                       | Metal Wheelboard For Cca18S With Rigging And 100Mm Heavy Duty Wheels             |                                      | Prijs op aanvraag St |
| CTO-IR18S-WBWHEELBOARD                             | CELTO IR18S-WB Wheelboard  | 1.547,89                             | 1.260,50 St          |
| CTO-IR-IFRCARTON                                   | Intermediate Flying Frame To Use Between Cca10 And Cca18S, Up To 5T Load. (1Pc P |                                      | Prijs op aanvraag St |
| CTO-IWAC118S                                       | 18" Neodymium 1200W 4 Ohms Complementary Subwoofer For Iwac210. Neutrik NI4Mp Co |                                      | Prijs op aanvraag St |
| CTO-IWAC118S-FR                                    | Large Flying Frame For Iwac118S And 210, Up To 5T Load. With Flightcase (1Pc Per |                                      | Prijs op aanvraag St |
| CTO-IWAC118S-FRFLYFRAMEINCL.CASE                   | CELTO IWAC118S-FR Flyframe incl. Case  | 2.878,36                             | 2.378,28 St          |
| CTO-IWAC118S-SBAGCOVER                             | CELTO  | 257,74                               | 209,17 St            |

| Code                                    | Naam   | Catalogusprijs Uw nettoprijs Eenheid |                      |
|---|--|--------------------------------------|----------------------|
|   |  | Inclusief BTW                        | Inclusief BTW        |
| CTO-IWAC118SSUBWOOFER                   | IWAC118S-SBAG Cover<br>CELTO IWAC118S<br>Subwoofer   | 4.174,27                             | 3.281,00 St          |
| CTO-IWAC118S-TK                         | Touring Kit For<br>Iwac118S, With 4Pcs<br>100Mm Heavy Duty<br>Wheels And Padded<br>Cover Bag |                                      | Prijs op aanvraag St |
| CTO-IWAC118S-TKTOURINGKIT               | CELTO IWAC118S-TK<br>Touring Kit   | 416,13                               | 338,23 St            |
| CTO-IWAC118S-WB                         | Metal Wheelboard For<br>Iwac118S With Rigging<br>And 100Mm Heavy Duty<br>Wheels              |                                      | Prijs op aanvraag St |
| CTO-IWAC118S-WBWHEELBOARD               | CELTO IWAC118S-WB<br>Wheelboard  | 1.308,87                             | 1.068,62 St          |
| CTO-IWAC210                             | CELTO IWAC210-ST2<br>Universal Groundstack<br>Frame Set incl. Case                           | 2.662,38                             | 2.131,97 St          |
| CTO-IWAC210-CB                          | Compact Crossbow<br>Flying Frame For<br>Iwac210, Integrated<br>Rigging, Up To 2.5T<br>Load.  |                                      | Prijs op aanvraag St |
| CTO-IWAC210-CB2FLYFRAMESETINCL.CASE     | CELTO IWAC210-CB2<br>Flyframe Set incl. Case   | 4.145,47                             | 3.262,78 St          |
| CTO-IWAC210-CBFC                        | Compact Crossbow<br>Flying Frame For<br>Iwac210, Integrated<br>Rigging, Up To 2.5T<br>Load.  |                                      | Prijs op aanvraag St |
| CTO-IWAC210G2                           | CELTO IWAC210 G2<br>2-Way Line Array Module  | 4.318,26                             | 3.436,63 St          |
| CTO-IWAC210-MA                          | 35Mm Pole Mount<br>Adapter For Iwac210.<br>Adjustable Angle.<br>Shipped Inside<br>Flightcase |                                      | Prijs op aanvraag St |
| CTO-IWAC210-MAPOLEMOUNTADAPTERINCL.CASE | CELTO IWAC210-MA<br>Pole Mount Adapter incl.<br>Case   | 876,90                               | 709,02 St            |
| CTO-IWAC210-TK                          | Touring Kit For Iwac210,<br>With Protective<br>Wheelboard (100Mm<br>Heavy Duty Wheels) An    |                                      | Prijs op aanvraag St |
| cto-IWAC210-TKTouringKit                | CELTO IWAC210-TK<br>Touring Kit  | 640,76                               | 516,85 St            |
| CTO-KTV-BRKT1                           | Mounting Bracket Kit<br>With Ceiling Plate. M12<br>Thread To 2 M8 Flying<br>Points. Price    |                                      | Prijs op aanvraag St |
| CTO-NCD738-8                            | 1.5" Exit / 2.8" Vc, 100W,<br>8 Ohms, Aquaplased Tc4<br>Dome, Ferrofluid,<br>Demodulating    |                                      | Prijs op aanvraag St |
| CTO-NCD738-8DK                          | Diaphragm Kit For<br>Ncd738-8 (Pm15)   |                                      | Prijs op aanvraag St |
| CTO-P214                                | Cello Acoustique P2.14 -<br>2X 1400W amplifier   |                                      | Prijs op aanvraag St |
| CTO-P225                                | Cello Acoustique P2.25 -<br>2X 2500W amplifier   |                                      | Prijs op aanvraag St |
| CTO-P414                                | Cello Acoustique P4.14 -<br>4X 1400W amplifier   |                                      | Prijs op aanvraag St |
| CTO-PM10G2                              | 2-Way Full Range,  |                                      | Prijs op aanvraag St |

| Code             | Naam  | Catalogusprijs Uw nettoprijs Eenheid |                      |
|------------------|---|--------------------------------------|----------------------|
|                  |   | Inclusief BTW                        | Inclusief BTW        |
| CTO-PM12G2       | 400W, 8 Ohms, 10" Lf +<br>1" Exit Hsp Annular Hf.<br>2-Way Full Range,                            |                                      | Prijs op aanvraag St |
| CTO-PM12G22      | 500W, 8 Ohms, 12" Lf +<br>1" Exit Hsp Annular Hf.<br>CELTO PM12 G2 2-Way<br>Fullrange Loudspeaker | 1.236,87                             | 1.005,93 St          |
| CTO-PM12G2-YOKEU | CELTO PM12G2-YOKE<br>U-Shape Bracket  | 171,35                               | 141,73 St            |
| CTO-PM15G2       | 2-Way Full Range,<br>700W, 8 Ohms, 15" Lf +<br>1" Exit Hsp Annular Hf.                            |                                      | Prijs op aanvraag St |
| CTO-PM15G2-YOKEU | CELTO PM15G2-YOKE<br>U-Shape Bracket  | 208,79                               | 172,77 St            |
| CTO-PM15G32      | CELTO PM15 G3 2-Way<br>Fullrange Loudspeaker  | 1.611,25                             | 1.325,38 St          |
| CTO-SP26         | Celto Sp26 - 2 In X 6 Out<br>Networkable Digital<br>Speaker Controller                            |                                      | Prijs op aanvraag St |
| CTO-SP48         | 4 In X 8 Out Networkable<br>Digital Speaker<br>Controller, 1U, 4Kg.                               |                                      | Prijs op aanvraag St |
| CTO-SU113G2      | CELTO SU113 G2<br>Subwoofer   | 1.432,70                             | 1.165,09 St          |
| CTO-SU113G2-BAG  | Padded Cover Bag,<br>Socket Type, For<br>Su113G2  |                                      | Prijs op aanvraag St |
| CTO-SU113G2COVER | CELTO SU113<br>G2-SBAG Cover  | 243,34                               | 199,26 St            |
| CTO-SU121TL-BAG  | Padded cover bag,<br>socket type, for SU121TL   |                                      | Prijs op aanvraag St |
| CTO-SU121TLG2    | Rear Loaded<br>Transmission Line Sub<br>Woofer, 1600W, 4 Ohms,<br>21" Neodymium Driver            |                                      | Prijs op aanvraag St |
| CTO-SU218TL      | CELTO SU218TL<br>Transmission Line<br>Subwoofer   | 4.318,26                             | 3.459,08 St          |
| CTO-SU218TL-BAG  | Padded cover bag,<br>socket type, for SU218TL   |                                      | Prijs op aanvraag St |
| CTO-SU218TLCOVER | CELTO SU218TL-SBAG<br>Cover   | 362,85                               | 298,90 St            |
| CTO-SU221        | CELTO SU221<br>Subwoofer  | 4.586,08                             | 3.799,47 St          |
| CTO-SUBWHEELKIT  | Wheel kit for Subs (4<br>heavy duty 100mm<br>PENN-ELCOM wheels<br>and hardware)                   |                                      | Prijs op aanvraag St |
| CTO-SUBWHKIT100C | Wheel Kit For Subwoofer<br>With 4 Heavy Duty<br>100Mm Celto Wheels<br>(200Kg Rating)              |                                      | Prijs op aanvraag St |
| CTO-SUBWHKIT75   | Wheel Kit For Subwoofer<br>With 4 Heavy Duty 75Mm<br>(50Kg Rating) Celto<br>Wheels For Cs         |                                      | Prijs op aanvraag St |
| CTO-T240         | Celto Acoustique T2.40 -<br>2X 4000W amplifier  |                                      | Prijs op aanvraag St |
| CTO-T426         | Celto Acoustique T4.26 -<br>4X 2500W amplifier  |                                      | Prijs op aanvraag St |
| CTO-VCM102       | CELTO VCM10 2-Way<br>Coaxial Monitor  | 1.755,24                             | 1.418,36 St          |
| CTO-VCM10-BAG    | Padded cover bag with<br>heavy duty ZIP for   |                                      | Prijs op aanvraag St |

| Code            | Naam  | Catalogusprijs Uw nettoprijs Eenheid |                      |
|-----------------|---|--------------------------------------|----------------------|
|                 |   | Inclusief BTW                        | Inclusief BTW        |
|                 | VCM10   |                                      |                      |
| CTO-VCM10-QF    | QuickFly kit for VCM10  |                                      | Prijs op aanvraag St |
| CTO-VCM12       | 2-Way Coaxial Stage<br>Monitor Loudspeaker,<br>400W, 8 Ohms, 12"<br>Coaxial With 1.5" Exi |                                      | Prijs op aanvraag St |
| CTO-VCM12-BAG   | Padded cover bag with<br>heavy duty ZIP for<br>VCM12                                      |                                      | Prijs op aanvraag St |
| CTO-VCM12COVER  | CELTO VCM12-SBAG<br>Cover   | 156,95                               | 127,53 St            |
| CTO-VCM12FLYKIT | CELTO VCM12-QF<br>Quick Fly Kit   | 272,14                               | 223,03 St            |
| CTO-VCM12-QF    | QuickFly kit for VCM12  |                                      | Prijs op aanvraag St |
| CTO-VT12        | 2-Way Full Range,<br>600W, 8 Ohms, 12" Lf +<br>1.5" Exit Hf                               |                                      | Prijs op aanvraag St |
| CTO-VT12-BAG    | Padded Cover Bag,<br>Socket Type, For Vt12  |                                      | Prijs op aanvraag St |
| CTO-VT12COVER   | CELTO VT12-SBAG<br>Cover  | 156,95                               | 127,75 St            |
| CTO-VT12FLYKIT  | CELTO VT12-QF Quick<br>Fly Kit  | 272,14                               | 223,24 St            |
| CTO-VT12-QF     | QuickFly kit for VT12   |                                      | Prijs op aanvraag St |
| CTO-VT15        | 2-Way Full Range,<br>1000W, 8 Ohms, 15" Lf +<br>1.5" Exit Hf                              |                                      | Prijs op aanvraag St |
| CTO-VT15-BAG    | Padded Cover Bag,<br>Socket Type, For Vt15  |                                      | Prijs op aanvraag St |
| CTO-VT15COVER   | CELTO VT15-SBAG<br>Cover  | 208,79                               | 169,32 St            |
| CTO-VT15FLYKIT  | CELTO VT15-QF Quick<br>Fly Kit  | 272,14                               | 221,08 St            |
| CTO-VT15-QF     | QuickFly kit for VT15   |                                      | Prijs op aanvraag St |
| CTO-WHEELKIT    | CELTO Wheel kit   | 138,09                               | 109,94 St            |
| CTO-WMBRKT20    | CELTO WMBRKT20<br>Wall Bracket  | 84,95                                | 70,96 St             |
| CTO-WMBRKT40    | Wall Mount Bracket,<br>35Mm Pole, 40Kg Max.<br>Dual Adjustable Angle.<br>For Speaker Up T | 71,50                                | 71,50 St             |
| CTO-WMBRKT60    | CELTO WMBRKT60<br>Wall Bracket  | 142,55                               | 114,14 St            |