

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclusief
GUI-543-ATQ/290N	ADAPTOR TO CONNECT 290 x 290 mm SQUARE TRUSS (Ref, TQN290) TO Ref, TMD-543 & TMD	163,35	
GUI-543-ATQ/400N	ADAPTOR TO CONNECT 400 x 400 mm SQUARE TRUSS (Ref, TQN400) TO Ref, TMD-543 & TMD	169,40	
GUI-A-1/G	SEAT WITH HIGH BACK FOR GRANDSTANDS AND TIERED SEATING, COLOUR: GREY *, INCLUDES	136,13	
GUI-ABZ-00	ALUMINIUM COUPLER WITH BOLT, FITS 50 mm DIAMETER TUBES	9,08	
GUI-ABZ-00/N	ALUMINIUM COUPLER WITH NUT & BOLT, FITS 50 mm TUBES, BLACK FINISH, WLL: 100 KG	10,08	
GUI-ABZ-01	ALUMINIUM SNAP FIXING CLAW-CLAMP, FITS 50-51 mm DIAMETER TUBES	39,33	
GUI-ABZ-02	ALUMINIUM STABILISER COUPLER, FITS 45-52 mm DIAMETER TUBES	29,24	
GUI-ABZ-03	ALUMINIUM COUPLER WITH BOLT, WIDTH: 50 mm, FITS 45-52 mm DIAMETER TUBES	25,21	
GUI-ABZ-03/R	ALUMINIUM COUPLER WITH WHEEL TO TRANSPORTTRUSSES, TUBES, ETC, WIDTH: 50 mm, FITS	58,48	
GUI-ABZ-04	ALUMINIUM HANGING COUPLER, WIDTH: 50 mm FITS 45-52 mm DIAMETER TUBES	28,23	
GUI-ABZ-05	DOUBLE ALUMINIUM SWIVEL COUPLER (360°), WIDTH: 50 mm, FITS 45-52 mm DIAMETER TU	49,41	
GUI-ABZ-06/E	ALUMINIUM QUICK TRIGGER CLAMP, WIDTH: 30 mm, FITS 38-51 mm DIAMETER TUBES	22,18	
GUI-ABZ-06/E-N	ALUMINIUM QUICK TRIGGER CLAMP, WIDTH: 30 mm, FITS 38-51 mm DIAMETER TUBES (BLACK	25,21	
GUI-ABZ-07/E	ALUMINIUM QUICK TRIGGER CLAMP FITTED WITH M10 BOLT, WIDTH: 30 mm, FITS 38-51 mm	25,21	
GUI-ABZ-07/E-N	QUICK FIX ALUMINIUM CLAMP FITTED WITH BOLT & WINGNUT, WIDTH: 30 mm, FITS 38-51	29,24	
GUI-ABZ-08/E	ALUMINIUM QUICK TRIGGER HANGING CLAMP, WIDTH: 30 mm, FITS 38-51 mm DIAMETER TUBE	28,23	
GUI-ABZ-13	ALUMINIUM COUPLER WITH CONICAL ADAPTOR, WIDTH: 50 mm, FITS 45-52 mm DIAMETER TUB	53,44	
GUI-ABZ-14	ALUMINIUM HOOK CLAMP WITH PROTECTIVE PLATE, WIDTH: 50 mm, FITS 30-50 DIAMETER TU	32,27	
GUI-ABZ-15	ALUMINIUM CLAMP, FITS 45-52 mm DIAMETER TUBES	45,38	
GUI-ABZ-16	ALUMINIUM CLAMP WITH Ø 29 mm SOCKET, FITS 25-70 mm DIAMETER TUBES	78,65	
GUI-ABZ-17	ALUMINIUM COUPLER WITH CONICAL ADAPTOR + SPIGOT + "R" SPRING, WIDTH: 30 mm, FITS	49,41	
GUI-ABZ-20	ALUMINIUM HANGING COUPLER, FITS 50 mm DIAMETER TUBES	13,11	
GUI-ABZ-20/N	ALUMINIUM HANGING COUPLER WITH EYE NUT, FITS 50 mm TUBES, BLACK FINISH, WLL: 1	14,12	
GUI-ABZ-21	DOUBLE ALUMINIUM SWIVEL COUPLER (360°), WIDTH: 30mm FITS 50 mm DIAMETER TUBES	23,19	
GUI-ABZ-21/N	DOUBLE ALUMINIUM SWIVEL COUPLER (360§), FITS 50 mm TUBES, BLACK FINISH, WLL: 1	24,20	
GUI-ABZ-23	ALUMINIUM STABILISER COUPLER WITH AN ARTICULATED SOLID Ø 45mm SHANK PLUG, FITS 4	81,68	
GUI-ABZ-24	ALUMINIUM COUPLER, WIDTH: 50 mm, FITS 45-52 mm DIAMETER TUBES	25,21	
GUI-ABZ-29	ALUMINIUM COUPLER, WIDTH: 30 mm, FITS 45-52 mm DIAMETER TUBES	20,17	
GUI-ABZ-29/N	ALUMINIUM HALF COUPLER, WIDTH: 30 mm, FITS 45-52 mm TUBES, BLACK FINISH, WLL:	21,18	
GUI-ABZ-30	ALUMINIUM DOUBLE SWIVEL COUPLER (360°), WIDTH: 30 mm, FITS 45-52 mm DIAMETER TUB	40,33	
GUI-ABZ-30/N	ALUMINIUM DOUBLE SWIVEL COUPLER (360§),	42,35	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclus
GUI-ABZ-31	WIDTH: 30 mm, FITS 45-52 mm TUBES, BLA ALUMINIUM STABILISER COUPLER WITH A Ø 45mm SOLID STEEL HINGE/PLUG ADAPTOR, FITS	119,99	
GUI-ABZ-32	ALUMINIUM PIVOT HINGE CLAMP COUPLER, FITS 45-52 mm DIAMETER TUBES	137,13	
GUI-ABZ-34	ALUMINIUM HANGING COUPLER, WIDTH: 30 mm, FITS 45-52 mm DIAMETER TUBES	23,19	
GUI-ABZ-35	ALUMINIUM COUPLER WITH BOLT, WIDTH: 30 mm, FITS 45-52 mm DIAMETER TUBES	21,18	
GUI-ABZ-37	ALUMINIUM COUPLER (WIDTH: 50 mm, FITS 45-52 mm DIAMETER TUBES) WITH A SOLID Ø 50	59,49	
GUI-ABZ-38	ALUMINIUM COUPLER WITH NUT & BOLT, FITS 35-40 mm TUBES, WLL: 30 kg	9,08	
GUI-ABZ-45	ALUMINIUM COUPLER WITH BUSHING FOR A 28 mm TV SPIGOT, WIDTH: 50 mm, FITS 45-52	60,50	
GUI-ABZ-50/E-N	ALUMINIUM SELF-LOCK TRIGGER CLAMP. FITS Ø 46 mm TO 52 mm TUBES. WLL: 250 kg (THICKNESS: 25 mm). BLACK FINISH.	22,18	
GUI-ABZ-50/N	ALUMINIUM TRIGGER CLAMP, FITS FROM 46 mm TO 52 mm TUBES, BLACK FINISH, WLL: 25	22,18	
GUI-ABZ-51/N	MINI QUICK FIX ALUMINIUM CLAMP WITH NUT & BOLT, FITS 50 mm TUBES, BLACK FINISH	25,21	
GUI-ABZ-53	ALUMINIUM COUPLER WITH NUT & BOLT & ERGONOMIC KNOB, FITS 50 mm TUBES, WLL: 100	10,08	
GUI-ABZ-53/N	ALUMINIUM COUPLER WITH NUT & BOLT & ERGONOMIC KNOB, FITS 50 mm TUBES, BLACK FI	11,09	
GUI-ABZ-54/N	ALUMINIUM COUPLER WITH NUT & BOLT & PRESSURE LEVER, FITS 50 mm TUBES, BLACK FI	13,11	
GUI-ABZ-55	STAINLESS STEEL CLAMP ADAPTOR TO HANG LIGHT AND SOUND IN MARQUEES, ADJUSTABLE FR	49,41	
GUI-ABZ-56	STAINLESS STEEL CLAMP ADAPTOR WITH AN ALUMINIUM COUPLER TO HANG TUBES AND/OR TRU	69,58	
GUI-ABZ-60	HINGE SYSTEM FOR HOOK CLAMPS AND COUPLERS (SAVES STORAGE SPACE AND SET-UP TIME),	25,21	
GUI-ACT-01/L	Berceau pour soulever des tuyaux ou des charges courbes (barils..) Réf. ACT-01/L	190,58	
GUI-ACT-01/S	Berceau pour soulever les charges incurvées (tuyauterie)" Réf. ACT-01/S	190,58	
GUI-ACT-02	Prolongateur pour élévateurs" Réf. ACT-02	109,91	
GUI-ACT-03	Adaptateur potence pour élévateurs TORO série B.C.d' Réf. ACT-03	190,58	
GUI-ACT-04/L	Plateforme pour élévateurs TORO série B.C.d' réf. ACT-04/L	251,08	
GUI-ACT-04/S	Plateforme pour élévateurs TORO série A" réf. ACT-04/S	251,08	
GUI-ACT-05/B	Convertisseur élévateur-grue mobile pour TORO série B" Réf. ACT-05	281,33	
GUI-ACT-05/C	Convertisseur élévateur-grue mobile pour TORO série C" Réf. ACT-05/C	281,33	
GUI-ACT-05/D	Convertisseur élévateur-grue mobile pour TORO série d" Réf. ACT-05/D	281,33	
GUI-ADT-01	ADJUSTABLE TRUSS ADAPTOR FITTED WITH A Ø 35 mm SPIGOT, FOR PARALLEL TRUSS OF FRO	100,83	
GUI-ADT-01/B	ADJUSTABLE TRUSS ADAPTOR FOR TOWERS WITH A 35 mm SPIGOT, FOR PARALLEL TRUSS FR	100,83	
GUI-ADT-100	ADAPTOR FOR AN EASY, QUICK AND SAFE MARQUEE ASSEMBLY. TELESCOPIC SYSTEM	222,84	
GUI-ADT-15	ADJUSTABLE TRUSS ADAPTOR WITH ALUM, COUPLERS & A Ø 50 mm SPIGOT, FOR TRUSSES OF	210,74	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclus
GUI-ADT-16	ADJUSTABLE TRUSS ADAPTOR WITH A Ø 35 mm SPIGOT FOR FLAT TRUSSES OF FROM 20 TO 30	85,71	
GUI-ADT-22	MULTI-PURPOSE REDUCER ADAPTOR	49,41	
GUI-ADT-24	ADAPTOR TO REDUCE THE Ø 35 mm POLES OF TOWERS / TRIPODS TO Ø 28 mm, FEMALE. FOR TOWERS: ELC-700 & ELC-710	48,40	
GUI-ADT-26	ALUMINIUM MULTI-PURPOSE LIGHTING ADAPTOR. FOR STANDS WITH A Ø 30 mm OR Ø 35 mm SPIGOT ENDING	27,23	
GUI-ADT-30	ADJUSTABLE TRUSS ADAPTOR WITH ALUM, COUPLERS & A Ø 35 mm SPIGOT, FOR TRUSSES OF	210,74	
GUI-ADT-40	ADJUSTABLE TRUSS ADAPTOR FOR TOWERS WITH A 35 mm SPIGOT, FOR TRUSSES FROM 200	59,49	
GUI-ADT-41	ADJUSTABLE TRUSS ADAPTOR FITTED WITH A 35 mm SPIGOT, FOR TRUSSES FROM 250 TO 4	99,83	
GUI-ADT-42	ADJUSTABLE TRUSS ADAPTOR FITTED WITH A 55 mm SPIGOT, FOR TRUSSES FROM 250 TO 4	105,88	
GUI-ADT-43	ADJUSTABLE TRUSS ADAPTOR FITTED WITH A 55 mm SPIGOT, FOR TRUSSES FROM 350 TO 5	136,13	
GUI-ADT-44	ADJUSTABLE TRUSS ADAPTOR FITTED WITH 2 ALUMINIUM COUPLERS & A 35 mm SPIGOT, FO	126,04	
GUI-ADT-45	ADJUSTABLE TRUSS ADAPTOR FITTED WITH 2 ALUMINIUM COUPLERS & A 55 mm SPIGOT, FO	130,08	
GUI-ADT-46	ADJUSTABLE TRUSS ADAPTOR FITTED WITH 2 ALUMINIUM COUPLERS & A 55 mm SPIGOT, FO	160,33	
GUI-ALT-01	ARTICULATED SPEAKER WALL MOUNT, SAFETY SLING INCLUDED	15,13	
GUI-ALT-12	TELESCOPIC STEEL SPEAKER STAND WITH Ø 35 mm TOP TUBE, VERY STRONG, MAXIMUM LOAD	92,77	
GUI-ALT-14	MINI TELESCOPIC SPEAKER STAND (STEEL), INCLUDES ADAPTOR FOR A Ø 35 mm ENDING	43,36	
GUI-ALT-15	HEAVY-DUTY ARTICULATED WALL MOUNT FOR TELEVISION SCREENS	30,25	
GUI-ALT-16	HEAVY-DUTY SPEAKER WALL MOUNT, TELESCOPIC DESIGN, ANGLE ADJUSTABLE, TURNS LEFT +	45,38	
GUI-ALT-16/G	HEAVY-DUTY SPEAKER WALL MOUNT WITH A COUPLER TO ATTACH TO 45-52 mm TUBES, TELE	69,58	
GUI-ALT-34	STANDARD SPEAKER STAND (STEEL), Ø 35 mm TOP TUBE	57,48	
GUI-ALT-35	TELESCOPIC ALUMINIUM AND STEEL SPEAKER STAND WITH Ø 35 mm TOP TUBE AND AIR CUSHI	75,63	
GUI-ALT-36	TELESCOPIC SPEAKER STAND (MADE IN ALUMINIUM), AUTOMATIC SYSTEM (MAX LOAD: 25 kg)	179,48	
GUI-ALT-37	TELESCOPIC WIND-UP STAND FOR SPEAKERS (MADE IN ALUMINIUM), HAND WINCH LIFTING SY	235,95	
GUI-ALT-40	STAND WITH HAND WINCH LIFTING SYSTEM. FOR DEVICES WITH A 28 mm SPIGOT. MAXIMUM LOAD: 85 kg	234,94	
GUI-APR-2/5	ADAPTOR WITH WHEELS TO JOIN TWO TM440, TM440XL & TM300 DECKS OR TO JOIN TWO 50 x	87,73	
GUI-APR-2/50	APR-2/50 Adaptateur pour 2 pieds avec une roue pour TM440 TM430 & TM440xl adaptor for 2 telescopic legs to one wheel with brake for TM440 TM430 & TM440xl platform	74,65	
GUI-APR-4/5	ADAPTOR WITH WHEELS TO JOIN FOUR TM440, TM440XL & TM300 DECKS OR TO JOIN FOUR 50	204,69	
GUI-ART-01	LEG BRACE FOR THE 1m SIDES OF TM440, TM440XL & TM442XL PLATFORMS	55,46	
GUI-ART-01/A	LEG BRACE FOR THE 1 m SIDES OF TM440, TM442XL & TM300 PLATFORMS (FOR TELESCOPIC	103,86	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclus
GUI-ART-02	LEG BRACE FOR THE 2m SIDES OF TM440, TM440XL & TM442XL PLATFORMS	75,63	
GUI-ART-02/A	LEG BRACE FOR THE 2 m SIDES OF TM440, TM442XL & TM300 PLATFORMS (FOR TELESCOPIC	123,02	
GUI-AR/TM-01	HEADPHONE STAND, CONNECTOR INCLUDED	29,24	
GUI-AT-02	HEAVY-DUTY, 3-SECTION FOLDING MUSIC STAND WITH NYLON CARRY BAG REF. BL/AT.	43,36	
GUI-AT-02/C	EXTENDABLE TRAY FOR LONG SHEET MUSIC HEAVY-DUTY, 3-SECTION FOLDING MUSIC STAND (SPECIAL MINI DESIGN FOR CHILDREN) WITH NYLON CARRY BAG REF. BL/AT	31,26	
GUI-AT-08	ORCHESTRA MUSIC STAND WITH ADJUSTABLE WOODEN DESK WITH DOUBLE SHELF (PLYWOOD DESK). VERY STABLE & STRONG	142,18	
GUI-AT-12	ORCHESTRA MUSIC STAND WITH ADJUSTABLE METALLIC DESK WITH ADDITIONAL SHELF. VERY STABLE & STRONG	57,22	
GUI-AT-13	ORCHESTRA MUSIC STAND WITH METALLIC DOUBLE SHELF & ONE-HAND HEIGHT ADJUSTMENT. FIXED BASE FOR SMALL SPACES	99,83	
GUI-AT-20	Pupitre de table TABLE-TOP MUSIC/BOOK STAND. INCLUDES VELVETY CARRY BAG	20,16	
GUI-AT/TM-01	MUSIC STAND WITH METALLIC DESK AND 2 SHELVES (TYPE REF. AT-12), CONNECTOR INCLUD	88,73	
GUI-ATV-07	ALUMINIUM CROWD CONTROL BARRIER WITH SAFETY STEP FOR SECURITY PERSONNEL, ALLOY:	1.450,99	1.
GUI-ATV-08	ALUMINIUM CROWD CONTROL GATE, ALLOY: EN AW-6082 T6	1.628,46	1.
GUI-ATV-09	ALUMINIUM CABLE ACCESS BARRIER, ALLOY: EN AW-6082 T6	458,79	
GUI-BANDS-ORCHESTRAS-CONSERVATORIES-CHOIRS	BANDS-ORCHESTRAS-CONSERVATORIES-CHOIRS	5.220,14	
GUI-BC-02	Adaptateur de type bac rectangulaire conçu pour les Chariots élévateurs ELC	170,41	
GUI-BC-TMD/3	Système de levage pour faciliter le levage de nos tours de soutien au sol en position verticale.	1.049,09	
GUI-BC-TMD/4	ACCESSORY TO SET UP OUR TMD-550 MODULAR TOWER USING AN ELECTRIC MOTOR	1.257,39	1.
GUI-BJ/TM-01	MULTIPURPOSE SHELF ADAPTOR FOR LAPTOPS ETC., AJUSTABLE DESIGN, CONNECTORS INCLUD	82,68	
GUI-BL-04	PADDED NYLON CARRYING BAG FOR FOUR MICROPHONE STANDS (COMPATIBLE WITH MIC STANDS	47,39	
GUI-BL-04/2	PADDED NYLON CARRYING BAG FOR 2 MICROPHONE STANDS (COMPATIBLE WITH MICROPHONE STANDS FROM OTHER BRANDS)	25,21	
GUI-BL/AT	NYLON CARRY BAG FOR FOLDING MUSIC STANDS	4,73	
GUI-BLC-01	REINFORCED CHAIN BAG WITH DOUBLE HANDLE	69,58	
GUI-BLC-03	PADDED NYLON CARRY BAG FOR TWO SPEAKER STANDS (COMPATIBLE WITH SPEAKER STANDS FR	46,38	
GUI-BLC-05	REINFORCED CHAIN BAG WITH DOUBLE HANDLE	105,88	
GUI-BP-01	HANGING DRUMSTICK & Mallet BAG (NYLON)	16,13	
GUI-BQ-01	Keyboard bench with high quality rectangular seat (double thickness + firmness)	68,57	
GUI-BQ-02	Reinforced extra large keyboard bench with high quality rectangular seat	85,71	
GUI-BQ-05	Ergonomic piano bench with pneumatic height adjustment. rectangular seat	269,23	
GUI-BR-02/H	FOLDING CROSSBAR FOR 6 OR 12 SPOTLIGHTS WITH A HOLE TO FIT ON TOWERS WITH A 35	99,83	
GUI-BR-09	CROSSBAR FOR 4 OR 8 SPOTLIGHTS FITTED	85,71	

Code	Naam	Catalogusprijs Uw ne	
		Inclusief BTW	Inclus
	WITH A Ø 35 mm SPIGOT		
GUI-BR-11	CROSSBAR FOR 4 OR 8 SPOTLIGHTS WITH A HOLE TO FIT ON TOWERS/STANDS WITH A 30	77,64	
GUI-BR-12	CROSSBAR FOR 6 OR 12 SPOTLIGHTS FOR TOWERS/STANDS WITH A Ø 35 mm SPIGOT	35,29	
	ENDING		
GUI-BTA-01	ALUMINIUM CHAIR AND WHEEL STOP TO FIX TO RECTANGULAR CHORAL RISERS, MADE IN ALUM	136,13	
GUI-BULL500	Auto brake winch. max. lifting capacity: 400 kg / max. pulling capacity: 1.700 k	712,39	
GUI-CB-01	Support de contrepoids pour lève-matériaux" Réf. CB-01 / Counterweight holder for Material Lifter" Ref. CB-01	186,54	
GUI-CCQ-3	Ø 3 m CIRCULAR TRUSS MADE UP OF 4 SEGMENTS OF 300 x 300 mm SQUARE TRUSS. NUT & BOLT SET INCLUDED	2.472,43	2
GUI-CP-01	Heavy-duty piano trolley	557,61	
GUI-CP-03	Heavy-duty piano transport trolley. tilting design (provided with 6 wheels)	898,43	
GUI-CP-04	Set of 3 leg holders with wheels to manoeuvre/transport grand pianos	464,84	
GUI-CQR/5	KIT OF 4 SWIVEL CASTORS WITH BRAKES & STEEL SOCKETS, FOR TM440, TM440XL & TM300	271,24	
GUI-CQR/6	KIT OF 4 SWIVEL CASTORS WITH BRAKES & STEEL SOCKETS, FOR TM442XL SUPERDECK DECKS	273,75	
GUI-CRO-02	TROLLEY FOR 15 MUSIC STANDS. FITTED WITH 5 WHEELS (MAXIMUM MANOEUVRABILITY). COMPATIBLE WITH MUSIC STANDS FROM OTHER BRANDS	569,92	
GUI-CRO-07	REINFORCED FRAME WITH WHEELS TO ATTACH TO THE BASE OF TM441 PLATFORMS	428,54	
GUI-CRO-09	TROLLEY/CART TO MANOEUVRE 1 STAGE PLATFORM (Ø 200 mm WHEELS)	509,21	
GUI-CRO-10	TROLLEY/CART WITH HANDRAIL TO TRANSPORT PLATFORMS, INCLUDES 4 Ø 200 mm CASTORS (781,46	
GUI-CRO-11	TROLLEY TO TRANSPORT AND STORE STAGE PLATFORMS (COMPACT DESIGN FOR DOORWAY ACCE	962,96	
GUI-CRO-12	TROLLEY TO TRANSPORT SAFETY RAILS. TURNS 360° ON A CENTRAL AXIS FOR EASY MANOEUVRABILITY. COMPACT DESIGN FOR DOORWAY ACCESS. COMES WITH 6 WHEELS: 2 STATIC & 4 SWIVELLING, 2 OF THEM WITH BRAKES	1.013,38	
GUI-CRO-14	transport trolley for 10 ergonomic orchestra chairs ref. sll-01 & sll-02. provid	650,38	
GUI-CRO-16	chair trolley to transport and store up to 6 ergonomic orchestra chairs ref. sll	528,37	
GUI-CRO-17	TRANSPORT TROLLEY FOR 10 ERGONOMIC ORCHESTRA CHAIRS REF. SLL-03. PROVIDED WITH 6 WHEELS (4 SWIVELLING, 2 OF WHICH HAVE A BRAKE) SPECIAL DESIGN FOR EASY MANOEUVRABILITY	650,38	
GUI-CS-02	CARBINE HOOK WITH SCREW-LOCK, SWL: 150 kg	9,08	
GUI-CS-03	CARBINE HOOK WITH SCREW-LOCK, SWL: 220 kg	9,08	
GUI-CS04	écrou à oeil CS-04 / SWL 230 Kg / M10	2,76	
GUI-CS05	écrou à oeil CS-05 / SWL 340 Kg / M12	3,20	
GUI-CS-06	SHACKLE, SWL: 2000 kg	19,16	
GUI-CS07	Anneau 1600 kg master link 1600 kg	35,29	
GUI-CS08	Triple anneau 2360 kg Triple master link 2360 kg	69,58	
GUI-CS09	CS-09 Crochet pivotant 2000 Kg / Swivel hook with bearing / WLL 2000 Kg	43,66	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclus
GUI-CS-10	BEAM / GIRDER CLAMP FOR A SAFE SUSPENSION OF HEAVY STRUCTURES, SWL: 2000 kg	160,33	
GUI-CT-01	support double basse avec adaptateur DOUBLE BASS STAND WITH ADAPTOR TO HOLD THE BOW	121,95	
GUI-CTO-05	CONTAINER/TROLLEY TO TRANSPORT AND STORE PLATFORMS (WHEELS NOT INCLUDED)	327,71	
GUI-CTO-ATV	CTO-ATV	327,71	
GUI-CTR-02	kit de 4 roulettes avec frein pour cto-02, cto-05 & cto-atv (200 mm) / set of 4 200 mm castors with brake for cto-05, cto-atv & cto-02 containers	0,00	
GUI-CTR-03	SET OF 4 NYLON SWIVEL CASTORS WITH BRAKES (200 mm) TO CONVERT THE CTO-ATV CONT	372,08	
GUI-CW-01/20	Contrepoids pour lève-matériaux" Réf. CW-01/20 / Counterweight for Material Lifter" Ref. CW-01/20	160,33	
GUI-DDO/TQN290-2	TWO-WAY ALUMINIUM BOX CORNER FOR TQN290 SQUARE TRUSS. COUPLING SYSTEM INCLUDED	404,34	
GUI-DDO/TQN290-3	THREE-WAY ALUMINIUM BOX CORNER FOR TQN290 SQUARE TRUSS (290 x 290 mm). COUPLING SYSTEM INCLUDED	440,64	
GUI-DDO/TQN290-4	FOUR-WAY ALUMINIUM BOX CORNER FOR TQN290 SQUARE TRUSS (290 x 290 mm). COUPLING SYSTEM INCLUDED	477,95	
GUI-DDO/TQN290-5	FIVE-WAY ALUMINIUM BOX CORNER FOR TQN290 SQUARE TRUSS (290 x 290 mm). COUPLING SYSTEM INCLUDED	514,25	
GUI-DDO/TQN290-6	SIX-WAY ALUMINIUM BOX CORNER FOR TQN290 SQUARE TRUSS (290 x 290 mm). COUPLING SYSTEM INCLUDED	550,55	
GUI-DDO/TQN400XL-2	TWO-WAY ALUMINIUM BOX CORNER FOR TQN400XL SQUARE TRUSS. COUPLING SYSTEM INCLUDED	439,63	
GUI-DDO/TQN400XL-3	THREE-WAY ALUMINIUM BOX CORNER FOR TQN400XL SQUARE TRUSS. COUPLING SYSTEM INCLUDED	475,93	
GUI-DDO/TQN400XL-4	FOUR-WAY ALUMINIUM BOX CORNER FOR TQN400XL SQUARE TRUSS (400 x 400 mm). THICKNESS: 3 mm. COUPLING SYSTEM INCLUDED	513,24	
GUI-DDO/TQN400XL-5	FIVE-WAY ALUMINIUM BOX CORNER FOR TQN400XL SQUARE TRUSS (400 x 400 mm). THICKNESS: 3 mm. COUPLING SYSTEM INCLUDED	549,54	
GUI-DDO/TQN400XL-6	SIX-WAY ALUMINIUM BOX CORNER FOR TQN400XL SQUARE TRUSS (400 x 400 mm). THICKNESS: 3 mm. COUPLING SYSTEM INCLUDED	585,84	
GUI-ECD20	modular aluminium step with 4 fixed height legs. for stages of 400 mm high. conn	183,52	
GUI-ECD20-40	2-step modular aluminium stair each step with 4 fixed height legs. for stages of	350,90	
GUI-ECD20-60	3-step modular aluminium stair each step with 4 fixed height legs. for stages of	525,34	
GUI-ECD20-80	4-step modular aluminium stair each step with 4 fixed height legs. for stages of	700,79	
GUI-ECP-04	escalier ajustable (4 marches) pour praticables de 70 à 130 cm de hauteur. fournir avec deux rampes d'accès et connecteurs / adjustable stair (4 steps) for stages with heights from 70 to 130 cm. two handrails and connectors included	825,83	
GUI-ECP-06	escalier ajustable (6 marches) pour praticables de 90 à 180 cm de hauteur. fournir avec deux rampes d'accès et connecteurs / adjustable stair (6 steps) for stages with heights from 90 to 180 cm. two handrails and connectors included	1.103,62	
GUI-ECP-4	ADJUSTABLE ALUMINIUM STAIR (4 STEPS), FOR STAGES OF FROM 700 mm TO 1300 mm, TWO	895,40	
GUI-ECP-6	ADJUSTABLE ALUMINIUM STAIR (6 STEPS), FOR	1.317,89	1.

Code	Naam	Catalogusprijs	
		Inclusief BTW	Inclusief
GUI-ECT20	STAGES OF FROM 900 mm TO 1800 mm, TWO ALUMINIUM MODULAR STEP (WITH 3 FIXED HEIGHT LEGS & 1 LEG WITH LEVELLER), FOR STA	513,24	
GUI-ECT20-100	5-STEP ALUMINIUM MODULAR STAIR (EACH STEP WITH 3 FIXED HEIGHT LEGS & 1 LEG WITH	2.802,16	2
GUI-ECT20-40	2-STEP ALUMINIUM MODULAR STAIR (EACH STEP WITH 3 FIXED HEIGHT LEGS & 1 LEG WITH	1.098,08	
GUI-ECT20-60	3-STEP ALUMINIUM MODULAR STAIR (EACH STEP WITH 3 FIXED HEIGHT LEGS & 1 LEG WITH	1.678,88	1.
GUI-ECT20-80	4-STEP ALUMINIUM MODULAR STAIR (EACH STEP WITH 3 FIXED HEIGHT LEGS & 1 LEG WITH	2.263,71	1.
GUI-ELC-630/R	ped éleveur noir / elevator foot black hauteur max. / max. height : 4,56 m charge max. / max. load : 125 kg	0,00	
GUI-ELC-640	MAXIMUM HEIGHT: 5.20 m	2.613,60	2
GUI-ELC-700	TELESCOPIC LIFTING TOWER, MAXIMUM HEIGHT: 3,30 m / MAXIMUM LOAD: 85 kg / FOLDED	388,21	
GUI-ELC-710	TELESCOPIC LIFTING TOWER, MAXIMUM HEIGHT: 4,00 m / MAXIMUM LOAD: 100 kg / FOLDED	575,33	
GUI-ELC-720	MAXIMUM HEIGHT: 3.50 m	745,16	
GUI-ELC-730	Guil ELC-730 - MAXIMUM HEIGHT: 4.50 m	1.169,82	
GUI-ELC-730/R	TELESCOPIC LIFTING TOWER FITTED WITH LEGS WITH WHEELS. MAX. HEIGHT: 4,56 m / MAX. LOAD: 125 kg / STOWED HEIGHT: 1,45 m	1.195,88	1.
GUI-ELC-735	MAXIMUM HEIGHT: 5 m	1.312,85	1.
GUI-ELC-740	TELESCOPIC LIFTING TOWER, MAXIMUM HEIGHT: 5,10 m / MAXIMUM LOAD: 150 kg / FOLDED	1.279,58	1.
GUI-ELC-750	TELESCOPIC LIFTING TOWER, MAXIMUM HEIGHT: 4,50 m / MAXIMUM LOAD: 150 kg / FOLDED	1.360,24	1.
GUI-ELC-760	TELESCOPIC LIFTING TOWER, MAXIMUM HEIGHT: 5,40 m / MAXIMUM LOAD: 180 kg / FOLDED	1.749,46	1.
GUI-ELC-770	TELESCOPIC LIFTING TOWER, MAXIMUM HEIGHT: 5,20 m / MAXIMUM LOAD: 250 kg / FOLDED	2.146,74	1.
GUI-ELC-780	TELESCOPIC LIFTING TOWER, MAXIMUM HEIGHT: 5,20 m / MAXIMUM LOAD: 280 kg / FOLDED	2.495,63	1.
GUI-ESL-03	HEAVY-DUTY 100% POLYESTER FLAT SLING, LENGTH: 2000 mm, SWL: 1,000 kg	20,17	
GUI-ESL-04	HEAVY-DUTY 100% POLYESTER, FLAT, ENDLESS SLING, LENGTH: 2000 mm, SWL: 1,000 kg	19,16	
GUI-ESL-06/5000	HEAVY-DUTY RATCHET TIE-DOWN 50mm WIDE 100% POLYESTER STRAPPING, LENGTH: 20 m (2+	99,83	
GUI-ESL-14	HEAVY-DUTY ROUND 100% POLYESTER, FLAT, ENDLESS SLING, LENGTH: 2500 mm, SWL: 1,00	26,22	
GUI-ESL15	Elingue forte charge 100% polyester noire longueur : 2000 mm charge : 1000 kg Heavy duty 100% polyester flat sling black length : 2000 mm max load : 1000 kg	21,68	
GUI-ESL16	c,ble acier galvanisé recouvert de polythène transparent 8 mm longueur : 1500 mm charge : 1000 kg steel sling covered with transparent polythene. wire : 8 mm length : 1500 mm max load : 1000 kg	35,29	
GUI-ESL-17	STAINLESS STEEL SLING COVERED WITH TRANSPARENT POLYTHENE WITH CARBINE HOOK (WITH	5,04	
GUI-ESL-18	STAINLESS STEEL SLING COVERED WITH TRANSPARENT POLYTHENE WITH CARBINE HOOK (WITH	9,08	
GUI-ESL-19	STEEL SLING COVERED WITH TRANSPARENT POLYTHENE AND DOUBLE LOOP CLAMPS AT EACH EN	45,38	
GUI-FC-01	PARCAN FLOOR PLATE WITH ADAPTOR FOR A SPOTLIGHT (Ø 30 cm INJECTION MOULDED RUBB	49,41	
GUI-FC-02	TELESCOPIC STUDIO SPOTLIGHT TOWER WITH ADT-26 MULTI-HEAD ADAPTOR, MAXIMUM HEIGHT	448,71	
GUI-FC-02/R	TELESCOPIC STUDIO SPOTLIGHT TOWER WITH	529,38	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclusief
GUI-FC-03	WHEELS & ADT-26 MULTI-HEAD ADAPTOR, MAXIM TELESCOPIC STUDIO SPOTLIGHT TOWER WITH ADT-26 MULTI-HEAD ADAPTOR, MAXIMUM HEIGHT	559,63	
GUI-FC-03/R	HEAVY-DUTY TELESCOPIC SPOTLIGHT COMBO STAND REF, FC-03 WITH WHEELS REF, FC/R, MA	640,29	
GUI-FC-04	TELESCOPIC LIGHTING STAND WITH INDEPENDENTLY ADJUSTABLE LEGS, ADT-26 MULTI-HEAD	233,93	
GUI-FC-05	PARCAN FLOOR PLATE WITH ADAPTOR FOR A SPOTLIGHT (Ø 13 cm STEEL BASE)	21,18	
GUI-FCA-01	ALUMINIUM CROSSBAR TO FIT 2 SPOTLIGHTS ON AN FC-01 PARCAN FLOOR PLATE	35,29	
GUI-FCA-02	ALUMINIUM CROSSBAR TO FIT 4 SPOTLIGHTS ON AN FC-01 PARCAN FLOOR PLATE	45,38	
GUI-FCA-04	MOUNTING ADAPTOR TO FIT A SPOTLIGHT OR FOLLOWSPOT ONTO STANDS WITH A 35 mm Ø TOP	61,51	
GUI-FCA-05	MOUNTING ADAPTOR TO FIT A SPOTLIGHT OR FOLLOWSPOT ONTO STANDS WITH A 30 mm TOP	62,52	
GUI-FCA-06	LIGHTING ADAPTOR TO FIT A SPOTLIGHT ONTO STANDS WITH A Ø 35 mm SPIGOT ENDING	57,48	
GUI-FC/R	SET OF 3 ADAPTORS WITH WHEELS FOR: PM-27 MIC, STAND; FC-02 & FC-03 STANDS; TF-06	118,98	
GUI-FG-03	BASSOON PERFORMANCE STAND. BASSOON CAN BE PLAYED WHILST ON THE STAND	154,28	
GUI-FL-01	FLUTE, TRUMPET OR CLARINET STAND (3-LEGGED FOLDING BASE)	50,42	
GUI-FL-02	FLUTE, TRUMPET OR CLARINET STAND (ROUND METALLIC BASE)	34,28	
GUI-FL-08	OBOE STAND (ROUND METALLIC BASE)	35,29	
GUI-FL-09	FLUGELHORN STAND (ROUND METALLIC BASE)	42,35	
GUI-FLD-01	ADAPTOR TO FIX WOODEN OR FABRIC SKIRTING TO OUR RISERS, SECURED USING A METALLIC	8,07	
GUI-FLD-01/N	ADAPTOR TO FIX WOODEN OR FABRIC SKIRTING TO OUR RISERS, SECURED USING A METALLIC	9,08	
GUI-FLD-02	ADAPTOR TO FIX WOODEN OR FABRIC SKIRTING TO OUR RISERS, SECURED USING AN ACORN N	8,07	
GUI-GF-01	HOOK CLAMP WITH PROTECTIVE PLATE, FITS 30-50 mm DIAMETER TUBES	9,08	
GUI-GF-03	HEAVY-DUTY HOOK CLAMP WITH PROTECTIVE PLATE, FITS 30-60 mm DIAMETER TUBES	15,13	
GUI-GF-06	ALUMINIUM HOOK CLAMP FOR THEATRES OR TELEVISION STUDIOS, FITS 28-50 ROUND OR S	13,11	
GUI-GF07	crochets acier pour support de cable charge max : 50 kg hook clamp for hanging cables (three hook design) max load : 50 kg	50,27	
GUI-GF-08/S	HOOK CLAMP WITH PROTECTIVE PLATE, FITS 20-35 mm TUBES, WLL: 75 KG	8,07	
GUI-GN-01	STAND FOR MULTIPLE GONGS WITH ALUMINIUM COUPLERS AND SWIVEL CASTORS, 2 WITH BRAKES. HEIGHT ADJUSTABLE	1.093,03	
GUI-GN-150	MOBILE GONG STAND (INTERNAL DIAMETER: 150 cm) WITH SWIVEL CASTORS, 2 WITH BRAKES. HEIGHT ADJUSTABLE	620,13	
GUI-GN-80	MOBILE GONG STAND (INTERNAL DIAMETER: 80 cm) WITH SWIVEL CASTORS, 2 WITH BRAKES. HEIGHT ADJUSTABLE	557,61	
GUI-GR-2/1,5X0,5	150 x 50 cm RECTANGULAR MODULE TO MAKE CHORAL RISERS. INCLUDES CONNECTORS: TMU-01 & TMU-02 (LEGS NOT INCLUDED)	495,09	
GUI-GR-2/2X0,5	200 x 50 cm RECTANGULAR MODULE TO MAKE CHORAL RISERS. INCLUDES CONNECTORS: TMU-01 & TMU-02 (LEGS NOT INCLUDED)	524,33	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclusief
GUI-GRT-2	TRAPEZIUM SHAPED MODULE TO MAKE CHORAL RISERS 124.5 x 50 x 107 cm. INCLUDES CONNECTORS: TMU-01 & TMU-02 (LEGS NOT INCLUDED)	713,90	
GUI-GT-04	ELECTRIC / BASS GUITAR STAND	20,17	
GUI-GT-10	GUITAR WALL HANGER. DOUBLE ARTICULATION (LEFT + RIGHT) LONG DESIGN	6,30	
GUI-GT-10/M	ARTICULATED GUITAR WALL HANGER (LEFT + RIGHT). MINI DESIGN	12,10	
GUI-GT-10/R	GRIDWALL GUITAR HANGER	23,39	
GUI-GT-11	DOUBLE GUITAR STAND. HEIGHT ADJUSTABLE	53,44	
GUI-GT-12	TRIPLE GUITAR STAND. HEIGHT ADJUSTABLE	61,51	
GUI-GT-13	support premium pour guitar classique PERFORMANCE STAND FOR CLASSICAL GUITARS. THE INSTRUMENT CAN BE PLAYED WHILST ON THE STAND	219,79	
GUI-GT-23	MULTI-PURPOSE STAND FOR GUITAR OR BASS GUITAR. HEIGHT ADJUSTABLE. FOLDING BASE	37,31	
GUI-GT-24	GUITAR OR BASS GUITAR STAND WITH VELVETY CARRY BAG. ADJUSTABLE AND FOLDING DESIGN	25,21	
GUI-JR-05	TELESCOPIC BOOM ARM WITH DOUBLE THREAD FITTINGS (3/8" & 5/8")	17,14	
GUI-LP-01	MUSIC STAND LAMP WITH 4 ARTICULATED SECTIONS (LIGHT BULB NOT INCLUDED)	34,28	
GUI-LTA-06	MOUNTING ADAPTOR FOR SPEAKER STANDS WITH A Ø 35 mm TUBE	11,09	
GUI-LTA-07	SPEAKER MOUNTING ADAPTOR	8,07	
GUI-LTA-08	TELESCOPIC ADAPTOR FOR 2 SPEAKERS, FITTED WITH A Ø 35 mm SPIGOT	96,80	
GUI-LTA-10	TILTING SPEAKER ADAPTOR (WIDE RANGE OF TILT ADJUSTMENT) FOR SPEAKER STANDS WITH	126,04	
GUI-LTA-11	TILTING SPEAKER ADAPTOR (WIDE RANGE OF TILT ADJUSTMENT) FITTED WITH A 35 mm SP	126,04	
GUI-MC-50/1X1	1 x 1 m ALUMINIUM FRAME, MADE WITH Ø 50 x 2,5 mm TUBING	224,86	
GUI-MC-50/2X1	2 x 1 m ALUMINIUM FRAME, MADE WITH Ø 50 x 2,5 mm TUBING	302,50	
GUI-MDJ-1	1500 x 650 mm DJ & SOUND ENGINEER TABLE WITH 3 CABLE ACCESS HOLES, (LEGS NOT INC	589,88	
GUI-MDJ-2	2000 x 650 mm DJ & SOUND ENGINEER TABLE WITH 3 CABLE ACCESS HOLES, (LEGS NOT INC	624,16	
GUI-MN/TM-01	STAND FOR MONITOR SPEAKERS, CONNECTOR INCLUDED	50,42	
GUI-MP-03	120 x 80 cm TRANSPARENT PROTECTIVE PARTITION SCREEN (3 mm THICK). 2 POSITIONS (HORIZONTAL & VERTICAL). HEIGHT ADJUSTABLE AND SWIVELLING. MAXIMUM STABILITY & DURABILITY. DETACHABLE DESIGN	257,13	
GUI-MX-431	SUPPORT TABLE DE MIXAGE AVEC ROULETTES. DIMENSIONS : 130 cm (profondeur) x 97 cm (largeur) x 78 cm (hauteur)	534,92	
GUI-MX-434	MX-434 Support de mixage de base type "H".	79,66	
GUI-MX-435	HEAVY-DUTY X-STYLE MIXER STAND WITH DOUBLE-BRACED DESIGN, METALLIC STRIP HEIGHT-	146,21	
GUI-MX-437	EASY-TILT MIXER STAND WITH WHEELS, MEASUREMENTS: 90 cm (DEEP) x 95 cm (WIDE) x 7	620,13	
GUI-PM-05	MICROPHONE STAND WITH CIRCULAR INJECTION MOULDED RUBBER BASE WITH METALLIC CORE,	45,38	
GUI-PM-12XL	VERSATILE MIC, STAND WITH 3 REINFORCED TUBES & TELESCOPIC BOOM ARM (DOUBLE THREA	73,61	
GUI-PM-19	HANGING MICROPHONE STAND WITH DOUBLE	37,31	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclus
GUI-PM-20	THREAD FITTINGS 3/8" & 5/8" (TELESCOPIC BOO HEAVY-DUTY MICROPHONE STAND WITH TELESCOPIC BOOM ARM, DOUBLE THREAD FITTINGS (3/	69,58	
GUI-PM-21	REINFORCED LOW-LEVEL MIC, STAND WITH TELESCOPIC BOOM ARM, DOUBLE THREAD FITTINGS	63,53	
GUI-PM-22	MICROPHONE STAND WITH BOOM ARM, DOUBLE THREAD FITTINGS (3/8" & 5/8") METALLIC BL	54,45	
GUI-PM-25	HEAVY-DUTY MICROPHONE STAND WITH DOUBLE THREAD FITTINGS 3/8" & 5/8", METALLIC BA	52,43	
GUI-PM-27	Pied micro XL en acier et aluminium pour enregistrement et la scène XL STEEL & ALUMINIUM RECORDING STUDIO & STAGE MICROPHONE STAND WITH TELESCOPIC BOOM ARM (INCLUDES COUNTERWEIGHT)	185,41	
GUI-PM-28	ADJUSTABLE TABLE-TOP MICROPHONE STAND (CLAMP NOT INCLUDED)	30,25	
GUI-PM-32	HEAVY-DUTY MICROPHONE STAND WITH TELESCOPIC BOOM ARM. CHROME WITH DOUBLE THREAD FITTINGS 3/8" & 5/8". METALLIC BASE & BLOCKING SYSTEM. INCLUDES CABLE CLIP	56,47	
GUI-PM-40	HEAVY-DUTY MICROPHONE STAND WITH DOUBLE THREAD FITTINGS 3/8" & 5/8". ROUND BASE. ONE-HANDED HEIGHT ADJUSTMENT. METALLIC BASE. INCLUDES CABLE CLIP	60,50	
GUI-PM-40/J	HEAVY-DUTY MICROPHONE STAND WITH TELESCOPIC BOOM ARM. DOUBLE THREAD FITTINGS 3/8" & 5/8". ROUND BASE. ONE-HANDED HEIGHT ADJUSTMENT. METALLIC BASE. INCLUDES CABLE CLIP	75,63	
GUI-PM-46	HEAVY-DUTY MICROPHONE STAND WITH TELESCOPIC BOOM ARM, DOUBLE THREAD FITTINGS (3/	70,58	
GUI-PM-47	HEAVY-DUTY MICROPHONE STAND WITH DOUBLE THREAD FITTINGS 3/8" & 5/8". ONE-HANDED HEIGHT ADJUSTMENT. METALLIC BASE. INCLUDES CABLE CLIP	49,41	
GUI-PM/TM-01	MICROPHONE STAND WITH BOOM ARM (TYPE REF, PM-20), CONNECTOR INCLUDED	84,70	
GUI-PM/TM-02	MINI MICROPHONE STAND WITH BOOM ARM, CONNECTOR INCLUDED	81,68	
GUI-POLI/3	MANUAL CHAIN HOIST WITH A MAXIMUM LIFTING CAPACITY OF 1,000 kg, LOAD CHAIN: 6 m	321,66	
GUI-POLI/4	MANUAL CHAIN HOIST WITH A MAXIMUM LIFTING CAPACITY OF 2,000 kg, LOAD CHAIN: 6 m	432,58	
GUI-POLI/5	palan à chaine chaine de charge : 6 chaine de manoeuvre : 7 m chain hoist load chain : 6 m hand chain : 7 m	1.007,33	
GUI-PRL-01	barre d'extension de 50 cm pour ELC 610 ou pieds diamètre 35 mm	126,04	
GUI-PRL-02	barre d'extension de 50 cm pour tours de levage Réf. ELC-720, ELC-730 et ELC-750	111,66	
GUI-PST-11	STAINLESS STEEL BARRIER POST WITH 3 METRE LONG RETRACTABLE BELT (RED)	136,13	
GUI-PST-11/N	STAINLESS STEEL BARRIER POST WITH 3 METRE LONG RETRACTABLE BELT (BLACK)	136,13	
GUI-PST-41	STAINLESS STEEL BARRIER POST WITH 4-WAY COUPLING FOR ROPE OR PUBLICITY BANNERS	126,04	
GUI-PST-A4V	écriteau - format A4 (portrait) stainless steel A4 sign holder adaptor	79,02	
GUI-PST-A4V/2	STAINLESS STEEL A4 SIGN HOLDER ADAPTOR (PORTRAIT) EXTERNAL DIMENSIONS: 247 x 330	92,77	
GUI-PST-CB/1	BARRIER HEAD WITH 3 m RED RETRACTABLE	38,32	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclusief
GUI-PST-CB/2	BELT TO FIT ON OUR BARRIER POSTS BARRIER HEAD WITH 3 m BLACK RETRACTABLE BELT TO FIT ON OUR BARRIER POSTS	38,32	
GUI-PST-CB/M	HEAD WITH 4-WAY COUPLING FOR ROPE OR PUBLICITY BANNERS, TO BE USED WITH OUR BARR	29,24	
GUI-PST-CB/P	RETRACTABLE BELT WALL-MOUNT (3m, RED), INCLUDES WALL CONNECTOR AND SCREWS	59,49	
GUI-PST-CB/PL	RETRACTABLE BELT WALL CONNECTOR (SCREW SET INCLUDED)	15,13	
GUI-PST-CB/PN	PST-CB/PN	70,65	
GUI-PST-CT1	1,5 m PLAITED RED ROPE WITH CHROMED SPRING CARBINE HOOKS	59,49	
GUI-PST-CT2	1,5 m PLAITED BLACK ROPE WITH CHROMED SPRING CARBINE HOOKS	59,49	
GUI-PST-P/1	KIT TO HANG PUBLICITY BANNERS ON PST-41 BARRIER POSTS (Includes 2 chromed sprin	59,49	
GUI-PST-P/15	KIT TO HANG PUBLICITY BANNERS ON PST-41 BARRIER POSTS (Includes 2 chromed sprin	79,66	
GUI-PST-P/2	KIT TO HANG PUBLICITY BANNERS ON PST-41 BARRIER POSTS (Includes 2 chromed sprin	99,83	
GUI-PTA4-F/60	Pied fixe pour TM440s avec caoutchouc anti-dérapant fixed leg for tm440s with heavy duty rubber stoppers	14,46	
GUI-PTA4-N/60	pied pour tm440s avec silent bloc ajustable de 5 cm leg for tm440s with silent block can be adjusted by 5 cmHauteur 60 cm	33,39	
GUI-PTA5-D/100-180	50 x 50 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 1000	86,72	
GUI-PTA5-D/110-200	50 x 50 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 1100	92,77	
GUI-PTA5-D/30-40	50 x 50 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 300 T	54,45	
GUI-PTA5-D/40-60	50 x 50 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 400 T	59,49	
GUI-PTA5-D/50-80	50 x 50 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 500 T	65,54	
GUI-PTA5-D/60-100	50 x 50 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 600 T	68,57	
GUI-PTA5-D/70-120	50 x 50 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 700 T	72,60	
GUI-PTA5-D/80-140	50 x 50 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 800 T	78,65	
GUI-PTA5-D/90-160	50 x 50 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 900 T	80,67	
GUI-PTA5-F/10	50 x 50 mm FIXED HEIGHT LEG FOR A CHORAL MODULE HEIGHT OF 10 cm	20,17	
GUI-PTA5-F/100	50 x 50 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 1000 mm	32,27	
GUI-PTA5-F/120	50 x 50 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 1200 mm	35,29	
GUI-PTA5-F/140	50 x 50 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 1400 mm	39,33	
GUI-PTA5-F/20	50 x 50 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 200 mm	19,16	
GUI-PTA5-F/40	50 x 50 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 400 mm	25,21	
GUI-PTA5-F/60	50 x 50 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 600 mm	25,21	
GUI-PTA5-F/80	50 x 50 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 800 mm	29,24	
GUI-PTA5-N/100	50 x 50 mm FIXED HEIGHT LEG WITH LEVELLER FOR A PLATFORM HEIGHT OF 1000 mm (+ 50	52,43	
GUI-PTA5-N/120	50 x 50 mm FIXED HEIGHT LEG WITH LEVELLER	55,46	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclus
GUI-PTA5-N/140	FOR A PLATFORM HEIGHT OF 1200 mm (+ 50 50 x 50 mm FIXED HEIGHT LEG WITH LEVELLER	58,48	
GUI-PTA5-N/15	FOR A PLATFORM HEIGHT OF 1400 mm (+ 50 50 x 50 mm FIXED HEIGHT LEG WITH LEVELLER	35,29	
GUI-PTA5-N/20	TO MAKE FLOORING WITH THE TM440 & TM30 50 x 50 mm FIXED HEIGHT LEG WITH LEVELLER	39,33	
GUI-PTA5-N/40	FOR A PLATFORM HEIGHT OF 200 mm (+ 50 50 x 50 mm FIXED HEIGHT LEG WITH LEVELLER	39,33	
GUI-PTA5-N/60	FOR A PLATFORM HEIGHT OF 400 mm (+ 50 50 x 50 mm FIXED HEIGHT LEG WITH LEVELLER	44,37	
GUI-PTA5-N/80	FOR A PLATFORM HEIGHT OF 600 mm (+ 50 50 x 50 mm FIXED HEIGHT LEG WITH LEVELLER	49,41	
GUI-PTA5-P	FOR A PLATFORM HEIGHT OF 800 mm (+ 50 pied télescopique pour TM 440 & TM 440 XL avec reglage millimétrique anti-dérapant telescopic leg for TM 440 & TM 440 XL with stainless leveller9 hauteurs disponibles	54,79	
GUI-PTA5-P/100-180	50 x 50 mm TELESCOPIC LEG WITH LOCKING PIN AND LEVELLER TO ADJUST THE PLATFORM H	97,81	
GUI-PTA5-P/30-40	50 x 50 mm TELESCOPIC LEG WITH LOCKING PIN AND LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 30 TO 40 cm	65,54	
GUI-PTA5-P/40-60	50 x 50 mm TELESCOPIC LEG WITH LOCKING PIN AND LEVELLER TO ADJUST THE PLATFORM H	70,58	
GUI-PTA5-P/50-80	50 x 50 mm TELESCOPIC LEG WITH LOCKING PIN AND LEVELLER TO ADJUST THE PLATFORM H	76,63	
GUI-PTA5-P/60-100	50 x 50 mm TELESCOPIC LEG WITH LOCKING PIN AND LEVELLER TO ADJUST THE PLATFORM H	79,66	
GUI-PTA5-P/70-120	50 x 50 mm TELESCOPIC LEG WITH LOCKING PIN AND LEVELLER TO ADJUST THE PLATFORM H	83,69	
GUI-PTA5-P/80-140	50 x 50 mm TELESCOPIC LEG WITH LOCKING PIN AND LEVELLER TO ADJUST THE PLATFORM H	87,73	
GUI-PTA5-P/90-160	50 x 50 mm TELESCOPIC LEG WITH LOCKING PIN AND LEVELLER TO ADJUST THE PLATFORM H	91,76	
GUI-PTA5-T/100-180	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 1000 TO 1800 mm, 1	82,68	
GUI-PTA5-T/110-200	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 1100 TO 2000 mm, 1	88,73	
GUI-PTA5-T/20-25	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 200 TO 250 mm	49,41	
GUI-PTA5-T/25-30	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 250 TO 300 mm	49,41	
GUI-PTA5-T/30-40	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 300 TO 400 mm	51,43	
GUI-PTA5-T/40-60	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 400 TO 600 mm	56,47	
GUI-PTA5-T/50-80	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 500 TO 800 mm	61,51	
GUI-PTA5-T/60-100	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 600 TO 1000 mm	64,53	
GUI-PTA5-T/70-120	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 700 TO 1200 mm, 1 T	68,57	
GUI-PTA5-T/80-140	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 800 TO 1400 mm, 1 T	72,60	
GUI-PTA5-T/90-160	50 x 50 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 900 TO 1600 mm, 1 T	76,63	
GUI-PTA6-D/100-180	60 x 60 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 1000	89,74	
GUI-PTA6-D/110-200	60 x 60 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 1100	95,79	
GUI-PTA6-D/30-40	60 x 60 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 300 T	56,47	
GUI-PTA6-D/40-60	60 x 60 mm TELESCOPIC LEG WITH LEVELLER TO	61,51	

Code	Naam	Catalogusprijs Uw ne	
		Inclusief BTW	Inclus
GUI-PTA6-D/50-80	ADJUST THE PLATFORM HEIGHT FROM 400 T 60 x 60 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 500 T	67,56	
GUI-PTA6-D/60-100	60 x 60 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 600 T	70,58	
GUI-PTA6-D/70-120	60 x 60 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 700 T	74,62	
GUI-PTA6-D/80-140	60 x 60 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 800 T	80,67	
GUI-PTA6-D/90-160	60 x 60 mm TELESCOPIC LEG WITH LEVELLER TO ADJUST THE PLATFORM HEIGHT FROM 900 T	83,69	
GUI-PTA6-F/10	60 x 60 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 10 cm	20,17	
GUI-PTA6-F/100	60 x 60 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 1000 mm	35,29	
GUI-PTA6-F/120	60 x 60 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 1200 mm	38,32	
GUI-PTA6-F/140	60 x 60 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 1400 mm	41,34	
GUI-PTA6-F/20	60 x 60 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 200 mm	19,16	
GUI-PTA6-F/40	60 x 60 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 400 mm	21,18	
GUI-PTA6-F/60	60 x 60 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 600 mm	25,21	
GUI-PTA6-F/80	60 x 60 mm FIXED HEIGHT LEG FOR A PLATFORM HEIGHT OF 800 mm	31,26	
GUI-PTA6-N/100	60 x 60 mm FIXED HEIGHT LEG WITH LEVELLER FOR A PLATFORM HEIGHT OF 1000 mm (+ 50	55,46	
GUI-PTA6-N/120	60 x 60 mm FIXED HEIGHT LEG WITH LEVELLER FOR A PLATFORM HEIGHT OF 1200 mm (+ 50	59,49	
GUI-PTA6-N/140	60 x 60 mm FIXED HEIGHT LEG WITH LEVELLER FOR A PLATFORM HEIGHT OF 1400 mm (+ 50	62,52	
GUI-PTA6-N/20	60 x 60 mm FIXED HEIGHT LEG WITH LEVELLER FOR A PLATFORM HEIGHT OF 200 mm (+ 50	39,33	
GUI-PTA6-N/40	60 x 60 mm FIXED HEIGHT LEG WITH LEVELLER FOR A PLATFORM HEIGHT OF 400 mm (+ 50	42,35	
GUI-PTA6-N/60	60 x 60 mm FIXED HEIGHT LEG WITH LEVELLER FOR A PLATFORM HEIGHT OF 600 mm (+ 50	47,39	
GUI-PTA6-N/80	60 x 60 mm FIXED HEIGHT LEG WITH LEVELLER FOR A PLATFORM HEIGHT OF 800 mm (+ 50	52,43	
GUI-PTA6-P/100-180	60 x 60 mm TELESCOPIC LEG WITH LOCKING PIN & LEVELLER TO ADJUST THE PLATFORM HEI	99,83	
GUI-PTA6-P/30-40	60 x 60 mm TELESCOPIC LEG WITH LOCKING PIN & LEVELLER TO ADJUST THE PLATFORM HEI	72,95	
GUI-PTA6-P/40-60	60 x 60 mm TELESCOPIC LEG WITH LOCKING PIN & LEVELLER TO ADJUST THE PLATFORM HEI	72,60	
GUI-PTA6-P/50-80	60 x 60 mm TELESCOPIC LEG WITH LOCKING PIN & LEVELLER TO ADJUST THE PLATFORM HEI	77,64	
GUI-PTA6-P/60-100	60 x 60 mm TELESCOPIC LEG WITH LOCKING PIN & LEVELLER TO ADJUST THE PLATFORM HEI	81,68	
GUI-PTA6-P/70-120	60 x 60 mm TELESCOPIC LEG WITH LOCKING PIN & LEVELLER TO ADJUST THE PLATFORM HEI	85,71	
GUI-PTA6-P/80-140	60 x 60 mm TELESCOPIC LEG WITH LOCKING PIN & LEVELLER TO ADJUST THE PLATFORM HEI	89,74	
GUI-PTA6-P/90-160	60 x 60 mm TELESCOPIC LEG WITH LOCKING PIN & LEVELLER TO ADJUST THE PLATFORM HEI	94,78	
GUI-PTA6-T/100-180	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 1000 TO 1800 mm, 1	85,71	
GUI-PTA6-T/110-200	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 1100 TO 2000 mm, 1	91,76	
GUI-PTA6-T/20-25	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 200 TO 250 mm	49,41	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclusief
GUI-PTA6-T/25-30	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 250 TO 300 mm	50,42	
GUI-PTA6-T/30-40	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 300 TO 400 mm	52,43	
GUI-PTA6-T/40-60	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 400 TO 600 mm	57,48	
GUI-PTA6-T/50-80	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 500 TO 800 mm	63,53	
GUI-PTA6-T/60-100	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 600 TO 1000 mm	66,55	
GUI-PTA6-T/70-120	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 700 TO 1200 mm, 1 T	70,58	
GUI-PTA6-T/80-140	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 800 TO 1400 mm, 1 T	74,62	
GUI-PTA6-T/90-160	60 x 60 mm TELESCOPIC LEG TO ADJUST THE PLATFORM HEIGHT FROM 900 TO 1600 mm, 1 T	79,66	
GUI-PTR-01/B	Plateau multi-usages pour PTR01 / multi-purpose tray to use with mobile screen stand	47,95	
GUI-PTR-01XL	HEAVY-DUTY MOBILE STAND FOR TV SCREENS (ADJUSTABLE FROM 32" TO 55") WITH STAINLESS STEEL MAST WITH CABLE HOLES. ASSEMBLY KIT INCLUDED	560,63	
GUI-PTR-01XL/N	HEAVY-DUTY MOBILE STAND FOR TV SCREENS (ADJUSTABLE FROM 32" TO 55") WITH STAINLESS STEEL MAST WITH CABLE HOLES. BLACK FINISH. ASSEMBLY KIT INCLUDED	620,13	
GUI-PTR-06	ARTICULATED WALL MOUNT FOR TELEVISION SCREENS (ASSEMBLY KIT INCLUDED)	19,16	
GUI-PTR-08	HEAVY-DUTY MOBILE STAND FOR TV SCREENS (ADJUSTABLE FROM 32" TO 65") WITH TWO STAINLESS STEEL MASTS WITH CABLE HOLES. ASSEMBLY KIT & 1 PTR-08/B SHELF INCLUDED	762,30	
GUI-PTR-08/2C	HEAVY-DUTY MOBILE STAND FOR TWO TV SCREENS (ADJUSTABLE FROM 32" TO 65") WITH TWO STAINLESS STEEL MASTS WITH CABLE HOLES. ASSEMBLY KIT & 1 PTR-08/B SHELF INCLUDED	979,09	
GUI-PTR-08/2C/N	HEAVY-DUTY MOBILE STAND FOR TWO TV SCREENS (ADJUSTABLE FROM 32" TO 65") WITH TWO	1.075,89	
GUI-PTR-08/B	MULTI-PURPOSE TRAY TO USE WITH MOBILE SCREEN STAND REF, PTR-08	69,58	
GUI-PTR-08G	HEAVY-DUTY MOBILE STAND FOR TV SCREENS (ADJUSTABLE UP TO 80") WITH TWO STAINLESS STEEL MASTS WITH CABLE HOLES. ASSEMBLY KIT & 1 PTR-08/B SHELF INCLUDED	857,08	
GUI-PTR-08G/N	HEAVY-DUTY MOBILE STAND FOR TV SCREENS (ADJUSTABLE UP TO 80") WITH TWO STAINLESS	806,48	
GUI-PTR-08/N	HEAVY-DUTY MOBILE STAND FOR TV SCREENS (ADJUSTABLE FROM 32" TO 65") WITH TWO STA	916,58	
GUI-PTR-13	WALL MOUNT FOR 60" SCREENS (ASSEMBLY KIT INCLUDED)	44,37	
GUI-PTR-14	CEILING AND WALL MOUNT FOR VIDEO PROJECTORS, ALL NECESSARY HARDWARE INCLUDED	97,81	
GUI-PTR-14/G	VIDEO PROJECTOR MOUNT WITH ALUMINIUM COUPLER REF, ABZ-29 TO ATTACH TO TRUSS, ALL	160,33	
GUI-PTR-15	TELESCOPIC CEILING & WALL MOUNT FOR VIDEO PROJECTORS, ALL NECESSARY HARDWARE INC	126,04	
GUI-PTR-15/G	TELESCOPIC VIDEO PROJECTOR MOUNT WITH ALUMINIUM COUPLER REF, ABZ-29 TO ATTACH TO	186,54	
GUI-PTR-20	ADAPTOR WITH PROJECTOR MOUNT REF, PTR-14, FITS ON TOP OF 35 mm SPEAKER	140,16	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclus
	STANDS		
GUI-PTR-24	ARTICULATED WALL MOUNT FOR 14" TO 42" SCREENS (ASSEMBLY KIT INCLUDED)	95,79	
GUI-PTR-25	HEAVY-DUTY LOW LEVEL MOBILE STAND FOR TV SCREENS (ADJUSTABLE UP TO 42"), ASSEMBL	549,54	
GUI-PZ-01	REINFORCED MICROPHONE CLAMP, UNDEFORMABLE, DOUBLE THREAD FITTINGS (3/8" & 5/8")	17,14	
GUI-PZ-02	REINFORCED CORDLESS MICROPHONE CLAMP, UNDEFORMABLE, DOUBLE THREAD FITTINGS (3/8"	21,18	
GUI-PZ-04	STANDARD MICROPHONE CLAMP WITH 5/8" THREAD	4,03	
GUI-PZ-05	AJUSTABLE MICROPHONE HOLDER FOR DRUMS, PROVIDED WITH A 5/8" THREAD (CLAMP NOT IN	13,11	
GUI-PZA-03	ADAPTOR ARM FITTED WITH 5/8" THREAD TO ATTACH UP TO 5 MICROPHONE CLAMPS	24,10	
GUI-RC-06	ADAPTOR FOR MICROPHONE STAND, ENLARGES SMALL THREAD TO LARGE THREAD (FROM 3/8" T	3,03	
GUI-RC-06/A	ADAPTOR FOR MICROPHONE STAND, REDUCES LARGE THREAD TO SMALL THREAD (FROM 5/8" TO	3,03	
GUI-RD440	RD/440 - RD/5 Adaptateur pour joindre deux plates-formes avec un pied. Pour les ponts TM440, TM440XL et TM430	79,66	
GUI-RD/5	ADAPTOR TO JOIN TWO PLATFORMS WITH ONE LEG, FOR TM440, TM440XL & TM300 DECKS	72,60	
GUI-REFERENCE	ELC - TELESCOPIC LIFTING TOWERS <TOP LOADING>. FOLDING LEGS & BASE WITH WHEELS	5.220,14	
GUI-RF440	RF/440 Adaptateur RF/5 en aluminium pour fixer un cinquième pieds aux praticables TM440 / RF/5	119,99	
	Aluminium adaptor to attach a fifth leg to the TM440 and		
GUI-RF442	RF/442 Adaptateur RF/6 en aluminium pour fixer un cinquième pieds aux praticables TM442 / RF/6	130,08	
	Aluminium adaptor to attach a fifth leg to the TM442 and		
GUI-RF/5	ALUMINIUM ADAPTOR TO ATTACH A FIFTH LEG TO THE TM440 DECK	115,96	
GUI-RMP-01	RAMP KIT TO MAKE RAMPS WITH TM440 PLATFORMS, FOR STAGE HEIGHTS OF: FROM 70 TO 11	735,08	
GUI-RMP-03	RAMP KIT TO MAKE RAMPS WITH TM440, TM440XL & TM300 PLATFORMS, SPECIALLY FOR DISA	975,06	
GUI-RP-01	REINFORCED METALLIC FOOTREST WITH NON-SKID RUBBER FOOT PAD (GLUED & RIVETED)	14,12	
GUI-SB/TM-01	STAND FOR BEACH UMBRELLA / PARASOL, CONNECTOR INCLUDED	49,41	
GUI-SD-01	TRIPLE MUTE STAND. ARTICULATED DESIGN (3600)	31,26	
GUI-SL-07	Multi-purpose stool with adjustable backrest & footrest. high quality round seat	248,05	
GUI-SL-08	Multi-purpose stool with adjustable backrest & footrest. high quality ergonomic	269,23	
GUI-SL-14	Reinforced stool with high quality ergonomic seat (double thickness + firmness)	148,23	
GUI-SL-15	Reinforced chromed stool with high quality ergonomic seat	161,33	
GUI-SL-16	Reinforced stool with high quality round seat (double thickness + firmness)	152,26	
GUI-SL-17	Reinforced chromed stool with high quality round seat	170,41	
GUI-SL-20	Ergonomic chair for double bass players, percussionists & orchestra conductors	315,61	

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclusief
GUI-SL-25	Multi-purpose reinforced stool with footrest, high quality round seat	240,99	
GUI-SL-40	Ergonomic stool for percussionists & orchestra conductors	568,70	
GUI-SL-50	Ergonomic stool for double bass players. round seat with pneumatic height adjust	620,13	
GUI-SL-51	Ergonomic stool for double bass players. rectangular seat with pneumatic height	608,03	
GUI-SL-60	Ergonomic stool for percussionists & orchestra conductors	581,81	
GUI-SL-61	Ergonomic stool for percussionists. round seat with pneumatic height adjustment	513,24	
GUI-SLL-01	Ergonomic chair specially designed for orchestra musicians with tilting seat	310,57	
GUI-SLL-02	Ergonomic chair specially designed for orchestra musicians	242,00	
GUI-SLL-03	Ergonomic chair specially designed for orchestra musicians. fixed frame	215,78	
GUI-SL-R/1	Ergonomic backrest. fully adjustable in distance from the seat	44,37	
GUI-SMT-14	PROTECTION SCREEN - SEPARATION SCREEN ADJUSTABLE IN HEIGHT WITH ROUND BASE. 60 x 40 cm TRANSPARENT SCREEN (5 mm THICK). ONE HAND HEIGHT ADJUSTMENT	130,08	
GUI-SPT-01	HANGING SCORE HOLDER (FOLDING DESIGN)	14,12	
GUI-ST-100	support clavier / régie en X hauteur ajustable charge 30 kg X-STYLE KEYBOARD STAND. (FLAT PACKED). HEIGHT ADJUSTABLE	25,77	
GUI-ST-101	Heavy-duty x-style keyboard stand. metallic height-adjustment mechanism	55,46	
GUI-ST-113	Heavy-duty x-style keyboard stand with double braced design	146,21	
GUI-ST-114/G	Keyboard hanger for slatwall. angle-adjustable and telescopic design	75,63	
GUI-ST-120	Heavy-duty x-style keyboard stand with 2 cross braces, metallic height-adjust	75,63	
GUI-STB-01	TABLET HOLDER MADE IN ALUMINIUM	33,28	
GUI-SX-02	HEAVY-DUTY BARITONE SAXOPHONE STAND. HEIGHT ADJUSTABLE	102,85	
GUI-SX-03	MULTIPLE INSTRUMENT STAND FOR ALTO / TENOR SAXOPHONE WITH ADAPTOR PEG FOR FLUTE, TRUMPET OR CLARINET	22,18	
GUI-SX-06	FOLDING ALTO OR TENOR SAXOPHONE STAND. WITH THE OPTION TO ADD 2 MORE WIND INSTRUMENT HOLDERS. INCLUDES VELVETY CARRY BAG	31,26	
GUI-TCS-02	ALUMINIUM & STEEL FOLLOWSPOT TRIPOD STAND, MAXIMUM LOAD: 50 kg	114,95	
GUI-TF-07	TELESCOPIC LIGHTING STAND WITH 3 MAST SECTIONS SUPPLIED WITH AN ADAPTOR FOR 1 SPOTLIGHT (MAXIMUM HEIGHT: 3.18 m / MAXIMUM LOAD: 50 kg / FOLDED HEIGHT: 1.51 m)	99,83	
GUI-TF-08	MANUAL LIGHTING STAND WITH 3 MAST SECTIONS SUPPLIED WITH CROSSBAR FOR 8 SPOTLIGHTS. (MAXIMUM HEIGHT: 3.19 m / MAXIMUM LOAD: 50 kg / FOLDED HEIGHT: 1.52 m)	126,04	
GUI-TM300/1X0,5	100 x 50 cm DECK (750 kg/m2). 15 mm THICK, 100% BIRCH PLYWOOD PANEL	437,62	
GUI-TM300/1X1	1000 x 1000 mm DECK (600 kg/m2), 15 mm THICK, 100% BIRCH PLYWOOD PANEL, CONNECTO	482,99	
GUI-TM300/2x0,5	200 x 50 cm DECK (750 kg/m2). 15 mm THICK, 100% BIRCH PLYWOOD PANEL	501,14	
GUI-TM300/2X1	2000 x 1000 mm DECK (600 kg/m2), 15 mm THICK,	603,99	

Code	Naam	Catalogusprijs	
		Inclusief BTW	Inclusief
GUI-TM440/1X05	100% BIRCH PLYWOOD PANEL, CONNECTO 1000 x 500 mm DECK (1000 kg/m2), 21 mm THICK,	327,32	
GUI-TM440/1X1	100% BIRCH PLYWOOD PANEL, CONNECTO 1000 x 1000 mm DECK (1000 kg/m2), 21 mm THICK,	503,16	
GUI-TM440/2X05	100% BIRCH PLYWOOD PANEL, CONNECT 2000 x 500 mm DECK (1000 kg/m2), 21 mm THICK,	430,98	
GUI-TM440/2X1	100% BIRCH PLYWOOD PANEL, CONNECTO 2000 x 1000 mm DECK (1000 kg/m2), 21 mm THICK,	664,49	
GUI-TM440XL/2X1	100% BIRCH PLYWOOD PANEL, CONNECT 2000 x 1000 mm DECK (1400 kg/m2), 21 mm THICK,	751,21	
GUI-TM440XXL/2X1	100% BIRCH PLYWOOD PANEL, CONNECT 2000 x 1000 mm DECK (1600 kg/m2), 21 mm THICK,	831,88	
GUI-TM441	100% BIRCH PLYWOOD PANEL, CONNECT MODULAR SCISSOR STAGE OF 2 x 1 m, ADJUSTABLE TO FIVE POSITIONS, TMU-01 Y TMU-02	1.642,58	1.
GUI-TM500	2000 x 1000 mm motorised scissor platform.	6.781,04	5.
GUI-TM-AST/1	SET OF HANDLES FOR BOTH SIDES OF THE PLATFORM, TO AID WITH MOVING AND STORING	244,02	
GUI-TMD-09	100 x 100 cm ALUMINIUM CONDUCTOR'S PLATFORM WITH HANDRAIL. HEIGHT: 20 cm (COMES WITH 3 FIXED HEIGHT LEGS & 1 LEG WITH LEVELLER)	734,07	
GUI-TMD-10	120 x 100 cm ALUMINIUM CONDUCTOR'S PLATFORM WITH HANDRAIL. HEIGHT: 20 cm (COMES WITH 3 FIXED HEIGHT LEGS & 1 LEG WITH LEVELLER)	882,29	
GUI-TMD-11	100 x 100 cm ALUMINIUM CONDUCTOR'S PLATFORM WITH HANDRAIL & WOODEN SKIRTING. HEIGHT: 20 cm (COMES WITH 3 FIXED HEIGHT LEGS & 1 LEG WITH LEVELLER)	906,49	
GUI-TMD-12	120 x 100 cm ALUMINIUM CONDUCTOR'S PLATFORM WITH HANDRAIL & WOODEN SKIRTING. HEIGHT: 20 cm (COMES WITH 3 FIXED HEIGHT LEGS & 1 LEG WITH LEVELLER)	1.055,73	
GUI-TMD-543	MODULAR TOWER, MAX, HEIGHT: 7m, MAX, LOAD: 400kg (FITTED WITH BRAKE WINCH W/2 CR	6.478,54	5.
GUI-TMD-543/8	MODULAR TOWER, MAX, HEIGHT: 8m, MAX, LOAD: 400kg (FITTED WITH BRAKE WINCH W/2 C	7.043,21	5.
GUI-TMD-545/N	RIGGING TOWER FOR LINE ARRAY SYSTEMS (COMPLETE TOWER), MAX, HEIGHT: 6,43 m, MAX,	8.464,96	6.
GUI-TMD-548	Tour modulaire de soutien au sol capable de soulever 2 000 kg (4409,24 lb) à une hauteur maximale de 10 mètres (32 pi 9,70 po) à l'aide d'un palan électrique (non inclus).	11.582,19	9.
GUI-TMD-549	Tour modulaire de soutien au sol pouvant soulever 1500kg (3306,93 lb) jusqu'à une hauteur maximale de 12 mètres (39 pi 4,44 po) à l'aide d'un palan électrique (non inclus).	14.610,75	11.
GUI-TMD-550	MODULAR TOWER MADE WITH 40x40cm REINFORCED TRUSS. COMPLETE TOWER, EXCEPT FOR MOTOR	9.463,21	8.
GUI-TMD-570	RIGGING TOWER FOR LINE ARRAY SYSTEMS (COMPLETE TOWER), MAX, HEIGHT: 8,33 m, MAX,	14.387,91	11.
GUI-TMQ-05/N	0,5 m MULTIPURPOSE SAFETY RAIL MADE IN REINFORCED ALUMINIUM, INCLUDES: 2 SAFETY	115,82	
GUI-TMQ-1/N	1 m MULTIPURPOSE SAFETY RAIL MADE IN REINFORCED ALUMINIUM, INCLUDES: 2 SAFETY RA	118,96	
GUI-TMQ-2/N	2 m MULTIPURPOSE SAFETY RAIL MADE IN REINFORCED ALUMINIUM, INCLUDES: 3 SAFETY RA	185,41	
GUI-TMQ/GRT-1/N	SAFETY RAILS FOR TRAPEZIUM SHAPED CHORAL MODULES (REF. GRT-2). INCLUDES: 2 SAFETY	161,33	

Code	Naam	Catalogusprijs Uw ne	
		Inclusief BTW	Inclus
GUI-TM-TR1	RAIL HOLDER CONNECTORS + TMU-06/GRT CONNECTOR (ENOUGH FOR SET-UP SPECIFIED). KIT TO CONVERT TM440 & TM440XL PLATFORM INTO A TRANSPORT TROLLEY, INCLUDES: HAND	569,71	
GUI-TM-TR2	KIT TO CONVERT TM442XL PLATFORMS INTO A TRANSPORT TROLLEY, INCLUDES: HANDRAIL &	579,79	
GUI-TMU-01	PROFILE CONNECTOR FOR TM440, TM440XL & TM441 PLATFORMS	19,16	
GUI-TMU-02	STAINLESS STEEL FRAME CLAMP CONNECTOR FOR TM440, TM440XL, TM440S & TM442XL PLATF	15,13	
GUI-TMU-02/441	STAINLESS STEEL FRAME CLAMP CONNECTOR FOR TM441 PLATFORMS	19,16	
GUI-TMU-04	STAINLESS STEEL LEG TO LEG CLAMP CONNECTOR FOR TM440 & TM440XL PLATFORMS	32,03	
GUI-TMU-05	STAINLESS STEEL LEG TO LEG CLAMP CONNECTOR FOR TM442XL PLATFORMS	19,16	
GUI-TMU-06	ADJUSTABLE CONNECTOR TO FIX TOGETHER TWO TMQ SAFTEY RAILS, ALLOWS YOU TO CONNECT	45,38	
GUI-TMU-06/GRT	ADJUSTABLE CONNECTOR TO FIX TOGETHER TWO TMQ/GRT-1 /N SAFETY RAILS. ALLOWS YOU TO CONNECT SAFETY RAILS AT AN ANGLE	58,48	
GUI-TMU-07	LEG TO LEG CLAMP CONNECTOR FOR TM440 PLATFORMS WITH DIFFERENT HEIGHTS & ECM STAI	39,33	
GUI-TMU-08	STAINLESS STEEL 4-LEG CONNECTOR FOR TM440, TM440XL & TM442XL PLATFORMS	39,33	
GUI-TMU-10	Connecteurs pour 2 tm440s / stainless steel leg to leg clamp connector for tm440s	20,81	
GUI-TMU-12	LEG-TO-FRAME CONNECTOR TO JOIN CHORAL MODULES REF. GRT-2 THAT ARE SET UP AT DIFFERENT HEIGHTS	19,16	
GUI-TOROA-101/C-TV	LIFTING TOWER WITH ADAPTORS FOR LARGE AND HEAVY SCREENS, BLACK FINISH, MAXIMUM L	2.808,21	2
GUI-TOROB-201/C	ped éleveur / elevator foot hauteur max. / max. height : 4 m charge max. / max. load : 240 kg	3.725,79	2
GUI-TOROB-202/C	Pied éleveur /elevator foot hauteur max. /max. height : 5,15 m charge max. / max. load : 220 kg	4.028,29	3
GUI-TOROB-203/C	Pied éleveur noir / elevator foot black hauteur max. / max. height : 6,3 m charge max. / max. load : 200 kg	4.229,96	3
GUI-TOROC-301/C	Pied éleveur / elevator foot hauteur max. / max. height : 3,85 m charge max. / max. load : 340 kg	4.229,96	3
GUI-TOROC-302/C	ped éleveur / elevator foot hauteur max. / max. height : 5 m charge max. / max. load : 300 kg	4.532,46	3
GUI-TOROC-303	ped éleveur / elevator foot hauteur max. / max. height : 5 m charge max. / max. load : 320 kg	4.289,45	3
GUI-TOROC-304/C	ped éleveur / elevator foot hauteur max. / max. height : 6 m charge max. / max. load : 250 kg	4.935,79	3
GUI-TOROC-305	ped éleveur / elevator foot hauteur max. / max. height : 6,5 m charge max. / max. load : 320 kg	4.734,13	3
GUI-TOROC-306	ped éleveur / elevator foot hauteur max. / max. height : 8 m charge max. / max. load : 280 kg	5.036,63	4
GUI-TOROD-401	ped éleveur / elevator foot hauteur max. / max. height : 3,55 m charge max. / max. load : 440 kg	4.431,63	3
GUI-TOROD-402/C	ped éleveur/elevator foot hauteur max. / max. height : 3,85 m charge max. / max. load : 420 kg	4.734,13	3
GUI-TOROD-403/C	ped éleveur / elevator foot black hauteur max. / max. height : 5 m charge max. / max. load : 400 kg	5.036,63	4
GUI-TOROD-404	ped éleveur / elevator foot hauteur max. / max. height : 5 m charge max. / max. load : 420 kg	4.734,13	3
GUI-TOROD-405/C	ped éleveur / elevator foot hauteur max. / max. height : 6 m charge max. / max. load : 350 kg	5.339,13	4
GUI-TOROD-406	ped éleveur / elevator foot hauteur max. / max.	5.238,29	4

Code	Naam	Catalogusprijs	Uw ne
		Inclusief BTW	Inclus
GUI-TOROD-407	height : 6,5 m charge max. / max. load : 400 kg pied élévateur / elevator foot hauteur max. / max. height : 8 m charge max. / max. load : 350 kg	5.439,96	4.
GUI-TP300-1000	300 x 1000 mm PARALLEL TRUSS (Ø 50 x 2,5 mm). CONNECTION KIT INCLUDED	130,08	
GUI-TP300-2000	300 x 2000 mm PARALLEL TRUSS (Ø 50 x 2,5 mm). CONNECTION KIT INCLUDED	187,55	
GUI-TP300-3000	300 x 3000 mm PARALLEL TRUSS (Ø 50 x 2,5 mm). CONNECTION KIT INCLUDED	255,11	
GUI-TP300-500	300 x 500 mm PARALLEL TRUSS (Ø 50 x 2,5 mm). CONNECTION KIT INCLUDED	116,97	
GUI-TP300-A	90° HORIZONTAL CORNER BLOCK FOR 300 mm PARALLEL TRUSS (Ø 50 x 2.5 mm). CONNECTION KIT INCLUDED	123,02	
GUI-TP300-AD1	ADAPTOR TO FIT PARALLEL TRUSS PERPENDICULAR TO ANOTHER TRUSS. QUICK AND EASY INSTALLATION	100,83	
GUI-TP300-A/P	90° FLAT CORNER BLOCK FOR 300 mm PARALLEL TRUSS (Ø 50 x 2.5 mm). CONNECTION KIT INCLUDED	123,02	
GUI-TP300-B/D	90° CORNER BLOCK WITH AN EXTRA DOWNWARDS CONNECTING TRUSS (RIGHT POSITION) FOR 300 mm PARALLEL TRUSS. CONNECTION KIT INCLUDED	152,26	
GUI-TP300-B/I	90° CORNER BLOCK WITH AN EXTRA DOWNWARDS CONNECTING TRUSS (LEFT POSITION) FOR 300 mm PARALLEL TRUSS. CONNECTION KIT INCLUDED	152,26	
GUI-TP300-E	BASE PLATE FOR TP300 PARALLEL TRUSS	87,73	
GUI-TQ-AD1	LIFTING BRACKET TO ENSURE SAFE TRUSS SUSPENSION & ELEVATION, DESIGNED FOR TRUSSE	166,38	
GUI-TQN290-1000	290 x 290 x 1000 mm SQUARE TRUSS. COUPLING SYSTEM INCLUDED	297,46	
GUI-TQN290-2000	290 x 290 x 2000 mm SQUARE TRUSS. COUPLING SYSTEM INCLUDED	456,78	
GUI-TQN290-3000	290 x 290 x 3000 mm SQUARE TRUSS. COUPLING SYSTEM INCLUDED	574,75	
GUI-TQN290-500	290 x 290 x 500 mm SQUARE TRUSS. COUPLING SYSTEM INCLUDED	255,11	
GUI-TQN290-AD1	ADAPTOR TO FIT TQN290 TRUSS PERPENDICULAR TO ANOTHER TRUSS. QUICK AND EASY INSTALLATION	210,74	
GUI-TQN290-D	490 x 490 x 8 mm ALUMINIUM BASE PLATE FOR TQN290, TQN400 & TQN400XL SQUARE TRUSS. CONICAL CONNECTORS INCLUDED	252,08	
GUI-TQN290-D/N	400 x 400 x 5 mm ALUMINIUM BASE PLATE WITH LEVELLERS FOR TQN290, TQN400 & TQN400XL SQUARE TRUSS. CONICAL CONNECTORS INCLUDED	169,40	
GUI-TQN290-D/T	350 x 350 x 4 mm ALUMINIUM BASE PLATE FOR TQN290 SQUARE TRUSS. COUPLING SYSTEM INCLUDED	102,85	
GUI-TQN400-D	490 x 490 x 5 mm ALUMINIUM BASE PLATE FOR TQN400XL, TQN400 & TQN290 SQUARE TRUSS. COUPLING SYSTEM INCLUDED	252,08	
GUI-TQN400-D/N	400 x 400 x 5 mm ALUMINIUM BASE PLATE WITH LEVELLERS FOR TQN400XL, TQN400 & TQN290 SQUARE TRUSS. COUPLING SYSTEM INCLUDED	169,40	
GUI-TQN400XL-1000	400 x 400 x 1000mm SQUARE TRUSS. MAIN TUBE WALL THICKNESS: 3mm. COUPLING SYSTEM INCLUDED	404,34	
GUI-TQN400XL-2000	400 x 400 x 2000mm SQUARE TRUSS. MAIN TUBE WALL THICKNESS: 3mm. COUPLING SYSTEM	531,39	

Code	Naam	Catalogusprijs Uw ne	
		Inclusief BTW	Inclus
	INCLUDED		
GUI-TQN400XL-3000	400 x 400 x 3000mm SQUARE TRUSS. MAIN TUBE WALL THICKNESS: 3mm. COUPLING SYSTEM INCLUDED	674,58	
GUI-TQN400XL-500	400 x 400 x 500mm SQUARE TRUSS. MAIN TUBE WALL THICKNESS: 3mm. COUPLING SYSTEM INCLUDED	374,09	
GUI-TR-02	TROMBONE STAND. HEIGHT ADJUSTABLE	34,28	
GUI-TS-AD1	LIFTING BRACKET TO ENSURE SAFE TRUSS SUSPENSION & ELEVATION, DESIGNED FOR TRUSSE	181,68	
GUI-TTL-01	T-SHAPED ALUMINIUM TELESCOPIC ARM WITH ABZ-24 ALUMINIUM COUPLER (MAXIMUM LENGTH:	85,71	
GUI-TTL-01/N	T-SHAPED ALUMINIUM TELESCOPIC ARM WITH ABZ-24 ALUMINIUM COUPLER (MAXIMUM LENGTH:	89,74	
GUI-TTL-02/N	T-SHAPED ALUMINIUM TELESCOPIC ARM WITH ABZ-24 ALUMINIUM COUPLER (MAXIMUM LENGTH:	119,99	
GUI-TTL02/N	T en alu bras télescopique + collier (45/52mm)	115,96	
GUI-ULK400	LIFTING TOWER, MAXIMUM HEIGHT: 5 m / MAXIMUM LOAD: 200 kg / FOLDED HEIGHT: 1,70	4.657,49	3
GUI-ULK400PLUS	LIFTING TOWER, BLACK FINISH, MAXIMUM HEIGHT: 5 m / MAXIMUM LOAD: 200 kg / FOLDED	4.365,08	3
GUI-ULK500	LIFTING TOWER, MAXIMUM HEIGHT: 6 m / MAXIMUM LOAD: 200 kg / FOLDED HEIGHT: 1,70	5.076,96	4
GUI-ULK500PLUS	Guil ULK500PLUS - LIFTING TOWER, MAXIMUM HEIGHT: 6,5 m / MAXIMUM: 200 kg / FOLD	4.808,74	3
GUI-ULK600	LIFTING TOWER, MAXIMUM HEIGHT: 6 m / MAXIMUM LOAD: 300 kg / FOLDED HEIGHT: 1,63	6.327,29	5
GUI-ULK600XL	LIFTING TOWER, MAX,HEIGHT: 6 m / MAX,LOAD: 350 kg / FOLDED HEIGHT: 1,63 m, BLACK	6.962,54	5
GUI-ULK650	LIFTING TOWER, MAXIMUM HEIGHT: 6,50 m / MAXIMUM LOAD: 300 kg / FOLDED HEIGHT: 1,	6.085,29	4
GUI-ULK650XL	LIFTING TOWER, MAXIMUM HEIGHT: 6,50 m / MAXIMUM LOAD: 400 kg / FOLDED DIMENSIONS	6.674,16	5
GUI-ULK700	LIFTING TOWER, BLACK FINISH, MAXIMUM HEIGHT: 5 m / MAXIMUM LOAD: 350 kg / FOLDED	5.514,58	4
GUI-ULK800	LIFTING TOWER, MAXIMUM HEIGHT: 8 m / MAXIMUM LOAD: 280 kg / FOLDED HEIGHT: 1,98	6.649,96	5
GUI-ULK800XL	LIFTING TOWER, MAXIMUM HEIGHT: 8 m / MAXIMUM LOAD: 350 kg / FOLDED DIMENSIONS: 1	7.299,33	5
GUI-ULK-A10	SET OF 2 SWIVEL ADAPTORS TO FIT TRUSS STRUCTURES TO ULK LIFTING TOWERS: ULK 600,	109,91	
GUI-ULK-A11	SET OF 2 SWIVEL ADAPTORS TO FIT TRUSS STRUCTURES TO ULK LIFTING TOWERS: ULK 400	109,91	
GUI-ULK-A4	ADAPTOR TO LIFT LINE ARRAY SYSTEMS WITH ULK TOWERS: ULK 600, ULK 650, ULK 800, U	166,38	
GUI-ULK-A5	ADAPTOR TO LIFT LINE ARRAY SYSTEMS WITH ULK TOWERS: ULK 400 & ULK 500	166,38	
GUI-ULK-A6	SET OF 4 ADAPTORS TO LIFT LINE ARRAY SYSTEMS WITH ULK TOWERS: ULK 600, ULK 650,	186,54	
GUI-ULK-A7	SET OF 4 ADAPTORS TO LIFT LINE ARRAY SYSTEMS WITH ULK TOWERS: ULK 400 & ULK 500	186,54	
GUI-ULK-B1	SET OF 2 ADJUSTABLE STABILISER BRACES FOR ULK LIFTING TOWERS: ULK 650, ULK 800,	610,04	
GUI-ULK-B2	SET OF 2 ADJUSTABLE STABILISER BRACES FOR ULK LIFTING TOWERS: ULK 400 & ULK 500	573,74	
GUI-ULK-B3	SET OF 2 ADJUSTABLE STABILISER BRACES FOR ULK LIFTING TOWERS: ULK 600 & ULK 600X	610,04	
GUI-ULK-B4	SET OF 2 STABILISER BRACES, BLACK FINISH, ADJUSTABLE WITH SOLID ALUMINIUM SCREW	537,44	
GUI-XL-01	HEAVY-DUTY H-STYLE STAND WITH CASTORS FOR XYLOPHONES, METALLOPHONES OR MIXERS	193,60	

