

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
KPM-PAC251/1	Kabel per meter PAC251/1 - Balanced signal / DMX-AES & 3G2.5 Power cable 100 meter	14,35	14,35	St
PCB-ACM120/B	(20) Self adhesive cable tie mount - 20 x 20 mm Black version	6,05	6,05	St
PCB-ACM120/W	(20)Self adhesive cable tie mount - 20 x 20 mm White version	6,05	6,05	St
PCB-ACM130/B	(20)Self adhesive cable tie mount - 30 x 30 mm Black version	11,13	11,13	St
PCB-ACM130/W	(20)Self adhesive cable tie mount - 30 x 30 mm White version	11,13	11,13	St
pcb-ACS102/B	Polyolefin shrink sleeve - 2 mm Black version	2,54	2,54	St
PCB-ACS104/B	(20)Polyolefin shrink sleeve - 4 mm Black version	3,03	3,03	St
PCB-ACS104/T	(20)Polyolefin shrink sleeve - 4 mm Transparent version	3,03	3,03	St
PCB-ACS106/B	(20)Polyolefin shrink sleeve - 6 mm Black version	3,63	3,63	St
PCB-ACS106/T	(20)Polyolefin shrink sleeve - 6 mm Transparent version	3,63	3,63	St
PCB-ACS108/B	(20)Polyolefin shrink sleeve - 8 mm Black version	4,48	4,48	St
PCB-ACS108/T	(20)Polyolefin shrink sleeve - 8 mm Transparent version	4,48	4,48	St
PCB-ACS110/B	(20)Polyolefin shrink sleeve - 10 mm Black version	4,96	4,96	St
PCB-ACS110/T	(20)Polyolefin shrink sleeve - 10 mm Transparent version	4,96	4,96	St
PCB-ACS112/B	(20)Polyolefin shrink sleeve - 12 mm Black version	3,03	3,03	St
PCB-ACS112/T	(20)Polyolefin shrink sleeve - 12 mm Transparent version	3,03	3,03	St
PCB-ACS116/B	(20)Polyolefin shrink sleeve - 16 mm Black version	5,45	5,45	St
PCB-ACS116/T	(20)Polyolefin shrink sleeve - 16 mm Transparent version	5,45	5,45	St
PCB-ACS122/B	(20)Polyolefin shrink sleeve - 22 mm Black version	5,32	5,32	St
PCB-ACS122/T	(20)Polyolefin shrink sleeve - 22 mm Transparent version	5,32	5,32	St
PCB-ACS128/B	(20)Polyolefin shrink sleeve - 28 mm Black version	7,02	7,02	St
PCB-ACS128/T	(20)Polyolefin shrink sleeve - 28 mm Transparent version	7,02	7,02	St
PCB-ACS135/B	(20)Polyolefin shrink sleeve - 35 mm Black version	9,80	9,80	St
PCB-ACS135/T	(20)Polyolefin shrink sleeve - 35 mm Transparent version	9,80	9,80	St
PCB-ACT210/B	(20)Nylon cable ties - 2.5 x 100 mm Black, uv-resistant version	1,45	1,45	St
PCB-ACT210/W	(20)Nylon cable ties - 2.5 x 100 mm White version	1,45	1,45	St
PCB-ACT314/B	(20)Nylon cable ties - 3.6 x 140 mm Black, uv-resistant version	2,90	2,90	St
PCB-ACT314/W	(20)Nylon cable ties - 3.6 x 140 mm White version	2,90	2,90	St
PCB-ACT320/B	(20)Nylon cable ties - 3.6 x 200 mm Black, uv-resistant version	4,24	4,24	St
PCB-ACT320/W	(20)Nylon cable ties - 3.6 x 200 mm White version	4,24	4,24	St
PCB-ACT418/B	(20)Nylon cable ties - 4.8 x 180 mm Black, uv-resistant version	5,69	5,69	St
PCB-ACT418/W	(20)Nylon cable ties - 4.8 x 180 mm White version	5,69	5,69	St
PCB-ACT428/B	(20)Nylon cable ties - 4.8 x 280 mm Black, uv-resistant version	8,11	8,11	St
PCB-ACT428/W	(20)Nylon cable ties - 4.8 x 280 mm White version	8,11	8,11	St
PCB-ACT436/B	(20)Nylon cable ties - 4.8 x 360 mm Black, uv-resistant version	10,65	10,65	St
PCB-ACT436/W	(20)Nylon cable ties - 4.8 x 360 mm White version	10,65	10,65	St
PCB-ACT735/B	(20)Nylon cable ties - 7.2 x 350 mm Black, uv-resistant version	19,72	19,72	St
PCB-ACT735/W	(20)Nylon cable ties - 7.2 x 350 mm White version	19,72	19,72	St
PCB-ACW106/B	(20)Spiral wrappingband - 6 mm Black version - 10m pack	3,63	3,63	St
PCB-ACW106/T	(20)Spiral wrappingband - 6 mm Transparent version - 10m pack	3,63	3,63	St
PCB-ACW112/B	(20)Spiral wrappingband - 12 mm Black version - 10m pack	7,38	7,38	St
PCB-ACW112/T	(20)Spiral wrappingband - 12 mm Transparent version - 10m pack	7,38	7,38	St
PCB-ACW120/B	(30)Spiral wrappingband - 20 mm Black version - 5m pack	8,95	8,95	St
PCB-ACW120/T	(30)Spiral wrappingband - 20 mm Transparent version - 5m pack	8,95	8,95	St
PCB-ALS07/1	(4) Procab ALS07/1 - Loudspeaker cable - 2 x 0.75 mmý - 18 AWG - CCA 100 meter	40,29	40,29	St
PCB-ALS07/5	(2)Loudspeaker cable - 2 x 0.75 mmý - 18 AWG - CCA 500 meter	201,47	201,47	St
PCB-ALS15/1	(4)Loudspeaker cable - 2 x 1.5 mmý - 16 AWG - CCA 100 meter	66,79	66,79	St
PCB-ALS15/5	(2)Loudspeaker cable - 2 x 1.5 mmý - 16 AWG - CCA 500 meter	345,46	345,46	St
PCB-ALS25/1	(4)Procab ALS25/1 - Loudspeaker cable - 2 x 2.5 mmý - 13 AWG - CCA 100 meter	105,15	105,15	St
PCB-ALS25/5	(2)Loudspeaker cable - 2 x 2.5 mmý - 13 AWG - CCA 500 meter	521,03	521,03	St
PCB-BCT60U/1	(4)Procab BCT60U/1 - Networking cable - CAT6 - U/UTP - flex 0.22 mmý - 24 AWG - 100 m	262,81	262,81	St
PCB-BCT60U/3	(2)Networking cable - CAT6 - U/UTP - flex 0.22 mmý - 24 AWG - HighFlex? 300 m wo	788,44	788,44	St
PCB-BCT65S/1	(4)Networking cable - CAT6A - S/FTP - flex 0.22 mmý - 24 AWG HighFlex? 100 m woo	442,98	442,98	St
PCB-BCT65S/3	(2)Networking cable - CAT6A - S/FTP - flex 0.22 mmý - 24 AWG	1.328,70	1.328,70	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	HighFlex? 300 m woo			
PCB-BLS207/1	(4)Loudspeaker Cable 2 x 0.75 mm ² -18 AWG CCA 100m Black NOT FLEXIBLE, NOT FOR MOBILE USE	87,73	87,73	St
PCB-BLS207/3	(2)Loudspeaker Cable 2 x 0.75 mm ² 18 AWG CCA 300m Black NOT FLEXIBLE, NOT FOR MOBILE USE	266,68	266,68	St
PCB-BLS215/1	(4)Loudspeaker Cable 2 x 1.5 mm ² 16 AWG CCA 100m Black NOT FLEXIBLE, NOT FOR MOBILE USE	133,83	133,83	St
PCB-BLS215/3	(2)Loudspeaker Cable 2 x 1.5 mm ² 16 AWG CCA 300m Black NOT FLEXIBLE, NOT FOR MOBILE USE	405,11	405,11	St
PCB-BLS215W/1	(4)Loudspeaker Cable 2 x 1.5 mm ² 16 AWG CCA 100m White NOT FLEXIBLE, NOT FOR MOBILE USE	134,07	134,07	St
PCB-BLS215W/3	(2)Loudspeaker Cable 2 x 1.5 mm ² 16 AWG CCA 300m White NOT FLEXIBLE, NOT FOR MOBILE USE	405,11	405,11	St
PCB-BLS225/1	(4)Loudspeaker Cable 2 x 2.5 mm ² 13 AWG CCA 100m Black NOT FLEXIBLE, NOT FOR MOBILE USE	199,65	199,65	St
PCB-BLS225/3	(2)Loudspeaker Cable 2 x 2.5 mm ² 13 AWG CCA 300m Black NOT FLEXIBLE, NOT FOR MOBILE USE	602,46	602,46	St
PCB-BLS225W/1	(4)Loudspeaker Cable 2 x 2.5 mm ² 13 AWG CCA 100m White NOT FLEXIBLE, NOT FOR MOBILE USE	199,65	199,65	St
PCB-BLS225W/3	(2)Loudspeaker Cable 2 x 2.5 mm ² 13 AWG CCA 300m White NOT FLEXIBLE, NOT FOR MOBILE USE	602,46	602,46	St
PCB-BMC224/1	(4)Balanced microphone cable - flex 2 x 0.22 mm ^y - 24 AWG 100 meter	116,77	116,77	St
PCB-BMC224/3	(2)Balanced microphone cable - flex 2 x 0.22 mm ^y - 24 AWG 300 meter	353,08	353,08	St
PCB-BSD560F/10	(50)Networking cable - CAT6 - F/UTP - RJ45 - LSHF 10 meter	28,63006	28,63006	St
PCB-BSD560F/2	(50)Networking cable - CAT6 - F/UTP - RJ45 - LSHF 2 meter	7,09006	7,09006	St
PCB-BSD560F/5	(50)Networking cable - CAT6 - F/UTP - RJ45 - LSHF 5 meter	14,84006	14,84006	St
PCB-BSP400	(20)Adapter - HDMI male - DVI female	8,59	8,59	St
PCB-BSP402	(20) ADAPTER HDMI 19F - HDMI TYPE C	10,52	10,52	St
PCB-BSP410	(20)Adapter - HDMI female - DVI male - dual link	9,68	9,68	St
PCB-BSP450	(25)Adapter - HDMI female - HDMI female - Fixscrews	11,37	11,37	St
PCB-BSP460	(25)Adapter - HDMI female - HDMI male - 90° angle	9,56	9,56	St
PCB-BSP510	(10)Displayport (Male) to HDMI (Female) adapter - 0.2 m	30,80006	30,80006	St
PCB-BSP602/W	(20)Adapter -HDMI female - HDMI female - Pigtail White	9,87	9,87	St
PCB-BSP803F	(10)Adapter - 3-pin XLR female to RJ45	10,41	10,41	St
PCB-BSP803M	(10)Adapter - 3-pin XLR male to RJ45	9,92	9,92	St
PCB-BSP805F	(10)Adapter - 5-pin XLR female to RJ45	11,74	11,74	St
PCB-BSP805M	(10)Adapter - 5-pin XLR male to RJ45	11,01	11,01	St
PCB-BST112/B	(20)Hook & loop cable ties - 12 x 125 mm Black version - 10 pcs pack	4,96	4,96	St
PCB-BST115/B	(20)Hook & loop cable ties - 12 x 150 mm Black version - 10 pcs pack	5,69	5,69	St
PCB-BST120/B	(20)Hook & loop cable ties - 12 x 200 mm Black version - 10 pcs pack	6,41	6,41	St
PCB-BST124/B	(20)Hook & loop cable ties - 13 x 240 mm Black version - 10 pcs pack	8,71	8,71	St
PCB-BST125/B	(20)Hook & loop cable ties - 21 x 250 mm Black version - 10 pcs pack	12,95	12,95	St
PCB-BSV101/2	(40)HDMI A male - HDMI A male - swivel connected 2 meter	14,59006	14,59006	St
PCB-BSV101/3	(30)HDMI A male - HDMI A male - swivel connected 3 meter	16,41006	16,41006	St
PCB-BSV104/1	(40)HDMI A male - HDMI A male - double locking 1 meter	10,11006	10,11006	St
PCB-BSV104/2	(40)HDMI A male - HDMI A male - double locking 2 meter	12,05006	12,05006	St
PCB-BSV104/3	(40)HDMI A male - HDMI A male - double locking 3 meter	13,99006	13,99006	St
PCB-BSV110/0-5	(35) Procab BSV110/0-5 - HDMI A male - HDMI A male 0.5 meter	8,78006	8,78006	St
PCB-BSV110/1	(30) Procab BSV110/1 - HDMI A male - HDMI A male 1 meter	9,15006	9,15006	St
PCB-BSV110/10	(20) Procab BSV110/10 - HDMI A male - HDMI A male 10 meter	34,68006	34,68006	St
PCB-BSV110/5	(30) Procab BSV110/5 - HDMI A male - HDMI A male 5 meter	16,16006	16,16006	St
PCB-BSV150/1-5	(50)Displayport - Displayport 1.5 meter	13,67	13,67	St
PCB-BSV150/3	(40)Displayport - Displayport 3 meter	18,27	18,27	St
PCB-BSV150/5	(30)Displayport - Displayport 5 meter	26,44	26,44	St
PCB-BXD602/12	(5) Procab BXD602/12 - USB A male - USB A female - active repeater cable 12 meter	85,62006	85,62006	St
PCB-BXD630/10	(10)Procab BXD630/10 - USB 3.2 GEN1 USB A male - USB A female - active repeater 10 m	190,65006	190,65006	St
pcb-CAB304/1-5	loudspeaker cable - XLR male - banana 1,5 meter	6,17	6,17	St
PCB-CAB402/20	(4)Schuko power male & XLR female - euro power female & XLR male - 3 x 2.5 mm ^y 2	210,90	210,90	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-CAB405/20	(4)Schuko power male & 2 x XLR female - euro power female & 2 x XLR male - 3 x 1	210,42	210,42	St
PCB-CAB432/5	SCHUKO MALE TO BLUE POWERCON CABLE - H07RN-F 3G1.5 - 5M	37,34	37,34	St
PCB-CAB440/5	(15)Power cable - powerCON power-in - power-out - 3 x 2.5 mmý 5 meter	58,56	58,56	St
pcb-CAB444/1-5	Power cable - euro power male - powerCON power-in - 3 x 1.5 mm² 1,5 meter	28,92	28,92	St
PCB-CAB446/1-5-F	(30) Euro power male to schuko power female - French type connector 1,5 meter	8,95	8,95	St
PCB-CAB448/1-5-F	(50)Grey powercon to schuko power female - french type connector - neutrik nac3f	33,03	33,03	St
PCB-CAB450/10	(6) Power cable - cee 16 amp male - cee 16 amp female - 3 x 2,5 mmý 10 meter	62,19	62,19	St
PCB-CAB465/15-F	(8)Power cable - schuko male - schuko female - France - 3 x 2.5 mmý France - 15	99,90006	99,90006	St
PCB-CAB475/10-F	(EOL) (10)Power cable - schuko male - schuko female - France - 3 x 1.5 mmý France - 10	33,71006	33,71006	St
PCB-CAB475/1-5-F	(40)Power cable - schuko male - schuko female - France - 3 x 1.5 mmý France - 1.	9,02006	9,02006	St
PCB-CAB480/3	(30)Power cable - euro power male - euro power female - 3 x 1.5 mmý 3 meter	16,16006	16,16006	St
PCB-CAB480/5	(30)Power cable - euro power male - euro power female - 3 x 1.5 mmý 5 meter	23,06006	23,06006	St
PCB-CAB490/10	(15)Power cable - schuko male - euro power female - PVC lead - 3 x 1.5 mmý 10 me	42,90006	42,90006	St
PCB-CAB495/1-5	(EOL) EURO POWER FEMALE - SCHUKO POWER MALE - H07RN-F - 1.5M	8,59	8,59	St
PCB-CAB502/10	(10)Loudspeaker cable - 2-pin speaker female 10 meter	45,93006	45,93006	St
PCB-CAB591/10	(20)Loudspeaker cable - 6.3 mm Jack male - XLR female 10 meter	26,98	26,98	St
PCB-CAB601/10	(20) 6,3 mm Jack male mono - Jack male mono - VCJ2MX connector 10 meter	17,98006	17,98006	St
PCB-CAB601/3	(40)6.3 mm Jack male mono - Jack male mono - VCJ2MX connector 3 meter	11,93006	11,93006	St
PCB-CAB601/5	(30)6.3 mm Jack male mono - Jack male mono - VCJ2MX connector 5 meter	14,35006	14,35006	St
PCB-CAB610/3	(50)6.3 mm Jack male stereo - 6.3 mm Jack male stereo 3 meter	8,86006	8,86006	St
PCB-CAB610/5	(30)6.3 mm Jack male stereo - 6.3 mm Jack male stereo 5 meter	11,57006	11,57006	St
PCB-CAB631/5	(30)2 x RCA/Cinch male - 2 x 6.3 mm Jack male mono 5 meter	14,83006	14,83006	St
PCB-CAB701/1-5	(50) Procab CAB701/1-5 - 2 x XLR male - 2 x RCA/Cinch male 1,5 meter	12,40	12,40	St
PCB-CAB709/0-6	(30) 6.3 mm Jack male stereo - XLR male & XLR female 0.6 meter - limited stock	7,01	7,01	St
PCB-CAB709/3	(30)6.3 mm Jack male stereo - XLR male & XLR female 3 meter	13,67	13,67	St
PCB-CAB709/5	(30)6.3 mm Jack male stereo - XLR male & XLR female 5 meter	18,51	18,51	St
PCB-CAB710/0-5	(50)2 x XLR male - 2 x XLR female 0,5 meter	11,69006	11,69006	St
PCB-CAB710/3	(30)2 x XLR male - 2 x XLR female 3 meter	23,54006	23,54006	St
PCB-CAB711/20	(20) Procab CAB711/20 - 3.5 mm Jack male stereo - 2 x RCA/Cinch male 20 meter	33,83006	33,83006	St
PCB-CAB715/1-5	(50)6.3 mm Jack male mono - 2 x RCA/Cinch male 1,5 meter	6,16	6,16	St
PCB-CAB715/3	(30)6.3 mm Jack male mono - 2 x RCA/Cinch male 3 meter	8,95	8,95	St
PCB-CAB717/1-5	(Last Pieces) (50)Jack 6,3mm man mono-to- 2x jack 6,3mm man 1,5m	5,38	5,38	St
PCB-CAB717/3	(Last Pieces) (30)Jack 6,3mm man mono-to- 2x jack 6,3 man mon 3m	6,05	6,05	St
PCB-CAB719/1-5	(50)6.3 mm Jack male stereo - 2 x RCA/Cinch male 1,5 meter	6,39	6,39	St
PCB-CAB719/3	(30)6.3 mm Jack male stereo - 2 x RCA/Cinch male 3 meter	8,71	8,71	St
PCB-CAB721/3	(EOL) (30)6.3 mm Jack male stereo - 2 x 6.3 mm Jack male 3 meter	8,71	8,71	St
PCB-CAB724/10	(15)XLR male - 6.3 mm Jack male stereo 10 meter	19,19006	19,19006	St
PCB-CAB724/1-5	(EOL) (50) CAB724/1-5 - XLR male - 6.3 mm Jack male stereo 1,5 meter	6,41	6,41	St
PCB-CAB725/1-5	(50)RCA/Cinch male - 2 x RCA/Cinch male 1,5 meter	6,90	6,90	St
PCB-CAB727/1-5	(Last p)(50) RCA mal,n,-naar- 2x RCA fem-1,5 meter	4,66	4,66	St
PCB-CAB734/1-5	(50)6.3 mm Jack male stereo - 2 x XLR female 1,5 meter	10,41	10,41	St
PCB-CAB736/1-5	(50) Procab CAB736/1-5 - 2 x XLR female - XLR male 1,5 meter	11,69006	11,69006	St
PCB-CAB800/20	(20)2 x RCA/Cinch male - 2x RCA/Cinch male 20 meter	34,56006	34,56006	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-CAB820/0-5	(last p)2xRCA-Cinch male-to-2xRCA-Cinch man0,5m	20,57	20,57	St
PCB-CAB820/1	(last p) 2xRCA-Cinch male-to-2xRCA-Cinch man 1m	21,78	21,78	St
PCB-CAB820/10	(15)2 x RCA/Cinch male to 2 x RCA/Cinch male - heavy duty 10 meter	56,99	56,99	St
PCB-CAB820/3	(last p)2xRCA-Cinch male-naar-2xRCA-Cinch man3m	28,13	28,13	St
PCB-CAB820/5	(25) 2X RCA/CINCH MALE - 2X RCA/CINCH MALE - 5M - HEAVY DUTY	33,96	33,96	St
PCB-CAB850/1-5	(50)2 x RCA/Cinch female - 2 x RCA/Cinch male 1,5 meter	7,94006	7,94006	St
PCB-CAB850/3	(50)2 x RCA/Cinch female - 2 x RCA/Cinch male 3 meter	10,23006	10,23006	St
PCB-CAB850/5	(40)2 x RCA/Cinch female - 2 x RCA/Cinch male 5 meter	12,17006	12,17006	St
PCB-CAB900/10	(15)6.3 mm Jack male mono - XLR female 10 meter EOL	18,95006	18,95006	St
PCB-CAB901/0-5	(60) Procab CAB901/0-5 - XLR male - XLR female 0,5 meter	7,02	7,02	St
PCB-CAB901/1	(60) Procab CAB901/1 - XLR male - XLR female 1 meter	7,57006	7,57006	St
PCB-CAB901/10	(30) Procab CAB901/10 - XLR male - XLR female 10 meter	19,12	19,12	St
PCB-CAB901/15	(30) Procab CAB901/15 - XLR male - XLR female 15 meter	26,02	26,02	St
PCB-CAB901/1-5	(60) Procab CAB901/1-5 - XLR male - XLR female 1,5 meter	7,94006	7,94006	St
PCB-CAB901/20	(20) Procab CAB901/20 - XLR male - XLR female 20 meter	33,40	33,40	St
PCB-CAB901/3	(40) Procab CAB901/3 - XLR male - XLR female 3 meter	10,16	10,16	St
PCB-CAB901/5	(30)XLR male - XLR female 5 meter	12,22	12,22	St
PCB-CAM400/0-5	(50)Midi cable - DIN 5 -DIN 5 0,5 meter	6,12006	6,12006	St
PCB-CAM400/1	(20)Midi cable - DIN 5 -DIN 5 1 meter	7,09006	7,09006	St
PCB-CAM400/10	(40)Midi cable - DIN 5 -DIN 5 10 meter	23,54006	23,54006	St
PCB-CAM400/3	(30)Midi cable - DIN 5 -DIN 5 3 meter EOL	10,72006	10,72006	St
PCB-CAM400/5	(30) Procab CAM400/5 - Midi cable - DIN 5 -DIN 5 5 meter	14,59006	14,59006	St
PCB-CAV114/1-5	(5)SVGA male - SVGA male 1,5 meter	13,31	13,31	St
PCB-CAV114/15H	(8) SVGA male-to SVGA male 15 meter Hanger	119,97	119,97	St
PCB-CAV114/1-5H	(20) SVGA male-to SVGA male 1,5 meter Hanger	25,58	25,58	St
PCB-CAV114/30H	(3) SVGA male-to SVGA male 30 meter Hanger	83,49	83,49	St
PCB-CAV114/3H	(10) SVGA male-to SVGA male 3 meter	36,23	36,23	St
PCB-CAV114/5H	(10) SVGA male-to SVGA male 5 meter Hanger	22,98	22,98	St
PCB-CAV114/7H	(10) SVGA male-to SVGA male 7,5 meter hanger	63,30	63,30	St
PCB-CAV115/5H	(last pieces)(20) SVGA&3,5 jack stero male-to SVGA&3,5 5m	50,31	50,31	St
PCB-CAV118/10-H	(5)SVGA male - 5 x BNC male 10 meter - hanger	56,39	56,39	St
PCB-CAV118/1-5-H	(5)SVGA male - 5 x BNC male 1.5 meter - hanger	25,89	25,89	St
PCB-CAV118/15-H	SVGA male - 5 x BNC male 15 meter - hanger	75,14	75,14	St
PCB-CAV118/20-H	SVGA male - 5 x BNC male 20 meter - hanger	93,65	93,65	St
PCB-CAV118/3-H	SVGA male - 5 x BNC male 3 meter - hanger	31,34	31,34	St
PCB-CAV118/5-H	(5)SVGA male - 5 x BNC male 5 meter - hanger	38,34	38,34	St
PCB-CAV122/1-5-H	(5)5 x BNC male - 5 x BNC male 1,5 meter - hanger	39,20	39,20	St
PCB-CAV122/15-H	5 x BNC male - 5 x BNC male 15 meter - hanger	114,35	114,35	St
PCB-CAV122/20-H	5 x BNC male - 5 x BNC male 20 meter - hanger	141,57	141,57	St
PCB-CAV122/3-H	(5)5 x BNC male - 5 x BNC male 3 meter - hanger	47,92	47,92	St
PCB-CAV122/5-H	5 x BNC male - 5 x BNC male 5 meter - hanger	59,41	59,41	St
PCB-CAV158/15-H	(5)HD-SDI cable - BNC male - BNC male 15 meter - hanger	29,38	29,38	St
PCB-CAV162/0-5-H	(5)RCA/Cinch male - RCA/Cinch male - 75 ohm 0.5 meter - hanger	7,14	7,14	St
PCB-CAV162/10-H	(5)RCA/Cinch male - RCA/Cinch male - 75 ohm 10 meter - hanger	18,03	18,03	St
PCB-CAV162/15-H	(5)RCA/Cinch male - RCA/Cinch male - 75 ohm 15 meter - hanger	24,44	24,44	St
PCB-CAV162/20-H	(5)RCA/Cinch male - RCA/Cinch male - 75 ohm 20 meter - hanger	32,19	32,19	St
PCB-CB2XMF/B	FLOOR CONNECTION BOX - 2 XLR FEM &2 XLR MALE CONNECTORS/BL	67,25	67,25	St
PCB-CB2XMF/G	FLOOR CONNECTION BOX - 2 XLR FEM &2 XLR M CONNECTORS/GREY	67,25	67,25	St
PCB-CB3VGA/G	(5) Floor connection box 3 x RCA/Cinch female & SVGA Grey	71,38	71,38	St
PCB-CB4XD/B	FLOOR CONNECTION BOX - 4 D-SIZE CONNECTORS/BLACK	60,14	60,14	St
PCB-CB4XMM/G	(10) Floor connection box 4 x XLR male Grey	67,25	67,25	St
PCB-CCT60U-B2CA/3	(2)Networking cable - CAT6 - U/UTP - solid 0.25 mmý - 23 AWG - EN50399 CPR Euroc	412,01	412,01	St
PCB-CCT65F-B2CA/3	(2)Networking cable - CAT6A - U/FTP - solid 0.25 mmý - 23 AWG - EN50399 CPR Euro	533,13	533,13	St
PCB-CCT65F-CCA/3	(2)Networking cable - CAT6A - U/FTP - solid 0.25 mmý - 23 AWG - EN50399 CPR Euro	544,60	544,60	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-CCX160/1	(4)Coax video cable - RG6/U - solid 0.82 mmý - 18 AWG - FlamoFlex? 100 m plastic	326,58	326,58	St
PCB-CCX160/3	Coax video cable - RG6/U - solid 0.82 mmý - 18 AWG - FlamoFlex? 300 m plastic re	979,86	979,86	St
PCB-CDM132	(4)Cable reel plastic - 240 mm	30,73	30,73	St
PCB-CDM152	(4)Cable reel - 285 mm	34,73	34,73	St
PCB-CDM235	(4)Professional cable reel 235x 113 mm	64,98	64,98	St
PCB-CDM310	(4) Procab CDM310 - Professional plastic cable reel 312 mm	92,57	92,57	St
PCB-CDM380	(2)Professional cable reel 380x 196 mm	215,26	215,26	St
PCB-CDV100/1	(20) HDMI A male - to HDMI A male 1m	36,30	36,30	St
PCB-CDV140/20-H	DVI D male - DVI D male - dual link 20 meter - hanger	228,03006	228,03006	St
PCB-CDV160/10	(10) DVI D MALE - HDMI A MALE - 10M- HANGER	127,41	127,41	St
PCB-CDV160/10-H	(5)DVI D male - HDMI A male 10 meter - hanger	75,02	75,02	St
PCB-CIP705/1-5	(20) 3.5 mm Jack male - 2 x 3.5 mm Jack female 1.5 meter	9,63006	9,63006	St
PCB-CIP708/2	(20) 3.5 mm Jack male - 3.5 mm Jack male 2 meter	9,03006	9,03006	St
PCB-CIP712/2	(20) 3.5 mm Jack male - 2 x RCA/Cinch male 2 meter	10,64	10,64	St
PCB-CLA530/0-5	(5)Loudspeaker cable - terminal block - terminal block (2p - 5.08mm) 0,5 meter	8,90006	8,90006	St
PCB-CLA530/1	(5)Loudspeaker cable - terminal block - terminal block (2p - 5.08mm) 1 meter	10,23006	10,23006	St
PCB-CLA530/1-5	(5)Loudspeaker cable - terminal block - terminal block (2p - 5.08mm) 1,5 meter	11,57006	11,57006	St
PCB-CLA530/2	(5)Loudspeaker cable - terminal block - terminal block (2p - 5.08mm) 2 meter	12,53006	12,53006	St
PCB-CLA590/10	(5)Loudspeaker cable - 6.3 mm Jack male mono - 6.3 mm Jack male mono 10 meter	33,76	33,76	St
PCB-CLA591/10	(5)Loudspeaker cable - 6.3 mm Jack male - XLR female 10 meter	40,90	40,90	St
PCB-CLA595/10	(5)Loudspeaker cable - XLR male - XLR female 10 meter	45,01	45,01	St
PCB-CLA600/10	(5)Jack male mono - Jack male mono 10 meter	18,70006	18,70006	St
PCB-CLA600/1-5	(10)Jack male mono - Jack male mono 1,5 meter	8,90006	8,90006	St
PCB-CLA600/3	(10)Jack male mono - Jack male mono 3 meter	10,48006	10,48006	St
PCB-CLA600/5	(10)Jack male mono - Jack male mono 5 meter	13,62006	13,62006	St
PCB-CLA603/10	(5)2 x 6.3 mm Jack male mono - 2 x 6.3 mm Jack male mono angled 10 meter	17,74006	17,74006	St
PCB-CLA603/3	(10)2 x 6.3 mm Jack male mono - 2 x 6.3 mm Jack male mono angled 3 meter	14,11006	14,11006	St
PCB-CLA603/5	(10)2 x 6.3 mm Jack male mono - 2 x 6.3 mm Jack male mono angled 5 meter	16,77006	16,77006	St
PCB-CLA610/10	(5)Jack male stereo - Jack male stereo 10 meter	23,06006	23,06006	St
PCB-CLA610/1-5	(10)Jack male stereo - Jack male stereo 1,5 meter	9,63006	9,63006	St
PCB-CLA610/3	(10)Jack male stereo - Jack male stereo 3 meter	11,81006	11,81006	St
PCB-CLA610/5	(10)Jack male stereo - Jack male stereo 5 meter	14,23006	14,23006	St
PCB-CLA631/1	(30) 2 x RCA/Cinch male - 2 x 6,3 mm Jack male mono 1 meter	6,85006	6,85006	St
PCB-CLA631/1-5	(10)2 x RCA/Cinch male - 2 x 6.3 mm Jack male mono 1,5 meter	10,60006	10,60006	St
PCB-CLA631/3	(10)2 x RCA/Cinch male - 2 x 6.3 mm Jack male mono 3 meter	14,23006	14,23006	St
PCB-CLA631/5	(10)2 x RCA/Cinch male - 2 x 6.3 mm Jack male mono 5 meter	18,22006	18,22006	St
PCB-CLA650/1-5	(10)6.3 mm Jack male mono - 6.3 mm Jack male mono angled - for guitar 1,5 meter	8,42006	8,42006	St
PCB-CLA650/3	(10)6.3 mm Jack male mono - 6.3 mm Jack male mono angled - for guitar 3 meter	10,36006	10,36006	St
PCB-CLA650/5	(10)6.3 mm Jack male mono - 6.3 mm Jack male mono angled - for guitar 5 meter	13,62006	13,62006	St
PCB-CLA701/1-5	(10)2 x XLR male - 2 x RCA/Cinch male 1,5 meter	16,16006	16,16006	St
PCB-CLA701/3	(10)2 x XLR male - 2 x RCA/Cinch male 3 meter	17,86006	17,86006	St
PCB-CLA703/1-5	(10)XLR male - 2 x RCA/Cinch male 1,5 meter	10,04	10,04	St
PCB-CLA705/1-5	(10)2 x XLR female - 2 x RCA/Cinch male 1,5 meter	20,40006	20,40006	St
PCB-CLA705/3	(10)2 x XLR female - 2 x RCA/Cinch male 3 meter	23,30006	23,30006	St
PCB-CLA708/1-5	(10)2 x XLR male - 2 x 6.3 mm Jack male mono 1,5 meter	17,13006	17,13006	St
PCB-CLA708/3	(10) Procab CLA708/3 - 2 x XLR male - 2 x 6.3 mm Jack male mono 3 meter	20,28006	20,28006	St
PCB-CLA709/1-5	(5)6.3 mm Jack male stereo - XLR male & XLR female 1,5 meter	16,66006	16,66006	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
PCB-CLA709/2	(30) 6.3 mm Jack male stereo - XLR male & XLR female 2 meter	15,92006	15,92006 St
PCB-CLA709/3	(5)6.3 mm Jack male stereo - XLR male & XLR female 3 meter	19,31006	19,31006 St
PCB-CLA710/0-5	(5)2 x XLR male - 2 x XLR female 0,5 meter	22,82006	22,82006 St
PCB-CLA710/1	(last pieces)(20) 2x XLR FEMALE - 2x XLR MALE - 1M	19,96	19,96 St
PCB-CLA710/1-5	(10)2 x XLR male - 2 x XLR female 1,5 meter	25,36006	25,36006 St
PCB-CLA711/10	(5)3.5 mm Jack male stereo - 2 x RCA/Cinch male 10 meter	19,91006	19,91006 St
PCB-CLA711/15	(5)3.5 mm Jack male stereo - 2 x RCA/Cinch male 15 meter	26,21006	26,21006 St
PCB-CLA711/1-5	(10)3.5 mm Jack male stereo - 2 x RCA/Cinch male 1,5 meter	8,18006	8,18006 St
PCB-CLA711/20	(5)3.5 mm Jack male stereo - 2 x RCA/Cinch male 20 meter	32,74006	32,74006 St
PCB-CLA711/3	(10) Procab CLA711/3 - 3.5 mm Jack male stereo - 2 x RCA/Cinch male 3 meter	9,51006	9,51006 St
PCB-CLA711/5	(10) Procab CLA711/5 - 3.5 mm Jack male stereo - 2 x RCA/Cinch male 5 meter	13,26006	13,26006 St
PCB-CLA712/1-5	(10) Procab CLA712/1,5 - 3.5 mm Jack male stereo - 2 x XLR male 1,5 meter	15,32006	15,32006 St
PCB-CLA712/3	(10)3.5 mm Jack male stereo - 2 x XLR male 3 meter	17,01006	17,01006 St
PCB-CLA713/1-5	(10)3.5 mm Jack male stereo - 2 x 6.3 mm Jack male mono 1,5 meter	9,63006	9,63006 St
PCB-CLA713/3	(10)3.5 mm Jack male stereo - 2 x 6.3 mm Jack male mono 3 meter	13,14006	13,14006 St
PCB-CLA716/0-7	(10)3.5 mm Jack male stereo - 3.5 mm Jack male stereo 0.75 meter	6,85006	6,85006 St
PCB-CLA716/10	(5) Procab CLA716/10 - 3.5 mm Jack male stereo - 3.5 mm Jack male stereo 10 meter	25,00006	25,00006 St
PCB-CLA716/15	(5)3.5 mm Jack male stereo - 3.5 mm Jack male stereo 15 meter	35,40006	35,40006 St
PCB-CLA716/1-5	(10)3.5 mm Jack male stereo - 3.5 mm Jack male stereo 1,5 meter	7,45006	7,45006 St
PCB-CLA716/3	(10)3.5 mm Jack male stereo - 3.5 mm Jack male stereo 3 meter	9,02006	9,02006 St
PCB-CLA716/5	(10) Procab CLA716/5 - 3.5 mm Jack male stereo - 3.5 mm Jack male stereo 5 meter	16,89006	16,89006 St
PCB-CLA718/1-5	(10)3.5 mm Jack male stereo - 3.5 mm Jack angled male stereo 1.5 meter	6,12006	6,12006 St
PCB-CLA718/3	(10)3.5 mm Jack male stereo - 3.5 mm Jack angled male stereo 3 meter	8,06006	8,06006 St
PCB-CLA719/1-5	(10)6.3 mm Jack male stereo - 2 x RCA/Cinch male 1,5 meter	10,23006	10,23006 St
PCB-CLA719/2	(last pieces) (30)JACK MALE STEREO - 2x RCA/CINCH MALE - 2M	7,26	7,26 St
PCB-CLA719/3	(10)6.3 mm Jack male stereo - 2 x RCA/Cinch male 3 meter	12,53006	12,53006 St
PCB-CLA720/1	(last pieces)(30) JACK ANGLED MALE STEREO-2X JACK FEM STEREO 1M	16,34	16,34 St
PCB-CLA721/1-5	(10)6.3 mm Jack male stereo - 2 x 6.3 mm Jack male 1,5 meter	8,90006	8,90006 St
PCB-CLA721/3	(10)6.3 mm Jack male stereo - 2 x 6.3 mm Jack male 3 meter	11,69006	11,69006 St
PCB-CLA723/1-5	(10)XLR female - 6.3 mm Jack male stereo 1,5 meter	15,37	15,37 St
PCB-CLA724/10	(5)XLR male - 6.3 mm Jack male stereo 10 meter	26,50	26,50 St
PCB-CLA724/1-5	(10)XLR male - 6.3 mm Jack male stereo 1,5 meter	12,58	12,58 St
PCB-CLA724/3	(10)XLR male - 6.3 mm Jack male stereo 3 meter	14,64	14,64 St
PCB-CLA724/5	(10)XLR male - 6.3 mm Jack male stereo 5 meter	17,55	17,55 St
PCB-CLA725/1-5	(5)RCA/Cinch male - 2 x RCA/Cinch male 1.5 meter	7,18	7,18 St
PCB-CLA725/2	(last pieces)(30) RCA/CINCH MALE - 2x RCA/CINCH MALE - 2M	6,35	6,35 St
PCB-CLA735/1-5	(10)XLR female - 2 x XLR male 1,5 meter	21,37006	21,37006 St
PCB-CLA792/1	(5)6.3 mm Jack male stereo - 6.3 mm Jack male stereo - cable set in 6 colours 1	30,20006	30,20006 St
PCB-CLA794/01	(5)6.3 mm Jack angled male - 6.3 mm Jack angled male 0.15 meter	8,54006	8,54006 St
PCB-CLA794/03	(5)6.3 mm Jack angled male - 6.3 mm Jack angled male 0.3 meter	9,59006	9,59006 St
PCB-CLA800/0-5	(10)2 x RCA/Cinch male - 2x RCA/Cinch male 0,5 meter	7,33006	7,33006 St
PCB-CLA800/1	(10)2 x RCA/Cinch male - 2x RCA/Cinch male 1 meter	8,06006	8,06006 St
PCB-CLA800/10	(5)2 x RCA/Cinch male - 2x RCA/Cinch male 10 meter	20,76006	20,76006 St
PCB-CLA800/15	(5) Procab CLA800/15 - 2 x RCA/Cinch male - 2x RCA/Cinch male 15 meter	27,17006	27,17006 St
PCB-CLA800/1-5	(10) Procab CLA800/1-5 - 2 x RCA/Cinch male - 2x RCA/Cinch male 1,5 meter	9,02006	9,02006 St
PCB-CLA800/20	(5)2 x RCA/Cinch male - 2x RCA/Cinch male 20 meter	36,49006	36,49006 St
PCB-CLA800/3	(10)2 x RCA/Cinch male - 2x RCA/Cinch male 3 meter	10,72006	10,72006 St
PCB-CLA800/5	(10) Procab CLA800/5 - 2 x RCA/Cinch male - 2x RCA/Cinch male 5 meter	12,05006	12,05006 St
PCB-CLA830/0-25	(20)2 x terminal block - 2 x terminal block (3p - 3.81mm) 0,25 meter	15,56006	15,56006 St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-CLA830/0-5	(10)2 x terminal block - 2 x terminal block (3p - 3.81mm) 0,5 meter	15,44006	15,44006	St
PCB-CLA830/1	(10)2 x terminal block - 2 x terminal block (3p - 3.81mm) 1 meter	18,34006	18,34006	St
PCB-CLA830/1-5	(10) CLA830/1-5 - 2 x terminal block - 2 x terminal block (3p - 3.81mm) 1,5 meter	21,00006	21,00006	St
PCB-CLA830/3	(10)2 x terminal block - 2 x terminal block (3p - 3.81mm) 3 meter	27,17006	27,17006	St
PCB-CLA832/0-5	(10) Procab CLA832/0-5 - 2 x RCA/Cinch - 2 x terminal block (3p - 3.81mm) 0,5 meter	15,92006	15,92006	St
PCB-CLA832/1	(10)2 x RCA/Cinch - 2 x terminal block (3p - 3.81mm) 1 meter	14,57006	14,57006	St
PCB-CLA832/1-5	(10) CLA832/1-5 - 2 x RCA/Cinch - 2 x terminal block (3p - 3.81mm) 1,5 meter	17,62006	17,62006	St
PCB-CLA832/3	(10) Procab CLA832/3 - 2 x RCA/Cinch - 2 x terminal block (3p - 3.81mm) 3 meter	22,58006	22,58006	St
PCB-CLA834/0-5	(10)2 x XLR male - 2 x terminal block (3p - 3.81mm) 0,5 meter	20,40006	20,40006	St
PCB-CLA834/1-5	(10) Procab CLA834/1-5 - 2 x XLR male - 2 x terminal block (3p - 3.81mm) 1,5 meter	24,39006	24,39006	St
PCB-CLA834/3	(10)2 x XLR male - 2 x terminal block (3p - 3.81mm) 3 meter	30,08006	30,08006	St
PCB-CLA835/0-5	(10)2 x XLR female - 2 x terminal block (3p - 3.81mm) 0,5 meter	26,69006	26,69006	St
PCB-CLA835/1	(10) Procab CLA835/1 - 2 x XLR female - 2 x terminal block (3p - 3.81mm) 1 meter	28,75006	28,75006	St
PCB-CLA835/1-5	(10) Procab CLA835/1-5 - 2 x XLR female - 2 x terminal block (3p - 3.81mm) 1,5 meter	30,08006	30,08006	St
PCB-CLA835/3	(10)2 x XLR female - 2 x terminal block (3p - 3.81mm) 3 meter	36,13006	36,13006	St
PCB-CLA835/5	(20) 2 x XLR female - 2 x terminal block (3p - 3.81mm) 5 meter EOL	34,07006	34,07006	St
PCB-CLA850/1-5	(10)2 x RCA/Cinch female - 2 x RCA/Cinch male 1,5 meter	8,66	8,66	St
PCB-CLA850/2	(5)2 x RCA/Cinch female - 2 x RCA/Cinch male 2 meter	7,26	7,26	St
PCB-CLA850/3	(10)2 x RCA/Cinch female - 2 x RCA/Cinch male 3 meter	10,53	10,53	St
PCB-CLA850/5	(10)2 x RCA/Cinch female - 2 x RCA/Cinch male 5 meter	13,31	13,31	St
PCB-CLA900/10	(5)6.3 mm Jack male - XLR female 10 meter	20,28006	20,28006	St
PCB-CLA901/0-5	(10)XLR male - XLR female 0,5 meter	13,99006	13,99006	St
PCB-CLA901/1	(10)XLR male - XLR female 1 meter	14,47006	14,47006	St
PCB-CLA901/10	(5)XLR male - XLR female 10 meter	26,09006	26,09006	St
PCB-CLA901/15	(5)XLR male - XLR female 15 meter	32,62006	32,62006	St
PCB-CLA901/1-5	(10)XLR male - XLR female 1,5 meter	15,56006	15,56006	St
PCB-CLA901/20	(5)XLR male - XLR female 20 meter	40,36006	40,36006	St
PCB-CLA901/3	(10)XLR male - XLR female 3 meter	16,77006	16,77006	St
PCB-CLA901/5	(10)XLR male - XLR female 5 meter	19,67006	19,67006	St
PCB-CLA903/10	(10) XLR MALE - XLR FEMALE ANGLED - 10M	21,82	21,82	St
PCB-CLA903/3	(20) XLR MALE - XLR FEMALE ANGLED - 3M	13,06	13,06	St
PCB-CLA904/10	(5)XLR angled male - XLR angled female 10 meter	22,33006	22,33006	St
PCB-CLA904/3	(5)XLR angled male - XLR angled female 3 meter	14,50	14,50	St
PCB-CLA904/5	(5)XLR angled male - XLR angled female 5 meter	16,41006	16,41006	St
PCB-CLD400/10	(5)Midi cable - DIN 5 -DIN 5 10 meter	45,98	45,98	St
PCB-CLD400/3	(5)Midi cable - DIN 5 -DIN 5 3 meter	17,78	17,78	St
PCB-CLD400/5	(5)Midi cable - DIN 5 -DIN 5 5 meter	27,71	27,71	St
PCB-CLD600/3	(10)USB A - USB A 3 meter	14,76	14,76	St
PCB-CLD600/5	(10)USB A - USB A 5 meter	18,15	18,15	St
PCB-CLD605/1-5	(30) USB A - USB A - USB 3.0 1,5 meter	16,28006	16,28006	St
PCB-CLD605/2	(30) USB A - USB A - USB 3.0 2 meter	16,40006	16,40006	St
PCB-CLD610/1-5	(10)USB A - USB B 1,5 meter	10,72006	10,72006	St
PCB-CLD610/3	(10) Procab CLD610/3 - USB A - USB B 3 meter	14,83006	14,83006	St
PCB-CLD610/5	(10)USB A - USB B 5 meter	18,58006	18,58006	St
PCB-CLD612/1	(5)USB A - USB micro A 1 meter	6,90	6,90	St
PCB-CLD612/1-5	(5)USB A - USB micro A 1,5 meter	8,35	8,35	St
PCB-CLD612/2	(30) USB A - USB micro A 2 meter	9,08	9,08	St
PCB-CLD614/1-5	(10)USB A - USB micro B 1,5 meter	10,23006	10,23006	St
PCB-CLD615/1-5	(30) USB A - USB mini B 1,5 meter	8,30006	8,30006	St
PCB-CLD615/2	(30) USB A - USB MINI B - 2M	9,07	9,07	St
PCB-CLD625/3	(10)Fiber optic cable - Toslink - Toslink 3 meter	16,41006	16,41006	St
PCB-CLD632A/10	Procab CLD632A/10 - USB Type-C - USB Type-C - Active optical - USB 3.2 GEN 2 - 10 meter	334,69	334,69	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-CLD632A/15	USB Type-C - USB Type-C - Active optical - USB 3.2 GEN 2 (10 GBPS) 15 meter	373,53	373,53	St
PCB-CLD635A/10	USB Type-C - USB Type-C - Active optical - 4K@60 Hz Displayport 1.2 Alt 10 meter	319,32	319,32	St
PCB-CLD635A/15	USB Type-C - USB Type-C - Active optical - 4K@60 Hz Displayport 1.2 Alt 15 meter	348,60	348,60	St
PCB-CLD635A/20	USB Type-C - USB Type-C - Active optical - 4K@60 Hz Displayport 1.2 Alt 20 meter	378,13	378,13	St
PCB-CLD635A/30	USB Type-C - USB Type-C - Active optical - 4K@60 Hz Displayport 1.2 Alt 30 meter	436,69	436,69	St
PCB-CLD953/0-5	(5)DMX AES/ EBU cable -XLR male - XLR female 0,5 meter	14,35006	14,35006	St
PCB-CLD953/1	(10) Procab CLD953/1 - DMX AES/ EBU cable -XLR male - XLR female 1 meter	15,07006	15,07006	St
PCB-CLD953/10	(10) Procab CLD953/10 - DMX AES/ EBU cable -XLR male - XLR female 10 meter	29,35006	29,35006	St
PCB-CLD953/15	(5)DMX AES/ EBU cable -XLR male - XLR female 15 meter	36,73006	36,73006	St
PCB-CLD953/1-5	(10)Procab CLD953/1-5 - DMX AES/ EBU cable -XLR male - XLR female 1,5 meter	17,13006	17,13006	St
PCB-CLD953/20	(5) Procab CLD953/20 - DMX AES/ EBU cable -XLR male - XLR female 20 meter	44,36006	44,36006	St
PCB-CLD953/3	(10) Procab CLD953/3 - DMX AES/ EBU cable -XLR male - XLR female 3 meter	18,70006	18,70006	St
PCB-CLD953/5	(10) PCB-CLD953/5 - DMX AES/ EBU cable -XLR male - XLR female 5 meter	21,97006	21,97006	St
PCB-CLD955/0-5	(30) DMX 2-pair cable -XLR male - XLR female 0,5 meter	21,25006	21,25006	St
PCB-CLD955/1	(30) DMX-AES 110 OHM CABLE 5POLE-XLR MALE-XLR FEM	20,03	20,03	St
PCB-CLD955/10	(5)DMX 2-pair cable -XLR male - XLR female 10 meter	42,78006	42,78006	St
PCB-CLD955/1-5	(10)DMX 2-pair cable -XLR male - XLR female 1,5 meter	24,27006	24,27006	St
PCB-CLD955/3	(10)DMX 2-pair cable -XLR male - XLR female 3 meter	28,14006	28,14006	St
PCB-CLD955/5	(10)DMX 2-pair cable -XLR male - XLR female 5 meter	32,26006	32,26006	St
PCB-CLP101	(5)Adapter - RCA/Cinch female - XLR female	12,34	12,34	St
PCB-CLP102	(5)Adapter - RCA/Cinch female - XLR male	10,41	10,41	St
PCB-CLP103	(5)Adapter - RCA/Cinch male - 6.3 mm Jack female	7,87	7,87	St
PCB-CLP104	(5)Adapter - RCA/Cinch female - 6.3 mm Jack male	6,53	6,53	St
PCB-CLP107	(5)Adapter - RCA/Cinch female - RCA/Cinch female	5,57	5,57	St
PCB-CLP110	(5)Adapter - XLR female - 6.3 mm Jack female - balanced	14,88	14,88	St
PCB-CLP115	(5)Adapter - XLR male - 6.3 mm Jack female - balanced	12,83	12,83	St
PCB-CLP120	(5)Adapter - XLR female - 6.3 mm Jack male - balanced	15,85	15,85	St
PCB-CLP121	(5)Adapter - XLR female - 6.3 mm Jack male	13,34	13,34	St
PCB-CLP126	(5)Adapter - XLR male - 6.3 mm Jack male	11,30	11,30	St
PCB-CLP130	(5)Adapter - XLR female - RCA/Cinch male	11,98	11,98	St
PCB-CLP135	(5)Adapter - XLR male - RCA/Cinch male	9,80	9,80	St
PCB-CLP140	(5)Adapter - XLR male - XLR male	16,21	16,21	St
PCB-CLP145	(5)Adapter - XLR female - XLR female	21,66	21,66	St
PCB-CLP146	(5)Adapter - XLR male - XLR female - Phase shift	16,70	16,70	St
PCB-CLP157	(20)110 ohm DMX terminator - 3 pin male XLR	10,41	10,41	St
PCB-CLP158	(20)110 ohm DMX terminator - 5 pin male XLR	13,31	13,31	St
PCB-CLP204	(5)Adapter - 3.5 mm Jack female stereo - 3.5 mm Jack male stereo - 90° angled	7,38	7,38	St
PCB-CLP209	(5)Adapter - 2 x 3.5 mm Jack female stereo - 3.5 mm Jack male stereo - flexible	8,66	8,66	St
PCB-CLP211	(5) Procab Clp211 - Adapter - 2 x RCA/Cinch female - 3.5 mm Jack male stereo	6,66	6,66	St
PCB-CLP321	(20)Adapter - SVGA female - SVGA female	9,44	9,44	St
PCB-CLP341	(5)Adapter - HDMI female - DVI male - flexible	16,09	16,09	St
PCB-CLP342	(5)Adapter - HDMI male - DVI female - flexible	16,21	16,21	St
PCB-CLS215-B2CA/1	(6)Loudspeaker cable - 2 x 1.5 mmý - 16 AWG - EN50399 CPR Euroclass B2ca-s1b,d0	351,14	351,14	St
PCB-CLS215-B2CA/3	(2)Loudspeaker cable - 2 x 1.5 mmý - 16 AWG - EN50399 CPR Euroclass B2ca-s1b,d0	1.034,31	1.034,31	St
PCB-CLS215-CCA/1	(3) Procab CLS215-CCA/1 - Loudspeaker cable - 2 x 1.5 mmý - 16 AWG	279,27	279,27	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	- EN50399 CPR Cca-s1b,d0,			
PCB-CLS215-CCA/3	(2)Loudspeaker cable - 2 x 1.5 mmý - 16 AWG - EN50399 CPR Euroclass Cca-s1b,d0,	822,20	822,20	St
PCB-CLS215W-CCA/1	(3)Loudspeaker cable - 2 x 1.5 mmý - 16 AWG - EN50399 CPR Euroclass Cca-s1b,d0,	284,35	284,35	St
PCB-CLS225-B2CA/1	(6)Loudspeaker cable - 2 x 2.5 mmý - 13 AWG - EN50399 CPR Euroclass B2ca-s1b,d0	460,04	460,04	St
PCB-CLS225-B2CA/3	(2)Loudspeaker cable - 2 x 2.5 mmý - 13 AWG - EN50399 CPR Euroclass B2ca-s1b,d0	1.380,25	1.380,25	St
PCB-CLS225-CCA/1	(6)Loudspeaker cable - 2 x 2.5 mmý - 13 AWG - EN50399 CPR Euroclass Cca-s1b,d0,	412,61	412,61	St
PCB-CLS225-CCA/3	(2)Loudspeaker cable - 2 x 2.5 mmý - 13 AWG - EN50399 CPR Euroclass Cca-s1b,d0,	1.215,45	1.215,45	St
PCB-CLS225W-CCA/1	(6)Loudspeaker cable - 2 x 2.5 mmý - 13 AWG - EN50399 CPR Euroclass Cca-s1b,d0,	431,37	431,37	St
PCB-CLS240-B2CA/1	(6)Loudspeaker cable - 2 x 4 mmý - 11 AWG - EN50399 CPR Euroclass B2ca-s1b,d0,a	732,17	732,17	St
PCB-CLS240-B2CA/3	(2)Loudspeaker cable - 2 x 4 mmý - 11 AWG - EN50399 CPR Euroclass B2ca-s1b,d0,a	2.196,63	2.196,63	St
PCB-CLS240-CCA/1	(6)Loudspeaker cable - 2 x 4 mmý - 11 AWG - EN50399 CPR Euroclass Cca-s1b,d0,a1	632,59	632,59	St
PCB-CLS240-CCA/3	(2)Loudspeaker cable - 2 x 4 mmý - 11 AWG - EN50399 CPR Euroclass Cca-s1b,d0,a1	1.897,76	1.897,76	St
pcb-CLS260-CCA/1	Loudspeaker cable - 2 x 6 mm ² - 10 AWG - EN50399 CPR Euroclass Cca-s1b,d0,a1 100 m wooden reel	918,39	918,39	St
pcb-CLS260-CCA/3	Loudspeaker cable - 2 x 6 mm ² - 10 AWG - EN50399 CPR Euroclass Cca-s1b,d0,a1 300 m wooden reel	2.755,17	2.755,17	St
PCB-CLS425-CCA/1	(6)Loudspeaker cable - 4 x 2.5 mmý - 13 AWG - EN50399 CPR Euroclass Cca-s1b,d0,	702,89	702,89	St
PCB-CLS425-CCA/3	(2)Loudspeaker cable - 4 x 2.5 mmý - 13 AWG - EN50399 CPR Euroclass Cca-s1b,d0,	2.056,03	2.056,03	St
PCB-CLS440-CCA/3	Loudspeaker cable - 4 x 4 mmý - 11 AWG - EN50399 CPR Euroclass Cca-s1b,d0,a1 30	3.423,09	3.423,09	St
PCB-CLS840-CCA/3	Loudspeaker cable - 8 x 4 mmý - 11 AWG - EN50399 CPR Euroclass Cca-s1b,d0,a1 30	7.545,44	7.545,44	St
PCB-CLT450	(20)Premium hook & loop cable tie pack 15 x 450 mm - 10 pieces	10,41	10,41	St
PCB-CLT600	(20)Premium hook & loop cable tie pack 20 x 600 mm - 10 pieces	15,25	15,25	St
PCB-CLV100/10	(5) Procab CLV100/10 - HDMI A male - HDMI A male 10 meter	95,90006	95,90006	St
PCB-CLV100/1-5	(10) Procab CLV100/1-5 - HDMI A male - HDMI A male 1.5 meter	24,23006	24,23006	St
PCB-CLV100/3	(10)HDMI A male - HDMI A male 3 meter	34,43006	34,43006	St
PCB-CLV100/5	(10) Procab CLV100/5 - HDMI A male - HDMI A male 5 meter	56,46006	56,46006	St
PCB-CLV100/7-5	(5)HDMI A male - HDMI A male 7,5 meter	77,46006	77,46006	St
PCB-CLV104K/10	(10) HDMI A male - HDMI A male - active 4K 10 METER	154,83006	154,83006	St
PCB-CLV114/10	(5)SVGA male - SVGA male 10 meter	40,80006	40,80006	St
PCB-CLV114/15	(5)SVGA male - SVGA male 15 meter	56,82006	56,82006	St
PCB-CLV114/1-5	(5)SVGA male - SVGA male 1,5 meter	14,71006	14,71006	St
PCB-CLV114/2	(last pieces) (20) SVGA MALE - SVGA MALE - 2M	13,61	13,61	St
PCB-CLV114/25	(5)SVGA male - SVGA male 25 meter	79,08006	79,08006	St
PCB-CLV114/3	(10) SVGA male - SVGA male 3 meter	18,34006	18,34006	St
PCB-CLV114/30	(4)SVGA male - SVGA male 30 meter	92,64006	92,64006	St
PCB-CLV114/7-5	(10) SVGA male - SVGA male 7.5 meter	37,47006	37,47006	St
PCB-CLV115/10	(10) SVGA male & 3,5 mm Jack male stereo - SVGA male & 3,5 mm Jack male stereo 1	45,86	45,86	St
PCB-CLV115/15	(10) SVGA male & 3.5 mm Jack male stereo - SVGA male & 3.5 mm Jack male stereo 1	62,56	62,56	St
PCB-CLV115/1-5	(20) SVGA male & 3.5 mm Jack male stereo - SVGA male & 3.5 mm Jack male stereo 1	19,23	19,23	St
PCB-CLV115/20	(5)SVGA male & 3.5 mm Jack male stereo - SVGA male & 3.5 mm Jack male stereo 20	80,34	80,34	St
PCB-CLV115/25	(5)SVGA male & 3.5 mm Jack male stereo - SVGA male & 3.5 mm Jack male stereo 25	85,31	85,31	St
PCB-CLV115/3	(20) SVGA male & 3.5 mm Jack male stereo - SVGA male & 3.5 mm	21,66	21,66	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	Jack male stereo 3			
PCB-CLV115/30	(4)SVGA male & 3.5 mm Jack male stereo - SVGA male & 3.5 mm Jack male stereo 30	99,83	99,83	St
PCB-CLV115/5	(10) SVGA male & 3,5 mm Jack male stereo - SVGA male & 3,5 mm Jack male stereo 5	27,95	27,95	St
PCB-CLV140/10	(5)DVI D male - DVI D male - dual link 10 meter - 26 awg	106,29006	106,29006	St
PCB-CLV140/1-5	(5)DVI D male - DVI D male - dual link 1.5 meter - 26 awg	39,64006	39,64006	St
PCB-CLV140/3	(5)DVI D male - DVI D male - dual link 3 meter - 26 awg	48,83006	48,83006	St
PCB-CLV140/5	(5)DVI D male - DVI D male - dual link 5 meter - 26 awg	60,57006	60,57006	St
PCB-CLV156/0-5	(10)BNC male - BNC male - 50 ohm 0,5 meter	11,25	11,25	St
PCB-CLV156/10	(5)BNC male - BNC male - 50 ohm 10 meter	26,26	26,26	St
PCB-CLV156/1-5	(10)BNC male - BNC male - 50 ohm 1,5 meter	12,95	12,95	St
PCB-CLV156/3	(10)BNC male - BNC male - 50 ohm 3 meter	15,73	15,73	St
PCB-CLV156/5	(10)BNC male - BNC male - 50 ohm 5 meter	19,60	19,60	St
PCB-CLV158/15	(5)SD-SDI cable - BNC male - BNC male 15 meter	24,56	24,56	St
PCB-CLV158/20	(5)SD-SDI cable - BNC male - BNC male 20 meter	31,46	31,46	St
PCB-CLV160/10	(5)DVI D male - HDMI A male 10 meter - 24 awg	84,89006	84,89006	St
PCB-CLV160/1-5	(10)DVI D male - HDMI A male 1.5 meter - 24 awg	36,49006	36,49006	St
PCB-CLV160/3	(5)DVI D male - HDMI A male 3 meter - 24 awg	43,63006	43,63006	St
PCB-CLV160/5	(5)DVI D male - HDMI A male 5 meter - 24 awg	52,58006	52,58006	St
PCB-CLV200/10	(5) Procab CLV200/10 - HDMI A male - HDMI A male - LSHF 10 meter	106,67006	106,67006	St
PCB-CLV200/5	(5) Procab CLV200/5 - HDMI A male - HDMI A male - LSHF 5 meter	61,05006	61,05006	St
PCB-CLV200/7-5	(5) Procab CLV200/7-5 - HDMI A male - HDMI A male - LSHF 7.5 meter	83,92006	83,92006	St
PCB-CLV210A/10	Procab CLV210A/10 - HDMI A male - HDMI A male - Active optical - HighFlex? 10 meter	155,56006	155,56006	St
PCB-CLV210A/15	Procab CLV210A/15 - HDMI A male - HDMI A male - Active optical - HighFlex 15 meter	171,70	171,70	St
PCB-CLV210A/20	Procab CLV210A/20 - HDMI A male - HDMI A male - Active optical - 20 meter	187,67	187,67	St
PCB-CLV215A/10	Procab CLV215A 10M HDMI A male - HDMI A male/HDMI D (Mini HDMI) male	188,40	188,40	St
PCB-CLV215A/15	Procab CLV215A 15M HDMI A male - HDMI A male/HDMI D (Mini HDMI) male	213,93	213,93	St
PCB-CLV215A/20	Procab CLV215A 20M HDMI A male - HDMI A male/HDMI D (Mini HDMI) male	239,46	239,46	St
PCB-CLV215A/30	Procab CLV215A 30M HDMI A male - HDMI A male/HDMI D (Mini HDMI) male	291,01	291,01	St
PCB-CLV215A/40	Procab CLV215A 40M HDMI A male - HDMI A male/HDMI D (Mini HDMI) male	342,43	342,43	St
PCB-CLV220A/10	Procab CLV220A/10 - HDMI A male - HDMI A male - Active optical - Interchangeable connectors 10 meter	265,54006	265,54006	St
PCB-CLV220A/100	HDMI A male - HDMI A male - Active optical - Interchangeable connectors 100 mete	655,46	655,46	St
PCB-CLV220A/15	Procab CLV220A/15 - HDMI A male - HDMI A male - Active optical - Interchangeable connectors 15 meter	289,67	289,67	St
PCB-CLV220A/20	Procab CLV220A/20 - HDMI A male - HDMI A male - Active optical - Interchangeable connectors 20 meter	313,82006	313,82006	St
PCB-CLV220A/30	Procab CLV220A/30 - HDMI A male - HDMI A male - Active optical - 30 meter	355,57006	355,57006	St
PCB-CLV220A/40	Procab CLV220A/40 - HDMI A male - HDMI A male - Active optical - Interchangeable connectors 40 m	391,63006	391,63006	St
PCB-CLV220A/50	HDMI A male - HDMI A male - Active optical - Interchangeable connectors 50 meter	437,61006	437,61006	St
PCB-CLV220A/70	HDMI A male - HDMI A male - Active optical - Interchangeable connectors 70 meter	519,82	519,82	St
PCB-CLV310A/10	HDMI 2.1 Active optical cable - HDMI A male - HDMI A male - HighFlex 10 meter	217,68	217,68	St
PCB-CLV310A/15	HDMI 2.1 Active optical cable - HDMI A male - HDMI A male - HighFlex 15 meter	236,92	236,92	St
PCB-CLV310A/20	HDMI 2.1 Active optical cable - HDMI A male - HDMI A male - HighFlex 20 meter	245,03	245,03	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
pcb-CLV315A/10	HDMI 2.1 Active optical cable – HDMI A male - HDMI A male - HighFlex™ - Interchangeable connector 10 meter	227,24	227,24	St
pcb-CLV315A/15	HDMI 2.1 Active optical cable – HDMI A male - HDMI A male - HighFlex™ - Interchangeable connector 15 meter	254,95	254,95	St
pcb-CLV315A/20	HDMI 2.1 Active optical cable – HDMI A male - HDMI A male - HighFlex™ - Interchangeable connector 20 meter	282,54	282,54	St
pcb-CLV315A/30	HDMI 2.1 Active optical cable – HDMI A male - HDMI A male - HighFlex™ - Interchangeable connector 30 meter	337,83	337,83	St
pcb-CLV315A/40	HDMI 2.1 Active optical cable – HDMI A male - HDMI A male - HighFlex™ - Interchangeable connector 40 meter	393,13	393,13	St
PCB-CMC122/3	(2) Balanced microphone cable - solid 2 x 0,32 mmý - 22 AWG - FlamoFlex 300 m p	267,89	267,89	St
PCB-CMC222-CCA/1	(4) Procab CMC222-CCA/1 - Balanced microphone cable - flex 2 x 0.34 mm ý - 22 AWG	184,04	184,04	St
PCB-CMC222-CCA/3	(2)Balanced microphone cable - flex 2 x 0.34 mm ý - 22 AWG - EN50399 CPR Eurocla	552,00	552,00	St
PCB-CMC224/1	(4) Balanced microphone cable - flex 2 x 0,22 mmý - 24 AWG - Flamoflex? 100 m pl	110,72	110,72	St
PCB-CMC224-CCA/1	(4)Balanced microphone cable - flex 2 x 0.20 mmý - 24 AWG - EN50399 CPR Euroclas	162,02	162,02	St
PCB-CMC224-CCA/3	(2)Balanced microphone cable - flex 2 x 0.20 mmý - 24 AWG - EN50399 CPR Euroclas	486,06	486,06	St
PCB-CMX222-CCA/1	(4)Procab CMX222-CCA/1 - DMX-AES cable 2 x 0.34 mmý - 22 AWG - EN50399 - Cca-s1a,d1,a1 1	255,31	255,31	St
PCB-CMX222-CCA/3	(2) Procab CMX222-CCA/3 - DMX-AES cable 2 x 0.34 mmý - 22 AWG - EN50399 Cca-s1a,d1,a1 3	766,00998	766,00998	St
PCB-CMX422-CCA/1	(4) Procab CMX422-CCA/1 - DMX-512 cable - 4 x 0.34 mmý - 22 AWG - EN50399 CPR - Cca-s1a,d1,a1	330,33	330,33	St
PCB-CMX422-CCA/3	(2) Procab CMX422-CCA/3 - DMX-512 cable - 4 x 0.34 mmý - 22 AWG - EN50399 CPR - Cca-s1a,d1,a1	990,87	990,87	St
PCB-COP110	Adapter - HDMI Micro D female - HDMI A male - for use with CLV220A	31,94	31,94	St
PCB-COP140	Adapter - HDMI Micro D female - DVI-D male - for use with CLV220A	26,86	26,86	St
PCB-CP45HDM/B	(10)Connection plate HDMI 45 x 45 mm Black version	23,48	23,48	St
PCB-CRM225	Cable reel - loudspeaker cable - 2-pin speakON	249,01	249,01	St
PCB-CRM425	Cable reel - loudspeaker cable - 4-pin speakON	297,30	297,30	St
PCB-CRM602	(Last p) gebalanc mickabel+3G1 stroomkab20m	208,73	208,73	St
PCB-CRM603	(Last p) gebalanc microkabel+3G1 powercokab 20m	208,72	208,72	St
PCB-CRP201	(5)1 d-size hole plate	10,41	10,41	St
PCB-CRP244F	Procab CRP244F - Center connection plate 185 mm 4 x schuko - IP44	34,97	34,97	St
PCB-CRP244G	(5)Center connection plate 185 mm 4 x schuko - IP44 German connectors	34,97	34,97	St
PCB-CRP280	(5)Center connection plate with latchable door	26,14	26,14	St
PCB-CRP302	(5)2 d-size hole plate	13,92	13,92	St
PCB-CRP304	(5)4 d-size hole plate	15,00	15,00	St
PCB-CRP308	(5)8 d-size hole plate	18,63	18,63	St
PCB-CRP310	(5)10 d-size hole plate	20,57	20,57	St
PCB-CRP312	(5)12 d-size hole plate	22,39	22,39	St
PCB-CRP314	(5)14 d-size hole plate	26,14	26,14	St
PCB-CRP340	(5)4 x schuko hole center plate	22,39	22,39	St
PCB-CRP342	(5)2 x schuko size + 4 x d-size hole center plate	22,39	22,39	St
PCB-CRX08-0/10	Cable reel - 8 x XLR female - 8 x XLR male 10 meter	267,40	267,40	St
PCB-CRX08-2/10	Cable reel - 8 x XLR female & 2 x XLR male - 8 x XLR male & 2 x XLR female 10 m	313,37	313,37	St
PCB-CSB224-CCA/1	Balanced signal cable - flex 0.20 mmý - 24 AWG - EN50399 CPR Euroclass Cca-s1b,d	463,79	463,79	St
PCB-CSB224-CCA/3	Balanced signal cable - flex 0.20 mmý - 24 AWG - EN50399 CPR Euroclass Cca-s1b,d	1.391,26	1.391,26	St
PCB-CSD560B/0-3	PCB-CSD560B/0-3 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	4,01	4,01	St
PCB-CSD560B/0-50	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Black version - 0.5 meter	4,33	4,33	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-CSD560B/0M15	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Black version - 0.15 meter	3,93	3,93	St
PCB-CSD560B/0M3	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Black version - 0.3 meter	4,01	4,01	St
PCB-CSD560B/1	PCB-CSD560B/1 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	5,15	5,15	St
PCB-CSD560B/1-5	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Black version - 1.5 meter	5,99	5,99	St
PCB-CSD560B/2	PCB-CSD560B/2 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	6,93	6,93	St
PCB-CSD560B/3	PCB-CSD560B/3 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	8,77	8,77	St
PCB-CSD560B/5	PCB-CSD560B/5 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	12,50	12,50	St
PCB-CSD560BU/0-50	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Blue version - 0.5 meter	4,33	4,33	St
PCB-CSD560BU/0M15	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Blue version - 0.15 meter	3,93	3,93	St
PCB-CSD560BU/0M3	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Blue version - 0.3 meter	4,01	4,01	St
PCB-CSD560BU/1	PCB-CSD560BU/1 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	5,15	5,15	St
PCB-CSD560BU/1-5	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Blue version - 1.5 meter	5,99	5,99	St
PCB-CSD560BU/2	PCB-CSD560BU/2 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	6,93	6,93	St
PCB-CSD560G/0-50	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Green version - 0.5 meter	4,33	4,33	St
PCB-CSD560G/0M15	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Green version - 0.15 meter	3,93	3,93	St
PCB-CSD560G/0M3	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Green version - 0.3 meter	4,01	4,01	St
PCB-CSD560G/1	PCB-CSD560G/1 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	5,15	5,15	St
PCB-CSD560G/1-5	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Green version - 1.5 meter	5,99	5,99	St
PCB-CSD560G/2	PCB-CSD560G/2 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	6,93	6,93	St
PCB-CSD560R/0-50	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Red version - 0.5 meter	4,33	4,33	St
PCB-CSD560R/0M15	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Red version - 0.15 meter	3,93	3,93	St
PCB-CSD560R/0M3	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Red version - 0.3 meter	4,01	4,01	St
PCB-CSD560R/1	PCB-CSD560R/1 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	5,15	5,15	St
PCB-CSD560R/1-5	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Red version - 1.5 meter	5,99	5,99	St
PCB-CSD560R/2	PCB-CSD560R/2 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	6,93	6,93	St
PCB-CSD560W/0-50	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP White version - 0.5 meter	4,33	4,33	St
PCB-CSD560W/0M15	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP White version - 0.15 meter	3,93	3,93	St
PCB-CSD560W/0M3	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP White version - 0.3 meter	4,01	4,01	St
PCB-CSD560W/1	PCB-CSD560W/1 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	5,15	5,15	St
PCB-CSD560W/1-5	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP White version - 1.5 meter	5,99	5,99	St
PCB-CSD560W/2	PCB-CSD560W/2 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	6,93	6,93	St
PCB-CSD560Y/0-50	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Yellow version - 0.5 meter	4,33	4,33	St
PCB-CSD560Y/0M15	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Yellow version - 0.15 meter	3,93	3,93	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-CSD560Y/0M3	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Yellow version - 0.3 meter	4,01	4,01	St
PCB-CSD560Y/1	PCB-CSD560Y/1 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	5,15	5,15	St
PCB-CSD560Y/1-5	Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP Yellow version - 1.5 meter	5,99	5,99	St
PCB-CSD560Y/2	PCB-CSD560Y/2 Slimline networking cable - CAT6A RJ45 - RJ45 U/UTP	6,93	6,93	St
pcb-CSD630B/0-5	USB Type-C - USB Type-C - USB 3.2 GEN 2x2 (20 GBPS) - 8K@60Hz - 20V/5A/100W Black version - 0.5 meter	20,93	20,93	St
pcb-CSD630B/1	USB Type-C - USB Type-C - USB 3.2 GEN 2x2 (20 GBPS) - 8K@60Hz - 20V/5A/100W Black version - 1 meter	24,68	24,68	St
pcb-CSD630B/1-5	USB Type-C - USB Type-C - USB 3.2 GEN 2x2 (20 GBPS) - 8K@60Hz - 20V/5A/100W Black version - 1.5 meter	29,16	29,16	St
pcb-CSD630B/2	USB Type-C - USB Type-C - USB 3.2 GEN 2x2 (20 GBPS) - 8K@60Hz - 20V/5A/100W Black version - 2 meter	32,07	32,07	St
pcb-CSD630B/3	USB Type-C - USB Type-C - USB 3.2 GEN 2x2 (20 GBPS) - 8K@60Hz - 20V/5A/100W Black version - 3 meter	44,41	44,41	St
pcb-CSD630B/5	USB Type-C - USB Type-C - USB 3.2 GEN 2x2 (20 GBPS) - 8K@60Hz - 20V/5A/100W Black version - 5 meter	61,11	61,11	St
pcb-CSV210B/0-5	Slimline video cable - HDMI 2.0 - HDMI A male - HDMI A male - HighFlex™ Black version - 0.5 meter	12,10	12,10	St
pcb-CSV210B/1	Slimline video cable - HDMI 2.0 - HDMI A male - HDMI A male - HighFlex™ Black version - 1 meter	13,19	13,19	St
pcb-CSV210B/1-5	Slimline video cable - HDMI 2.0 - HDMI A male - HDMI A male - HighFlex™ Black version - 1.5 meter	14,64	14,64	St
pcb-CSV210B/2	Slimline video cable - HDMI 2.0 - HDMI A male - HDMI A male - HighFlex™ Black version - 2 meter	16,09	16,09	St
PCB-CSV210B/3	Procab CSV210B/3 - Slimline video cable - HDMI 2.0 - HDMI A male - HDMI A male	19,12	19,12	St
pcb-CSV210B/5	Slimline video cable - HDMI 2.0 - HDMI A male - HDMI A male - HighFlex™ Black version - 5 meter	25,17	25,17	St
PCB-CTV100	HDMI Tool Kit	446,85	446,85	St
PCB-CXM400/0-5-H	(5)Midi cable - DIN 5 -DIN 5 0,5 meter - hanger	4,96	4,96	St
PCB-CXM400/10-H	(5)Midi cable - DIN 5 -DIN 5 10 meter - hanger	41,38	41,38	St
PCB-CXM400/1-H	(5)Midi cable - DIN 5 -DIN 5 1 meter - hanger	6,17	6,17	St
PCB-CXU500/10-H	(10) Networking cable - CAT5 - U/UTP - RJ45 10 meter - hanger	20,45	20,45	St
PCB-CXU500/15H	(10) CAT5 UTP cable male to male 15m hanger	38,27	38,27	St
PCB-CXU610/1-5H	(20) USB A to USB B cable 1,5m hanger	9,58	9,58	St
PCB-CXU610/3	(Ended) USB A to USB B cable 3m	11,98	11,98	St
PCB-CXU620/3	(last p) USB A to USB mini A cable 3m	9,80	9,80	St
PCB-CXU620/5	(10) USB A - USB MINI A - 5M -HANGER	14,76	14,76	St
PCB-CXU620/5-H	(10) USB A - USB mini A 5 meter - hanger	14,83006	14,83006	St
PCB-CXU625/5-H	(5)USB A - USB mini B 5 meter - hanger	13,67	13,67	St
PCB-CXV107/1	(4)Coax video cable - flex 0.54 mmý - 20 AWG 100 meter	260,63	260,63	St
PCB-DMX30/1	(4) Procab DMX30/1 - DMX-AES cable - flex 2 x 0.23 mmý - 24 AWG 100 meter	186,58	186,58	St
PCB-DMX50/1	(2)DMX-AES cable - flex 2 pairs 0.12 mmý - 26 AWG 100 meter	238,49	238,49	St
PCB-FBL130/0-5	Fiber optic cable - lc/pc - lc/pc - duplex - LSHF 0.5 meter - lshf - aqua	21,05	21,05	St
PCB-FBL130/1	Fiber optic cable - lc/pc - lc/pc - duplex - LSHF 1 meter - lshf - aqua	22,39	22,39	St
PCB-FBL130/1-5	Fiber optic cable - lc/pc - lc/pc - duplex - LSHF 1.5 meter - lshf - aqua	23,47	23,47	St
PCB-FBL130/3	Fiber optic cable - lc/pc - lc/pc - duplex - LSHF 3 meter - lshf - aqua	26,86	26,86	St
PCB-FBS125/10	Fiber optic cable - st/pc - st/pc - LSHF 10 meter	32,31	32,31	St
PCB-FBS125/15	Fiber optic cable - st/pc - st/pc - LSHF 15 meter	39,93	39,93	St
PCB-FBS125/20	Fiber optic cable - st/pc - st/pc - LSHF 20 meter	47,43	47,43	St
PCB-FBS125/30	Fiber optic cable - st/pc - st/pc - LSHF 30 meter	62,44	62,44	St
PCB-FBS125/40	Fiber optic cable - st/pc - st/pc - LSHF 40 meter	77,56	77,56	St
PCB-FBS125/5	Fiber optic cable - st/pc - st/pc - LSHF 5 meter	24,81	24,81	St
PCB-FBS125/50	Fiber optic cable - st/pc - st/pc - LSHF 50 meter	92,69	92,69	St
PCB-FBS125/60	Fiber optic cable - st/pc - st/pc - LSHF 60 meter	107,81	107,81	St
PCB-FBS125/90	Fiber optic cable - st/pc - st/pc - LSHF 90 meter	153,07	153,07	St
PCB-H07RN-F5G2-5/1	Power cable - H07RN-F 5G2.5 - 5 x 2.5 mmý - 13 AWG 100 meter	461,89	461,89	St
PCB-HDM100/10	(5)Pre-made open ended contractor cable 10 meters - awg24 EOL	93,41	93,41	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-HDM100/20	(5)Pre-made open ended contractor cable 20 meters - awg24	167,10	167,10	St
PCB-HDM100/4	(20) Pre-made open ended contractor cable 4 meters - awg28	32,66	32,66	St
PCB-HDM100/6	(10)Pre-made open ended contractor cable 6 meters - awg28	39,08	39,08	St
PCB-HDM19	(20) Detachable HDMI connector Connector	9,92	9,92	St
PCB-HDM19-P	Detachable HDMI connector Connector 20 pcs box	185,37	185,37	St
PCB-HDM24/3	HDMI cable - High speed with ethernet - 0,20 mmý - 24 AWG 300 m wooden reel	2.094,51	2.094,51	St
PCB-HDM26/1	(2)HDMI cable - High speed with ethernet - 0,125 mmý - 26 AWG 100 m wooden reel	548,61	548,61	St
PCB-HDM700	Contractor series carrying case	22,87	22,87	St
PCB-HDM800	HDMI crimping tool	228,81	228,81	St
PCB-HDM865	(10)Metal contractor guiding jig	23,10	23,10	St
PCB-HDM900	Tester for HDMI	96,07	96,07	St
PCB-INS2-5XLR	(last pieces) Insert cable stereo jack to 2 x XLR 2,5mtr	19,78	19,78	St
PCB-LS40/5	Loudspeaker cable - 2 x 4.0 mm - 11 AWG 500 meter	2.477,86	2.477,86	St
PCB-LS815/1	Loudspeaker cable - 8 x 1.5 mmý - 15 AWG 100 meter	1.003,21	1.003,21	St
PCB-LS815/5	Loudspeaker cable - 8 x 1.5 mmý - 15 AWG 500 meter	4.498,05	4.498,05	St
PCB-LSS504B/1	(4)Loudspeaker cable - 5 x 0,4 mmý - 21 AWG - with steel tension cable 100 meter	259,30	259,30	St
PCB-LSS504W/1	(4)Loudspeaker cable - 5 x 0,4 mmý - 21 AWG - with steel tension cable 100 meter	259,30	259,30	St
PCB-MC105B/1	(4)Balanced microphone cable - flex 2 x 0.125 mmý - 26 AWG 100 meter, black	74,42	74,42	St
PCB-MC105G/1	(4)Balanced microphone cable - flex 2 x 0.125 mmý - 26 AWG 100 meter, grey	74,42	74,42	St
PCB-MC105W/1	(4)Balanced microphone cable - flex 2 x 0.125 mmý - 26 AWG 100 meter, white	74,42	74,42	St
PCB-MC305/1	(4) Procab MC305/1 - Balanced microphone cable - flex 2 x 0.23 mmý- 24 AWG 100 meter, black	115,19	115,19	St
PCB-MC305/5	(2)Balanced microphone cable - flex 2 x 0.23 mmý- 24 AWG 500 meter, black	572,21	572,21	St
PCB-MC305B/1	(4)Balanced microphone cable - flex 2 x 0.23 mmý- 24 AWG 100 meter, blue	115,19	115,19	St
PCB-MC305G/1	(4)Balanced microphone cable - flex 2 x 0.23 mmý- 24 AWG 100 meter, green	115,19	115,19	St
PCB-MC305R/1	(4)Balanced microphone cable - flex 2 x 0.23 mmý- 24 AWG 100 meter, red	115,19	115,19	St
PCB-MC305W/1	(4)Balanced microphone cable - flex 2 x 0.23 mmý- 24 AWG 100 meter, white	115,19	115,19	St
PCB-MC405/1	(4)Balanced microphone cable - flex 2 x 0.23 mmý- 24 AWG 100 meter	134,79	134,79	St
PCB-MC405/5	(2)Balanced microphone cable - flex 2 x 0.23 mmý- 24 AWG 500 meter	669,98	669,98	St
PCB-MCM102/1	(2)Procab MCM102/1 - Balanced signal cable - 2 pairs x 0.125 mmý - 26 AWG 100 meter	347,75	347,75	St
PCB-MCM104	Balanced signal cable - 4 pairs x 0.125 mmý - 26 AWG 1 meter	4,48	4,48	St
PCB-MCM108	Balanced signal cable - 8 pairs x 0.125 mmý - 26 AWG 1 meter	7,62	7,62	St
PCB-MCM124	Balanced signal cable - 24 pairs x 0.125 mmý - 26 AWG 1 meter EOL	17,30	17,30	St
PCB-MCM148	Balanced signal cable - 48 pairs x 0.125 mmý - 26 AWG 1 meter	36,16	36,16	St
PCB-MSB116-8	(4)Multi stage block - 16 XLR female & 8 XLR male	115,95	115,95	St
PCB-MSB116-8/10	Procab MSB116-8/10 - Multi stage block - 16 XLR male & 8 XLR female 10 m	321,08	321,08	St
pcb-MSB132M8/30	Multi stage block - 32 XLR female & 8 XLR male - 32 XLR male & 8 XLR female 30 meter	1.016,42	1.016,42	St
PCB-OCT125	(20)Fiber Optic adapter - Toslink - Miniplug	5,69	5,69	St
PCB-OTT15/1-5-H	(20) Fiber optic cable - toslink - toslink 1.5 meter - hanger	28,62006	28,62006	St
PCB-OTT15/3H	(20) Toslink - to - Toslink 3 meter hanger	36,24	36,24	St
PCB-PAC151/1	(2)Procab PAC151 - Balanced signal / DMX-AES & 3G1.5 Power cable 100 meter	950,33	950,33	St
PCB-PAC151/3	Balanced signal / DMX-AES & 3G1.5 Power cable 300 meter	2.851,00	2.851,00	St
PCB-PAC251/1	(2)Balanced signal / DMX-AES & 3G2.5 Power cable 100 meter	1.323,74	1.323,74	St
PCB-PAC251/3	Balanced signal / DMX-AES & 3G2.5 Power cable 300 meter	3.971,10	3.971,10	St
PCB-PAC252/1	(2)2 x Balanced signal / DMX-AES & 3G2.5 Power cable 100 meter	1.523,63	1.523,63	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-PAC252/3	2 x Balanced signal / DMX-AES & 3G2.5 Power cable 300 meter	4.571,14	4.571,14	St
PCB-PC3G15/1	Power cable - H05VV-F 3G1.5 - 3 x 1.5 mm ^y - 16 AWG 100 meter	289,19	289,19	St
PCB-PC3G25/1	Power cable - H05VV-F 3G2.5 - 3 x 2.5 mm ^y - 13 AWG 100 meter	492,11	492,11	St
pcb-PCMJ3MX/BG	Cable connector - professional 3.5 mm jack male stereo - gold contacts Black shell	5,08	5,08	St
PCB-PCR2M/BG	(5)Cable connector - professional RCA/Cinch male - gold contacts - pair Black sh	9,92	9,92	St
PCB-PCT60SF/1	Networking cable - CAT6A - S/FTP - flex 0.22 mm ^y - 24 AWG - DuraFlex? 100 m plas	512,07	512,07	St
PCB-PCT60SF/3	Networking cable - CAT6A - S/FTP - flex 0.22 mm ^y - 24 AWG - DuraFlex? 300 m plas	1.535,73	1.535,73	St
PCB-PCX160/1	(4)Coax video cable - RG6/U - flex 0.65 mm ^y - 19 AWG - HighFlex? 100 m plastic r	421,44	421,44	St
PCB-PCX165/1	(2)12G SDI coaxial video cable - RG6/U - 18 AWG - HighFlex? 100 meter	628,96	628,96	St
PCB-PCX165/3	12G SDI coaxial video cable - RG6/U - 18 AWG - HighFlex? 300 meter	1.853,48	1.853,48	St
PCB-PHC2522/1	(2)2 x Balanced signal / DMX-AES, 2 x CAT7 S/FTP & 3G2.5 Power cable 100 meter	2.360,71	2.360,71	St
PCB-PHC2522/3	2 x Balanced signal / DMX-AES, 2 x CAT7 S/FTP & 3G2.5 Power cable 300 meter	7.082,25	7.082,25	St
PCB-PLP150/0-25	DMX adapter - 3-pin XLR male - 5-pin XLR female - HighFlex? 0.25 meter	42,14006	42,14006	St
PCB-PLP155/0-25	DMX adapter - 5-pin XLR male - 3-pin XLR female - HighFlex? 0.25 meter	42,14006	42,14006	St
PCB-PLS215/1	(4) Procab PLS215/1 - Loudspeaker cable - 2 x 1.5 mm ^y - 16 AWG - 100 meter	304,19	304,19	St
PCB-PLS215/3	(2)Loudspeaker cable - 2 x 1.5 mm - 16 AWG - HighFlex 300 meter	904,23	904,23	St
PCB-PLS225/1	(4) Procab PLS225/1 Loudspeaker Cable 2 x 2.5 mm ² 13 AWG 100m FLEXIBLE, FOR STAGE USE	439,47	439,47	St
PCB-PLS225/3	(2)Loudspeaker cable - 2 x 2.5 mm - 13 AWG - HighFlex 300 meter	1.306,20	1.306,20	St
PCB-PLS240/1	(4)Loudspeaker cable - 2 x 4.0 mm - 11 AWG - HighFlex 100 meter	810,10	810,10	St
PCB-PLS240/3	(2)Loudspeaker cable - 2 x 4.0 mm - 11 AWG - HighFlex 300 meter	2.407,90	2.407,90	St
PCB-PLS425/1	(2)Procab PLS425 Loudspeaker Cable 4 x 2.5 mm ² - HighFlex 100m FLEXIBLE, FOR STAGE USE	854,26	854,26	St
PCB-PLS425/3	(2)Loudspeaker cable - 4 x 2.5 mm - 13 AWG - HighFlex 300 meter	2.562,66	2.562,66	St
PCB-PLS440/1	(2)Loudspeaker cable - 4 x 4.0 mm - 11 AWG - HighFlex 100 meter	1.517,70	1.517,70	St
PCB-PLS440/3	(2)Loudspeaker cable - 4 x 4.0 mm - 11 AWG - HighFlex 300 meter	4.553,47	4.553,47	St
PCB-PLS825/1	(2)Loudspeaker Cable 8 x 2.5 mm ² 13 AWG HighFlex 100m Wooden Reel FLEXIBLE, FOR STAGE USE	1.733,57	1.733,57	St
PCB-PLS840/1	Loudspeaker Cable 8 x 4 mm ² 11 AWG HighFlex 100m Wooden Reel FLEXIBLE, FOR STAGE USE	3.450,68	3.450,68	St
pcb-PMI224/1	Balanced microphone cable - 2 x 0.22 mm ² - 24 AWG - HighFlex™ 100 meters	190,94	190,94	St
pcb-PMI224/3	Balanced microphone cable - 2 x 0.22 mm ² - 24 AWG - HighFlex™ 300 meters	553,58	553,58	St
PCB-PMX222/1	(4)DMX-AES cable - flex 2 x 0.34 mm ^y - 22 AWG - HighFlex? 100 meter, dark grey	257,13	257,13	St
PCB-PMX222/3	(2)DMX-AES cable - flex 2 x 0.34 mm ^y - 22 AWG - HighFlex? 300 meter, dark grey	738,83	738,83	St
PCB-PMX422/1	(4)DMX-AES cable - flex 2 pairs 0.34 mm ^y - 22 AWG - HighFlex? 100 meter, dark gr	333,84	333,84	St
PCB-PMX422/3	(2)DMX-AES cable - flex 2 pairs 0.34 mm ^y - 22 AWG - HighFlex? 300 meter, dark gr	968,24	968,24	St
PCB-PNC047/1	(2) Procab PNC047/1 - 4 x CAT7 S/FTP networking cable 100 meter	2.325,62	2.325,62	St
PCB-PNC047/3	4 x CAT7 S/FTP networking cable 300 meter	6.976,86	6.976,86	St
PCB-PNC2517/1	(2)CAT7 S/FTP & 3G2.5 Power cable 100 meter	1.645,12	1.645,12	St
PCB-PNC2517/3	CAT7 S/FTP & 3G2.5 Power cable 300 meter	4.935,23	4.935,23	St
PCB-PNC2527/1	(2)2 x CAT7 S/FTP & 3G2.5 Power cable 100 meter	2.044,42	2.044,42	St
PCB-PNC2527/3	2 x CAT7 S/FTP & 3G2.5 Power cable 300 meter	6.133,25	6.133,25	St
PCB-PR4301/1	(4)Twisted assembling cable - 2 x 0.25 mm ^y - 23 AWG 100 meter, black & brown	55,90	55,90	St
PCB-PR4304/1	(4)Twisted assembling cable - 2 x 0.25 mm ^y - 23 AWG 100 meter, black	55,90	55,90	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	& yellow			
PCB-PR4305/1	(4)Twisted assembling cable - 2 x 0.25 mmý - 23 AWG 100 meter, black & green	55,90	55,90	St
PCB-PR4306/1	(4)Twisted assembling cable - 2 x 0.25 mmý - 23 AWG 100 meter, black & blue	55,90	55,90	St
PCB-PR4308/1	(4)Twisted assembling cable - 2 x 0.25 mmý - 23 AWG 100 meter, black & grey	55,90	55,90	St
PCB-PR4309/1	(4)Twisted assembling cable - 2 x 0.25 mmý - 23 AWG 100 meter, black & white	55,90	55,90	St
PCB-PR4601/1	(4)Twisted assembling cable - 2 x 1 mmý - 17 AWG 100 meter, black & brown	146,41	146,41	St
PCB-PR4602/1	(4)Twisted assembling cable - 2 x 1 mmý - 17 AWG 100 meter, black & red	146,41	146,41	St
PCB-PR4604/1	(4)Twisted assembling cable - 2 x 1 mmý - 17 AWG 100 meter, black & yellow	146,41	146,41	St
PCB-PR4605/1	(4)Twisted assembling cable - 2 x 1 mmý - 17 AWG 100 meter, black & green	146,41	146,41	St
PCB-PR4607/1	(4)Twisted assembling cable - 2 x 1 mmý - 17 AWG 100 meter, black & purple	146,41	146,41	St
PCB-PR4608/1	(4)Twisted assembling cable - 2 x 1 mmý - 17 AWG 100 meter, black & grey	146,41	146,41	St
PCB-PR4609/1	(4)Twisted assembling cable - 2 x 1 mmý - 17 AWG 100 meter, black & white	146,41	146,41	St
PCB-PRA502/20	loudspeaker cable - 2-pin speakON - HighFlex? 20 meter	111,68	111,68	St
pcb-PRA522/10	Loudspeaker cable - 2 pole speakON cable - HighFlex™ 10 meter	78,14	78,14	St
pcb-PRA522/15	Loudspeaker cable - 2 pole speakON cable - HighFlex™ 15 meter	103,30	103,30	St
pcb-PRA522/1-5	Loudspeaker cable - 2 pole speakON cable - HighFlex™ 1.5 meter	35,43	35,43	St
pcb-PRA522/20	Loudspeaker cable - 2 pole speakON cable - HighFlex™ 20 meter	128,44	128,44	St
pcb-PRA522/3	Loudspeaker cable - 2 pole speakON cable - HighFlex™ 3 meter	42,94	42,94	St
pcb-PRA522/5	Loudspeaker cable - 2 pole speakON cable - HighFlex™ 5 meter	53,00	53,00	St
PCB-PRA524/10	Procab Pra524/10 - Loudspeaker cable - 4 pole speakON cable - HighFlex - 10m	121,05006	121,05006	St
pcb-PRA524/1-5	Loudspeaker cable - 4 pole speakON cable - HighFlex™ 1.5 meter	53,06	53,06	St
PCB-PRA524/15	Procab Pra524/15 - Loudspeaker cable - 4 pole speakON cable - HighFlex - 15m	160,32006	160,32006	St
PCB-PRA524/20	Procab Pra524/20 - Loudspeaker cable - 4 pole speakON cable - HighFlex	200,98006	200,98006	St
PCB-PRA524/3	Procab Pra524/3 - Loudspeaker cable - 4 pole speakON cable - HighFlex - 3m	65,10006	65,10006	St
PCB-PRA524/5	Procab Pra524/5 - Loudspeaker cable - 4 pole speakON cable - HighFlex - 5m	81,08006	81,08006	St
PCB-PRA600/1-5	(10)Jack male mono - Jack male mono - UltraFlex? 1.5 meter	28,38006	28,38006	St
PCB-PRA600/3	(10)Jack male mono - Jack male mono - UltraFlex? 3 meter	30,80006	30,80006	St
PCB-PRA610/1-5	(10) Procab PRA610 - Jack male stereo - Jack male stereo - UltraFlex? 1.5 meter	36,37006	36,37006	St
PCB-PRA610/3	(10)Jack male stereo - Jack male stereo - UltraFlex? 3 meter	38,79006	38,79006	St
PCB-PRA631/1-5	(10)2 x 6.3 mm Jack male mono - 2 x RCA/Cinch male - UltraFlex? 1.5 meter	42,96	42,96	St
PCB-PRA631/3	(10)2 x 6.3 mm Jack male mono - 2 x RCA/Cinch male - UltraFlex? 3 meter	46,10	46,10	St
PCB-PRA701/3	(10)2 x XLR Male - 2 x RCA/Cinch male - UltraFlex? 3 meter	41,26	41,26	St
PCB-PRA711/1-5	(10)3.5 mm male stereo - 2 x RCA/Cinch male - UltraFlex? 1.5 meter	23,23	23,23	St
PCB-PRA711/3	(10)3.5 mm male stereo - 2 x RCA/Cinch male - UltraFlex? 3 meter	25,72006	25,72006	St
PCB-PRA712/1-5	(10)3.5 mm male stereo - 2 x XLR male - UltraFlex? 1.5 meter	35,94	35,94	St
PCB-PRA712/3	(10)3.5 mm male stereo - 2 x XLR male - UltraFlex? 3 meter	38,36	38,36	St
PCB-PRA713/3	(10)3.5 mm male stereo - 2 x 6.3 mm Jack male mono - UltraFlex? 3 meter	38,45	38,45	St
PCB-PRA723/0-25	(5)XLR female - Jack male stereo - UltraFlex? 0.25 meter	29,55	29,55	St
PCB-PRA723/1-5	(10)XLR female - Jack male stereo - UltraFlex? 1.5 meter	32,79	32,79	St
PCB-PRA724/0-25	(5)XLR male - Jack male stereo - UltraFlex? 0.25 meter	29,55	29,55	St
PCB-PRA724/1-5	(10)XLR male - Jack male stereo - UltraFlex? 1.5 meter	32,98006	32,98006	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-PRA724/3	(10)XLR male - Jack male stereo - UltraFlex? 3 meter	35,77006	35,77006	St
PCB-PRA735/1-5	(10)XLR female - 2 x XLR male - UltraFlex? 1.5 meter	40,24006	40,24006	St
PCB-PRA736/1-5	(10)XLR male - 2 x XLR female - UltraFlex? 1.5 meter	41,50	41,50	St
PCB-PRA800/0-5	(10)2x RCA/Cinch male - 2x RCA/Cinch male - UltraFlex? 0.5 meter	24,63006	24,63006	St
PCB-PRA800/1	(10)2x RCA/Cinch male - 2x RCA/Cinch male - UltraFlex? 1 meter	25,60006	25,60006	St
PCB-PRA800/10	(10)2x RCA/Cinch male - 2x RCA/Cinch male - UltraFlex? 10 meter	40,24006	40,24006	St
PCB-PRA800/1-5	(10)2x RCA/Cinch male - 2x RCA/Cinch male - UltraFlex? 1.5 meter	26,09006	26,09006	St
PCB-PRA800/3	(10)2x RCA/Cinch male - 2x RCA/Cinch male - UltraFlex? 3 meter	29,39006	29,39006	St
PCB-PRA800/5	(10)2x RCA/Cinch male - 2x RCA/Cinch male - UltraFlex? 5 meter	31,77006	31,77006	St
PCB-PRA900/3	(10) Procab PRA900/3 - Jack male mono - XLR female - UltraFlex 3 METER	31,32006	31,32006	St
PCB-PRA900/5	(10)Jack male mono - XLR female - UltraFlex? 5 METER	34,07006	34,07006	St
PCB-PRA901/0-5	(10)XLR male - XLR female - UltraFlex? 0,5 meter	26,98	26,98	St
PCB-PRA901/1	(10)XLR male - XLR female - UltraFlex? 1 meter	28,02006	28,02006	St
PCB-PRA901/15	(10) Procab PRA901/15 - XLR male - XLR female - UltraFlex - 15 meter	45,57006	45,57006	St
PCB-PRA901/1-5	(10) Procab PRA901/1-5 - XLR male - XLR female - UltraFlex 1,5 meter	28,99006	28,99006	St
PCB-PRA902/10	(5) Procab PRA902/10 - XLR male - XLR female - HighFlex 10 meter	46,22	46,22	St
PCB-PRA902/15	(6)XLR male - XLR female - HighFlex 15 meter	54,69	54,69	St
PCB-PRA902/1-5	(10)XLR male - XLR female - HighFlex 1,5 meter	30,49	30,49	St
PCB-PRA902/20	(5) Procab PRA902/20 - XLR male - XLR female - HighFlex 20 meter	64,25	64,25	St
PCB-PRA902/3	(10)XLR male - XLR female - HighFlex 3 meter	33,52	33,52	St
PCB-PRA902/5	(10) Procab PRA902/5 - XLR male - XLR female - HighFlex 5 meter	36,78	36,78	St
PCB-PRD500/1	(5)Networking cable - CAT5E - SF/UTP - RJ45 - DuraFlex? 1 METER	10,11006	10,11006	St
PCB-PRD500/5	(5)Networking cable - CAT5E - SF/UTP - RJ45 - DuraFlex? 5 meter	25,36006	25,36006	St
PCB-PRD520/0-5	(5)Networking cable - CAT5E - SF/UTP - etherCON - DuraFlex? 0.5 meter	23,42006	23,42006	St
PCB-PRD520/0-75	(EOL) (5)Networking cable - CAT5E - SF/UTP - etherCON - DuraFlex? 0.75 meter	24,15006	24,15006	St
PCB-PRD600/0-5	(10)Networking cable - CAT6A - S/FTP - RJ45 - DuraFlex? 0.5 meter	14,95006	14,95006	St
PCB-PRD600/1	(10)Networking cable - CAT6A - S/FTP - RJ45 - DuraFlex? 1 meter	19,43006	19,43006	St
PCB-PRD600/1-5	Networking cable - CAT6A - S/FTP - RJ45 - DuraFlex? 1.5 meter	23,42006	23,42006	St
PCB-PRD600/3	Networking cable - CAT6A - S/FTP - RJ45 - DuraFlex? 3 meter	35,64006	35,64006	St
PCB-PRD600/5	Networking cable - CAT6A - S/FTP - RJ45 - DuraFlex? 5 meter	51,79	51,79	St
PCB-PRD620/0-5	Networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 0.5 meter	46,46	46,46	St
PCB-PRD620/0-75	Networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 0.75 meter	49,37	49,37	St
PCB-PRD620/10	Networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 10 meter	114,66006	114,66006	St
PCB-PRD620/1-5	Networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 1.5 meter	55,61006	55,61006	St
PCB-PRD620/20	Networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 20 meter	187,67	187,67	St
PCB-PRD620/3	Networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 3 meter	63,11006	63,11006	St
PCB-PRD620/5	Networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 5 meter	83,01	83,01	St
PCB-PRD953/0-5	(10)DMX AES/ EBU cable -XLR male - XLR female - HighFlex? 0,5 meter	28,26006	28,26006	St
PCB-PRD953/1	(10)DMX AES/ EBU cable -XLR male - XLR female - HighFlex? 1 meter	29,84006	29,84006	St
PCB-PRD953/10	(10)DMX AES/ EBU cable -XLR male - XLR female - HighFlex? 10 meter	60,45006	60,45006	St
PCB-PRD953/15	(10)DMX AES/ EBU cable -XLR male - XLR female - HighFlex? 15 meter	77,51006	77,51006	St
PCB-PRD953/1-5	(10)Procab PRD953/1-5 - DMX AES/ EBU cable -XLR male - XLR female - 1,5 meter	31,53006	31,53006	St
PCB-PRD953/20	(10)DMX AES/ EBU cable -XLR male - XLR female - HighFlex? 20 meter	94,45006	94,45006	St
PCB-PRD953/3	(10)DMX AES/ EBU cable -XLR male - XLR female - HighFlex? 3 meter	36,61006	36,61006	St
PCB-PRD953/5	(10)DMX AES/ EBU cable -XLR male - XLR female - HighFlex? 5 meter	43,39006	43,39006	St
PCB-PRD955/0-5	(10)DMX 2-pair cable -XLR male - XLR female - HighFlex? 0,5 meter	55,97006	55,97006	St
PCB-PRD955/1	(10)DMX 2-pair cable -XLR male - XLR female - HighFlex? 1 meter	44,48006	44,48006	St
PCB-PRD955/10	(10)DMX 2-pair cable -XLR male - XLR female - HighFlex? 10 meter	96,39006	96,39006	St
PCB-PRD955/15	(10)DMX 2-pair cable -XLR male - XLR female - HighFlex? 15 meter	91,18006	91,18006	St
PCB-PRD955/1-5	(10)DMX 2-pair cable -XLR male - XLR female - HighFlex? 1,5 meter	59,60006	59,60006	St
PCB-PRD955/3	(10)DMX 2-pair cable -XLR male - XLR female - HighFlex? 3 meter	66,74006	66,74006	St
PCB-PRD955/5	(10)DMX 2-pair cable -XLR male - XLR female - HighFlex? 5 meter	75,33006	75,33006	St
PCB-PRP432/1-5	(20)Procab PRP432/1 - schuko male - powerCON power-in - 3 x 1.5 mmý 1.5 meter	28,02006	28,02006	St
PCB-PRP432/3	(15)Power cable - schuko male - powerCON power-in - 3 x 1.5 mmý 3	34,68006	34,68006	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	meter			
PCB-PRP433/1-5	(20)Power cable - schuko male - powerCON TRUE1 female - 3 x 1.5 mmý 1.5 meter	29,40	29,40	St
PCB-PRP433/3	(15)Power cable - schuko male - powerCON TRUE1 female - 3 x 1.5 mmý 3 meter	36,13006	36,13006	St
PCB-PRP435/0-5	(30)Power cable - powerCON TRUE1 male - powerCON TRUE1 female - 3 x 1.5 mmý 0.5	44,96006	44,96006	St
PCB-PRP435/1-5	(20)Power cable - powerCON TRUE1 male - powerCON TRUE1 female - 3 x 1.5 mmý 1.5	49,08006	49,08006	St
PCB-PRP435/3	(15)Power cable - powerCON TRUE1 male - powerCON TRUE1 female - 3 x 1.5 mmý 3 me	55,25006	55,25006	St
PCB-PRP435/5	(15)Power cable - powerCON TRUE1 male - powerCON TRUE1 female - 3 x 1.5 mmý 5 me	63,84006	63,84006	St
PCB-PRP440/1-5	(20)Power cable - powerCON power-in - power-out - 3 x 2.5 mmý 1.5 meter	48,47006	48,47006	St
PCB-PRP440/3	(15)Power cable - powerCON power-in - power-out - 3 x 2.5 mmý 3 meter	60,69006	60,69006	St
PCB-PRP440/5	(15)Power cable - powerCON power-in - power-out - 3 x 2.5 mmý 5 meter	72,55006	72,55006	St
PCB-PRP442/1-5	(20)Power cable - schuko male - powerCON power-out - 3 x 2.5 mmý 1.5 meter	31,53006	31,53006	St
PCB-PRP442/3	(15)Power cable - schuko male - powerCON power-out - 3 x 2.5 mmý 3 meter	41,69006	41,69006	St
pcb-PRV158/0-5	3G-SDI cable - BNC male - BNC male - HighFlex™ 0.5 METER	25,17	25,17	St
pcb-PRV158/10	3G-SDI cable - BNC male - BNC male - HighFlex™ 10 METER	66,55	66,55	St
pcb-PRV158/1-5	3G-SDI cable - BNC male - BNC male - HighFlex™ 1.5 METER	29,65	29,65	St
pcb-PRV158/20	3G-SDI cable - BNC male - BNC male - HighFlex™ 20 METER	111,32	111,32	St
pcb-PRV158/3	3G-SDI cable - BNC male - BNC male - HighFlex™ 3 METER	35,09	35,09	St
PCB-PRV158/5	3G-SDI cable - BNC male - BNC male - HighFlex - 5m	44,04	44,04	St
PCB-PRV220A/25	HDMI A male - HDMI A male - Armored active optical - HighFlex? 25 meter	373,77	373,77	St
PCB-PRV220A/50	HDMI A male - HDMI A male - Armored active optical - HighFlex? 50 meter	517,52	517,52	St
PCB-PRX102/100	Cable reel - XLR male & female - XLR male 100 meter	381,58006	381,58006	St
PCB-PRX102/50	Cable reel - XLR male & female - XLR male 50 meter	297,73006	297,73006	St
PCB-PRX160/100	Cable reel - 3G-SDI - BNC female - BNC male - HighFlex? 100 meter	579,35	579,35	St
PCB-PRX160/50	Cable reel - 3G-SDI - BNC female - BNC male - HighFlex? 50 meter	383,04006	383,04006	St
PCB-PRX220A/100	Procab PRX220A/100 - Cable reel - HDMI A male - HDMI A male - active optical - HighFlex 100	859,78006	859,78006	St
PCB-PRX220A/50	Cable reel - HDMI A male - HDMI A male - Armored active optical - HighFlex? 50 m	610,45	610,45	St
PCB-PRX222/50	Cable reel - 2 x XLR male & female - 2 x XLR male 50 meter	385,94006	385,94006	St
PCB-PRX350/50	Cable reel - DMX AES/ EBU - XLR male & female - XLR male - HighFlex? 50 meter	312,79	312,79	St
PCB-PRX606/50	Procab PRX606/50 - Cable reel - networking cable - CAT6 - U/UTP - RJ45 - 50 meter with 5	280,31006	280,31006	St
PCB-PRX606/70	Cable reel - networking cable - CAT6 - U/UTP - RJ45 - HighFlex? 70 meter with 5	338,14006	338,14006	St
PCB-PRX606/90	Procab PRX606/90 - Cable reel - CAT6 - U/UTP - RJ45 - HighFlex 90 meter with 5	412,32006	412,32006	St
PCB-PRX656/50	Cable reel - networking cable - CAT6A - S/FTP - etherCON - HighFlex? 50 meter	401,43006	401,43006	St
PCB-PRX656/70	Cable reel - networking cable - CAT6A - S/FTP - etherCON - HighFlex? 70 meter	486,01006	486,01006	St
PCB-PRX656/90	Cable reel - networking cable - CAT6A - S/FTP - etherCON - HighFlex? 90 meter	601,85	601,85	St
PCB-PRX676/50	Cable reel - networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 50 meter -	546,75006	546,75006	St
PCB-PRX676/70	Cable reel - networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 70 meter -	688,25	688,25	St
PCB-PRX676/90	Cable reel - networking cable - CAT6A - S/FTP - etherCON - DuraFlex? 90 meter -	955,90	955,90	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-PSC104/1-5-F	(20) Procab PSC104/1-5-F Powerstrip, 4-way 4 french sockets, 1,5m cable	8,30006	8,30006	St
PCB-PSC104/1-5-G	(20)Powerstrip with child protection, 4-way 4 german sockets, 1,5m cable	8,30006	8,30006	St
PCB-PSC104/5-F	(20)Procab Psc104/5 - Powerstrip with child protection, 4-way 4 french sockets, 5m cable	18,10006	18,10006	St
PCB-PSC104/5-G	(20)Powerstrip with child protection, 4-way 4 german sockets, 5m cable	18,10006	18,10006	St
PCB-PSC106/1-5-F	(20) Procab PSC106/1-5 - Powerstrip with child protection, 6-way 6 french sockets, 1,5m cable	10,16	10,16	St
PCB-PSC106/1-5-G	(20)Powerstrip with child protection, 6-way 6 german sockets, 1,5m cable	10,23006	10,23006	St
PCB-PSC106/5-F	(20)Powerstrip with child protection, 6-way 6 french sockets, 5m cable	19,72	19,72	St
PCB-PSC106/5-G	(20)Powerstrip with child protection, 6-way 6 german sockets, 5m cable	19,79006	19,79006	St
PCB-PSC204/1-5-G	(20)3G2.5 powerstrip with child protection, 4-way German version	10,72006	10,72006	St
PCB-PSI104/1-5-F	(20)Procab PSI104/1-5-F - IP44 powerstrip, 4-way 4 french sockets, ip44, 1,5m	16,46	16,46	St
PCB-PSI104/1-5-G	(20)IP44 powerstrip, 4-way 4 german sockets, ip44, 1,5m	16,46	16,46	St
PCB-PSI204/1-5-F	(20)IP44 powerstrip, 4-way, 3G2.5 4 french sockets, ip44, 1,5m	21,05	21,05	St
PCB-PSI204/1-5-G	(20)IP44 powerstrip, 4-way, 3G2.5 4 german sockets, ip44, 1,5m	21,05	21,05	St
PCB-REF703/1-5-H	(5)XLR male - 2 x RCA/Cinch male 1.5 meter - hanger	9,08	9,08	St
PCB-REF709/5	(5)6.3 mm Jack male stereo - XLR male & XLR female 5 meter	24,81	24,81	St
PCB-REF724/10-H	(5)XLR male - 6.3 mm Jack male stereo 10 meter - hanger	25,23	25,23	St
PCB-REF8010/5	(5)Multi core cable - 8 x 6.3 mm Jack male mono - 8 x RCA/Cinch male 5 meter	35,33	35,33	St
PCB-REF8027/5-H	(5)Multi core cable - 8 x XLR male - 6.3 mm Jack male mono 5 meter - hanger	56,99	56,99	St
PCB-REF8029/5-H	(5)Multi core cable - 4 x XLR male & 4 x XLR female - 4 x XLR female & 4 x XLR m	93,05	93,05	St
PCB-RZ15/1	(4) Procab RZ15/1 - Loudspeaker cable - 2 x 1.5 mmý - 16 AWG 100 meter	181,62	181,62	St
PCB-RZ25/1	(4)Loudspeaker cable - 2 x 2.5 mmý - 13 AWG 100 meter	278,66	278,66	St
PCB-RZ40/1	(4)Loudspeaker cable - 2 x 4 mmý - 11 AWG 100 meter	455,44	455,44	St
PCB-SIG48/1	(4)Unbalanced signal cable - flex 2 x 0.16 mmý - 25 AWG 100 meter	106,12	106,12	St
PCB-SIG58/1	(4)Procab Sig58/1 - Balanced signal cable - flex 4 x 0.16 mmý - 25 AWG 100 meter	180,41	180,41	St
PCB-SIG58/5	(2)Balanced signal cable - flex 4 x 0.16 mmý - 25 AWG 500 meter	900,48	900,48	St
PCB-SVHS10/1	(2)SVHS cable -flex 0.14 mmý - AWG 26 100 meter	159,60	159,60	St
PCB-TST200	(10) Procab TST200 - Multifunctional cable tester - Transmitter and receiver	72,36	72,36	St
PCB-VA420	(10)Adapter - HDMI male - DVI female - single link	29,04	29,04	St
PCB-VC101	(25)Adapter - RCA/Cinch female - XLR female Adapter	4,11	4,11	St
PCB-VC102	(EOL) (25)Adapter - RCA/Cinch female - XLR male Adapter	4,36	4,36	St
PCB-VC103	(ended) (25) Adapter - RCA/Cinch male - 6,3 mm Jack female Adapter	0,97	0,97	St
PCB-VC110	(25)Adapter - XLR female - 6.3 mm Jack female stereo Adapter	7,87	7,87	St
PCB-VC110-P	Adapter - XLR female - 6.3 mm Jack female stereo Adapter 25 pcs box	173,15	173,15	St
PCB-VC115	(25)Adapter - XLR male - 6.3 mm Jack female stereo Adapter	7,74	7,74	St
PCB-VC126	(25)Adapter - XLR male - 6.3 mm Jack male mono Adapter	4,72	4,72	St
PCB-VC130	(25)Adapter - XLR female - RCA/Cinch male Adapter	3,51	3,51	St
PCB-VC130-P	Adapter - XLR female - RCA/Cinch male Adapter 25 pcs box	84,70	84,70	St
PCB-VC135	(25)Adapter - XLR male - RCA/Cinch male Adapter	4,24	4,24	St
PCB-VC135-P	Adapter - XLR male - RCA/Cinch male Adapter 25 pcs box	86,03	86,03	St
PCB-VC209	(EOL) (50) Procab VC209 - Cable connector - RCA/Cinch male - pair Connector	5,08	5,08	St
PCB-VC210	(50)Cable connector - RCA/Cinch female - pair Connector	4,48	4,48	St
PCB-VC210-P	Cable connector - RCA/Cinch female - pair Connector 25 pcs box	109,99	109,99	St
PCB-VC215	(50)Adapter - RCA/Cinch male - RCA/Cinch female - 90ø angled - pair Adapter	7,02	7,02	St
PCB-VC220	(50)Adapter - RCA/Cinch male - 2 x RCA/Cinch female - straight & 90ø angled - pa	7,26	7,26	St
PCB-VC3FDL	(50)Panel connector - 3-pin xlr female Connector	2,30	2,30	St
PCB-VC3FDL-P	Panel connector - 3-pin xlr female Connector 50 pcs box	102,49	102,49	St
PCB-VC3FX	(50)Cable connector - 3-pin xlr female Connector	2,18	2,18	St
PCB-VC3FX-P	Cable connector - 3-pin xlr female Connector pack	98,98	98,98	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
PCB-VC3MDL	(50)Panel connector - 3-pin xlr male Connector	1,94	1,94	St
PCB-VC3MDL-P	Panel connector - 3-pin xlr male Connector 50 pcs box	92,44	92,44	St
PCB-VC3MX	(50)Cable connector - 3-pin xlr male Connector	1,82	1,82	St
PCB-VC3MX-P	Cable connector - 3-pin xlr male Connector 50 pcs box	80,34	80,34	St
PCB-VC5FDL	(25)Panel connector - 5-pin xlr female Connector	3,03	3,03	St
PCB-VC5FX-P	Cable connector - 5-pin xlr female Connector 25 pcs box	77,32	77,32	St
PCB-VC5MDL	(25)Panel connector - 5-pin xlr male Connector	3,03	3,03	St
PCB-VC5MX-P	Cable connector - 5-pin xlr male Connector 25 pcs box	69,45	69,45	St
PCB-VCB20	(10) Cable connector - Banana connector - red Connector	2,78	2,78	St
PCB-VCD10	(20) Procab VCD10 - Blind plate - D-size 10 pieces	8,59	8,59	St
PCB-VCD10-P	Blind plate - D-size 100 pieces	79,86	79,86	St
PCB-VCD15	(25)Panel connector - rca/cinch female Connector	3,75	3,75	St
PCB-VCD15-P	Panel connector - rca/cinch female Connector 25 pcs box	74,90	74,90	St
PCB-VCD20	(25)Panel connector - 5-pin din female Connector	4,84	4,84	St
PCB-VCD20-P	Panel connector - 5-pin din female Connector 25 pcs box	95,23	95,23	St
PCB-VCD30	(25)Panel connector - bnc double female Connector	7,26	7,26	St
PCB-VCD30-P	Panel connector - bnc double female Connector pack	164,20	164,20	St
PCB-VCD60	(25)Panel connector - rca/cinch female - metal Connector	3,87	3,87	St
PCB-VCD60-P	Panel connector - rca/cinch female - metal Connector 25 pcs box	83,85	83,85	St
PCB-VCD70	(25)Panel connector - bnc double female - metal Connector	8,71	8,71	St
PCB-VCD70-P	Panel connector - bnc double female - metal Connector 25 pcs box	191,42	191,42	St
PCB-VCD72	(25)Panel connector - bnc female - metal Connector	3,99	3,99	St
PCB-VCJ2MX	(25)Cable connector - 6.3 mm Jack male Connector	2,30	2,30	St
PCB-VCJ2MX-P	Cable connector - 6.3 mm Jack male Connector pack	51,91	51,91	St
PCB-VCJ3FP	(25)Panel connector - 6.3 mm Jack female stereo Connector	4,11	4,11	St
PCB-VCJ3FP-P	Panel connector - 6.3 mm Jack female stereo Connector 25 pcs box	94,62	94,62	St
PCB-VCJ3FX	(50)Cable connector - 6.3 mm Jack female stereo Connector	4,11	4,11	St
PCB-VCJ3MX-P	Cable connector - 6.3 mm Jack male stereo Connector 25 pcs box	54,93	54,93	St
PCB-VCK107P/B	(10)Keystone adapter - RCA female - RCA female - pair Black	10,04	10,04	St
PCB-VCK107P/W	(10)Keystone adapter - RCA female - RCA female - pair White	10,04	10,04	St
PCB-VCK10/B	(20)Keystone blind plate Black	0,73	0,73	St
PCB-VCK10/W	(20)Keystone blind plate White	0,73	0,73	St
PCB-VCK310/B	(20)Keystone adapter - 3.5 mm Jack female - 3.5 mm Jack female Black	4,96	4,96	St
PCB-VCK310/W	(20)Keystone adapter - 3.5 mm Jack female - 3.5 mm Jack female White	4,84	4,84	St
PCB-VCK315/B	(20)Keystone adapter - 3.5 mm Jack female - 3-p terminal block Black	6,50	6,50	St
PCB-VCK450/B	(20)Keystone adapter - HDMI A female - HDMI A female - pigtail Black	12,71	12,71	St
PCB-VCK450/W	(20)Keystone adapter - HDMI A female - HDMI A female - pigtail White	12,71	12,71	St
PCB-VCK510/S	(20)Keystone adapter - CAT6 RJ45 - RJ45 - metal shielded Keystone adapter cat6 r	7,14	7,14	St
PCB-VCK526A/S	(25)Keystone CAT6A shielded jack idc termination 180ø Shielded	8,35	8,35	St
PCB-VCK526/S	(25)Keystone CAT6 jack IDC termination 180ø Shielded	6,78	6,78	St
PCB-VCK526/U	(20)Keystone CAT6 jack IDC termination 180ø Unshielded	3,03	3,03	St
PCB-VCK622/B	(20)Keystone adapter - USB 2.0 A - USB 2.0 A Black	9,56	9,56	St
PCB-VCK622/W	(20)Keystone adapter - USB 2.0 A - USB 2.0 A White	9,56	9,56	St
PCB-VCK625/B	(20)Keystone adapter - USB 2.0 A - 4-pin terminal block Black	10,29	10,29	St
PCB-VCK625/W	(20)Keystone adapter - USB 2.0 A - 4-pin terminal block White	10,29	10,29	St
PCB-VCK630/B	(20)Keystone adapter - USB 3.0 A - USB 3.0 B - reversible Black	16,58	16,58	St
PCB-VCK630/W	(20)Keystone adapter - USB 3.0 A - USB 3.0 B - reversible White	16,58	16,58	St
PCB-VCL4FC	(20)Procab VCL4FC - Cable connector - 4-pin speaker female Connector	5,08	5,08	St
PCB-VCL4FC-P	Cable connector - 4-pin speaker female Connector 15 pcs box	67,28	67,28	St
pcb-VCL4MFB	Speaker adapter - 4-pin speaker male to 4-pin speaker female	13,31	13,31	St
PCB-VCL4MM	(20)Adapter - 4-pin speaker male - 4-pin speaker male Adapter	7,02	7,02	St
PCB-VCL4MP	(20)Panel connector - 4-pin speaker male Connector	3,39	3,39	St
PCB-VCL4MP-P	Panel connector - 4-pin speaker male Connector pack	77,20	77,20	St
PCB-VCL8FC	(10)Cable connector - 8-pin speaker female	14,40	14,40	St
PCB-VCL8MM	(10)Adapter - 8-pin speaker male - 8-pin speaker male	23,20	23,20	St
PCB-VCL8MP	(10)Panel connector - 8-pin speaker male	7,87	7,87	St
PCB-VCR526A/S	(20)CAT6A toolless RJ45 modular plug Shielded	13,55	13,55	St
PCB-VCR526A/U	(20)CAT6A toolless RJ45 modular plug Unshielded	6,53	6,53	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
PCB-VDK10/B	(20)D-size keystone adapter Black	2,78	2,78 St
PCB-VDK10/S	(20)D-size keystone adapter Silver	2,78	2,78 St
pcb-WB45DX/FG	Flush mount box for double wall panel - Hollow wall - 75mm depth	51,09	51,09 St
pcb-WB45SI/FS	Flush mount box for wall panel - Solid wall	10,16	10,16 St
PCB-WB45S/W	(10)Surface mount box single 45 x 45 mm White version	13,16	13,16 St